SAFETY DATA SHEET

This Safety Data Sheet complies with the European Union Directives Nr. 1907/2006.

1. Product and Supplier Identification

1.1 Product: G5183-ColorGel PurpleRose

1.2 Product Use: UV Curing Product for Artificial Nails

1.3 Producer: MPK Nails GmbH

An der Brücke 1 95679 Waldershof

Germany

Telephone: +49 9231 9739630 Email:info@mpknails.de

Supplier: As above

1.4 Emergencies (24-hour number): +49 9231 9739630

2. Hazards Identification

2.1 Classification of product or mixture

Note to reader: This product in an untested mixture and GHS classification is based on the classification of the ingredients and their concentrations. Proprietary ingredients do NOT exhibit any health effects not listed in this SDS.

GHS Classification: Skin Irritation: Category 2

Eye Irritation: Category 2A Skin Sensitization: Category 1

Specific Target Organ Toxicity, SE, Respiratory Category 3

2.2 GHS Label Elements, including precautionary statements



Pictogram:

Signal Word: Warning

GHS Hazard Statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

GHS Precautionary Statements:

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been

read and understood.

P261: Avoid breathing mist, vapours or spray P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area. P272: Contaminated work clothing should not be allowed

out of the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

Response: P302+P352: IF ON SKIN: Wash with plenty of soap and

water.

P304+P340: IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical

advice/attention.

P312: Call a POISON CENTER/doctor...if you feel unwell.

P321: Specific treatment (see Section 4).

P332+ P313: If skin irritation occurs: Get medical

advice/attention.

P333+P313: If skin irritation or rash occurs, Get medical

advice/attention

P337+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P362 + P364: Take off contaminated clothing and wash it

before reuse.

Storage: P403+P233: Store in a well-ventilated place. Keep container tightly

Closed and away of UV Light.

P405: Store locked up.

Disposal: P501: Dispose of contents/container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS: None

2.4 Additional Information

Primary Routes of Entry:

Skin Contact: Yes
Skin Absorption: Yes
Eye Contact: Yes
Ingestion: No
Inhalation: Yes

Emergency Overview:

This product contains ingredients which may cause mild eye and skin irritation in some people. For eye contact, symptoms may include a moderate burning sensation, tearing, redness, or swelling. Contact with skin may cause an allergic reaction due to prior sensitization. Local redness, rash, or itchy skin may occur in those persons with a pre-existing sensitivity or those predisposed to skin problems. In rare cases an allergic skin reaction may occur after long term contact with this product.

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is ccidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

3. Composition

3.1 Mixture composition

The Product contain the following chemicals:

Ingredients	CAS	%
Epoxy Methacrylate Oligomer	N/A	25-50%
Urethane Acrylate Oligomer	N/A	10-25%
Di-HEMA-Trimethylhexyldicarbamat	41137-60-4	10-25%
Ethoxylated Trimethylolpropane Triacrylate	28961-43-5	5-10%
1-Hydroxycyclohexyl-phenyl ketone	947-19-3	5-10%
2-Hydroxy-2-methyl-1-phenylpropanone	7473-98-5	1-5%
Ethyl(2,4,6-Trimethylbenzoyl)-Phenyl Posphinate	84434-11-7	1-5%
Silica	67762-90-7	1-5%
2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide	75980-60-8	0,1-1%
p-Hxdroxysanisole	150-76-5	<0,1%
внт	128-37-02	<0,1%
CI77742	10101-66-3	1-5%
CI77007	57455-37-5	0,1-1%
CI74891	13463-67-7	1-5%

3.2 Inci for Labeling

Epoxy Methacrylate Oligomer, Urethane Acrylate Oligomer, Di-HEMA-Trimethylhexyldicarbamat, Ethoxylated Trimethylolpropane Triacrylate, 1-Hydroxycyclohexyl-phenyl ketone, 2-Hydroxy-2-methyl-1-phenylpropanone, Ethyl(2,4,6-Trimethylbenzoyl)-Phenyl Posphinate, Silica, 2, 4, 6-trimethylbenzoyldiphenyl-phosphine oxide, p-Hxdroxysanisole, BHT, CI77742, CI77007, CI74891

4. First Aid Measures

4.1 Description of First Aid Measures

General advice: Consult a physician. Show this safety data sheet to the physician in attendance.

Move away from dangerous area. Remove contaminated clothing. Completely decontaminate clothing, shoes and leather goods before re-use or discard.

In case of eye contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 to 30 minutes or until the chemical is removed, while holding the eyelid(s) open. Obtain medical attention immediately or transport to a medical facility and continue to flush the eyes en route.

In case of skin contact: Wash gently and thoroughly with water and non-abrasive soap for at least 20 minutes or until chemical is removed. If signs of sensitization or irritation occur, obtain medical advice.

If inhalation: Remove source of contamination or move victim to fresh air. If breathing is difficult , give artificial respiration. If breathing is difficult oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow the victim to move about unnecessarily. Consult a physician.

If ingestion: Ingestion unlikely. Never give anything by mouth if victim is rapidly losing consciousness. Have victim rinse mouth thoroughly with water. **Do not induce vomiting**. Dilute contents of stomach with 240 to 300 ml of water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is accidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

4.3 Indication of any immediate medical attention and special treatment needed In the event of an allergic reaction, immediate medical help is required. Allergic reactions may result in various health effects including respiration.

5. Fire Fighting Measures

5.1 Extinguishing Media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray, foam, or water fog.

- **5.2 Special hazards arising from mixture:** Carbon dioxide, carbon monoxide, oxides of nitrogen, undetermined organic compounds in acrid smoke.
- **Advice for firefighters:** Do not enter fire area without proper protection. Fight fire from a safe distance, upwind. Use of water may be ineffective due to low solubility. If water is used, direct fine

spray or fog at fire to cool and extinguish flames.

5.4 Further Information:

Sensitivity to Impact: No Sensitivity to Static Discharge: No

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD INDEX:

HEALTH: 3 FLAMMABILITY: 1 REACTIVITY: 0

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use. At minimum, an eye lavage kit should be kept on hand.

6.2 Environmental precautions

Ensure that any release of this material is contained to prevent leakage into waterways and sanitary sewers.

6.3 Methods and materials for containment and cleanup

Remedial Measures: Wash spill area with strong detergent and water solution, rinse with minimal water, if possible.

Large Spills: For large spills, dike area and prevent leakage into waterways or sanitary sewers. Recover using spark proof equipment and store in approved vented containers for re-use or disposal.

Small Spills: Small spills may be absorbed on an inert medium such as vermiculite or clay, then sweep into vented disposal containers.

6.4 Reference to other sections

For disposal, see section 13

7. Handling and Storage

7.1 Precautions for safe handling

Handling Procedures: Wear proper protective equipment when handling this material. Only use non-sparking tools when handling this material.

7.2 Conditions for safe storage, including incompatibilities

Storage: Store indoors in a well ventilated area where the storage temperature can be maintained between 1°C and 38°C. Storage above 38°C will result in reduced product life. Store in tightly closed containers away from heat, sparks, open flame, strong oxidizers, radiation and other initiators. Prevent contamination with foreign materials, including moisture.

7.3 Specific end use(s)

No other uses except those mentioned in Section 1.2

8. Exposure Controls, Personal Protection

8.1 Control parameters

Components with workplace control parameters

None

Note: Silica and titanium dioxide have respiratory exposure controls, but since these components are bound into the product and are not capable of becoming airborne, exposure controls need not be listed.

8.2 Exposure controls

Engineering Controls: When using indoors, ensure adequate ventilation by using local exhaust. Mechanical ventilation is recommended for all indoor situations to control fugitive emissions. Electrical and mechanical equipment should be explosion proof.

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use.

Control of environmental exposure

Prevent further leakage or spillage, if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Viscous liquid, various colours
Odour: Characteristic acrylic odour

Odour Threshold: Not available pH: Not applicable

Melting Point/Freezing Point: 0°C **Initial Boiling Point:** 131 °C Flash Point: >96.7 °C Negligible **Evaporation Rate:** Flammability: Not flammable **Upper Explosion Limit:** No data **Lower Explosion Limit:** No data < 0.01 @ 20°C Vapour Pressure:

Vapour Density: No data

Relative Density: 1.15 @ 25°C (water=1)
Solubility: Negligible in water
Partition Coefficient: Not available
Autoignition Temperature: No data
Decomposition Temperature: No data

Explosive Properties: Not explosive. Not expected to be sensitive to electrostatic

No data

discharge.

Oxidizing Properties: No data

9.2 Other safety information: None

10. Stability and Reactivity

10.1 Reactivity

Viscosity:

Product may become reactive if inhibitor is depleted.

10.2 Chemical Stability

Stable as supplied.

10.3 Possibility of hazardous reactions

High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may initiate spontaneous polymerization, generating heat and pressure. Closed containers may rupture during hazardous polymerization.

10.4 Conditions to avoid

Exposure to heat, light and moisture.

10.5 Incompatible materials

Keep away from strong oxidizers and moisture.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide and various oxides of nitrogen.

11. Toxicological Information

11.1 Information on toxicological effects

Note to reader: We do NOT test our products on animals. In compliance with current SDS preparation requirements, the values listed are published values for generic ingredients with known animal toxicity.

Acute toxicity

Component	LD ₅₀	LC ₅₀
Di-Hema Trimethylhexyl Dicarbamate, (CAS No. Proprietory)	>5000 mg/kg (oral/rat)	N/av
(EINECS No. None)		
2-Methoxyethyl Methacrylate, (CAS No. 868-77-9)	5564 mg/kg (oral/rat)	N/av
(EINECS No. 212-782-2)	>3000 mg/kg (dermal/rabbit)	
Hydroxypropyl Methacrylate, (CAS No. 27813-02-1)	11,200 mg/kg (oral/rat)	N/av
(EINECS No. 248-666-3)		
Trimethylbenzoyl Diphenylphosphine Oxide, (CAS No. 75980-60-8)	>5000 mg/kg	N/av
(EINECS No. 278-355-8)	(oral/rat) >2000 mg/kg	
	(dermal/rabbit)	
4- Methoxyphenol (p- Hydroxyanisole), (CAS No. 150-76-5)	N/av	N/av
(EINECS No. 205-769-8)		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg(oral/rat)	N/av
EINECS No. 215-168-2		
1-Methyl-2-pyrrolidone, (CAS No 872-50-4)	3914 mg/kg (oral/rat)	LD _{LO} >5100 ppm
(EINECS No. 212-828-1)	8000 mg/kg (dermal/rabbit)	(inh, rat/4h)
Titanium Dioxide, CAS No. 13463-67-7	>25,000 mg/kg (oral/rat)	>6820 mg/m ³
EINECS No. 236-675-5	>10,000 mg/mg (dermal/rabbit)	
Black (Cl77266), Carbon, mesoporous, CAS No 1333-86-4	>15,400 mg/kg (oral/rat)	6750 mg/m ³
EINECS No 215-609-9		
Silica, CAS No. 7631-86-9	3160 mg/kg (oral/rat)	N/av
EINECS No. 231-545-4		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg (oral/rat)	N/av
EINECS No. 215-168-2		
Tin Oxide, CAS No 18282-10-10	>20,000 mg/kg (oral/rat)	N/av
EINECS No 242-159-0		

ABBREVIATION KEY: N/p: not published, N/d: not determined, N/ap: not applicable, N/av: not available

Skin corrosion/irritation

Components of this mixture may cause skin irritation, H315, Category 2, Warning

Serious eye damage/eye irritation

Components of this mixture may cause eye irritation, H319, Category 2A, Warning

Respiratory or skin sensitization

Components of this mixture may cause skin sensitization, H317, Category 1, Warning

Germ Cell Mutagenicity

Components in this mixture suspected of causing genetic defects, H341, Category 2, Warning

Carcinogenicity

Not classifiable as a human carcinogen. Titanium dioxide is present in the formulation but is not in a respirable form and cannot become airborne.

Reproductive toxicity

Components in this mixture are suspected of damaging fertility or the unborn child, H361, Category 2, Warning

Specific Target Organ Toxicity - Single exposure

Components of this mixture may cause respiratory irritation, H335, Category 3, Warning

Specific Target Organ Toxicity - Repeated exposure

No information available

Aspiration Hazard

No information available

Additional information

None

12. Ecological Information

12.1 Toxicity

To fish:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate flow through test Fathead Minnow 227mg/l – 96 hour

Hydroxypropyl methacrylate No data available

4-Methoxyphenol LC_{50} : rainbow trout -28.5 mg/l - 96 hour

Trimethylbenzoyl 10 – 100 mg/l

diphenylphosphine oxide

To algae:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate 345 mg/L/72hr (Green algae) Hydroxypropyl methacrylate > 97 mg/L/72hr (Green algae)

4-Methoxyphenol No data available Trimethylbenzoyl 10 – 100 mg/l72 hr

diphenylphosphine oxide

To daphnia:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate
Hydroxypropyl methacrylate
4-Methoxyphenol
Trimethylbenzoyl
diphenylphosphine oxide

380 mg/l
>140 mg/l
No data available
10 – 100 mg/l

12.2 Persistence and degradability

2-Hydroxyethyl methacrylate (HEMA) and Hydroxypropyl methacrylate (HPMA) are considered to be readily biodegradable.

Trimethylbenzoyl diphenylphosphine oxide is considered to be poorly biodegradable. Isobornyl acrylate. Isobornyl acrylate is not considered to be readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not conducted

12.6 Other adverse effects

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product:

Review federal, provincial or state, and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions. Disposal by controlled incineration or by secure land fill may be acceptable.

Contaminated packaging

Dispose as above.

14. Transport Information

All Luxio Gels

Transport of Dangerous Goods (TDG and CLR): Not regulated

United States Department of Transport (49CFR): Not regulated

International Air Transport Association (IATA): Not regulated

International Maritime Organization (IMO): Not regulated

15. Regulatory Information

REGULATIONS:

None

16. Other Information

Original Preparation Date: 8/10/2021

Prepared by: MPK Nails GmbH

Disclaimer: This Safety Data Sheet (SDS) was prepared using information provided by CCINFO, ingredient supplier SDS and other relevant sources. This product has been classified using weight of evidence, expert judgment and previous testing as per Part 1.3 of the Fifth Edition of The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information in this SDS is offered for your consideration and guidance when exposed to this product. Haigh Industries Inc. expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of MPK Nails GmbH

Revisions: None

SAFETY DATA SHEET



This Safety Data Sheet complies with the European Union Directives Nr. 1907/2006.

1. Product and Supplier Identification

1.1 Product: G5189-ColorGel PurSalmon

1.2 Product Use: UV Curing Product for Artificial Nails

1.3 Producer: MPK Nails GmbH

An der Brücke 1 95679 Waldershof

Germany

Telephone: +49 (0)9231-9739630

Email: info@mpknails.de

Supplier: As above

1.4 Emergencies (24-hour number): +49 (0)9231-9739630

2. Hazards Identification

2.1 Classification of product or mixture

Note to reader: This product in an untested mixture and GHS classification is based on the classification of the ingredients and their concentrations. Proprietary ingredients do NOT exhibit any health effects not listed in this SDS.

GHS Classification: Skin Irritation: Category 2

Eye Irritation: Category 2A Skin Sensitization: Category 1

Specific Target Organ Toxicity, SE, Respiratory Category 3

2.2 GHS Label Elements, including precautionary statements



Pictogram:

Signal Word: Warning

GHS Hazard Statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

GHS Precautionary Statements:

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been

read and understood.

P261: Avoid breathing mist, vapours or spray P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area. P272: Contaminated work clothing should not be allowed

out of the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

Response: P302+P352: IF ON SKIN: Wash with plenty of soap and

water.

P304+P340: IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical

advice/attention.

P312: Call a POISON CENTER/doctor...if you feel unwell.

P321: Specific treatment (see Section 4).

P332+ P313: If skin irritation occurs: Get medical

advice/attention.

P333+P313: If skin irritation or rash occurs, Get medical

advice/attention

P337+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P362 + P364: Take off contaminated clothing and wash it

before reuse.

Storage: P403+P233: Store in a well-ventilated place. Keep container tightly

Closed and away of UV Light.

P405: Store locked up.

Disposal: P501: Dispose of contents/container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS: None

2.4 Additional Information

Primary Routes of Entry:

Skin Contact:

Skin Absorption:

Eye Contact:

Ingestion:

No

Inhalation:

Yes

Yes

Yes

Emergency Overview:

This product contains ingredients which may cause mild eye and skin irritation in some people. For eye contact, symptoms may include a moderate burning sensation, tearing, redness, or swelling. Contact with skin may cause an allergic reaction due to prior sensitization. Local redness, rash, or itchy skin may occur in those persons with a pre-existing sensitivity or those predisposed to skin problems. In rare cases an allergic skin reaction may occur after long term contact with this product.

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is ccidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

3. Composition

3.1 Mixture composition

The Product contain the following chemicals:

Ingredients	CAS	%
Epoxy Methacrylate Oligomer	N/A	25-50%
Urethane Acrylate Oligomer	N/A	25-50%
Di-HEMA-Trimethylhexyldicarbamat	41137-60-4	10-25%
Ethoxylated Trimethylolpropane Triacrylate	28961-43-5	5-10%
1-Hydroxycyclohexyl-phenyl ketone	947-19-3	5-10%
2-Hydroxy-2-methyl-1-phenylpropanone	7473-98-5	1-5%
Silica	67762-90-7	1-5%
2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide	75980-60-8	0,1-1%
p-Hxdroxysanisole	150-76-5	<0,1%
ВНТ	128-37-02	<0,1%
CI74891	13463-67-7	1-5%
CI19140	235-428-9	0,1-1%
CI15985	15790-07-5	0,1-1%

3.2 Inci for Labeling

Epoxy Methacrylate Oligomer, Urethane Acrylate Oligomer, Di-HEMA-Trimethylhexyldicarbamat, Ethoxylated Trimethylolpropane Triacrylate, 1-Hydroxycyclohexyl-phenyl ketone, 2-Hydroxy-2-methyl-1-phenylpropanone, Silica, 2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide, p-Hxdroxysanisole, BHT, CI74891, CI19140, CI15985

4. First Aid Measures

4.1 Description of First Aid Measures

General advice: Consult a physician. Show this safety data sheet to the physician in attendance.

Move away from dangerous area. Remove contaminated clothing. Completely decontaminate clothing, shoes and leather goods before re-use or discard.

In case of eye contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 to 30 minutes or until the chemical is removed, while holding the eyelid(s) open. Obtain medical attention immediately or transport to a medical facility and continue to flush the eyes en route.

In case of skin contact: Wash gently and thoroughly with water and non-abrasive soap for at least 20 minutes or until chemical is removed. If signs of sensitization or irritation occur, obtain medical advice.

If inhalation: Remove source of contamination or move victim to fresh air. If breathing is difficult , give artificial respiration. If breathing is difficult oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow the victim to move about unnecessarily. Consult a physician.

If ingestion: Ingestion unlikely. Never give anything by mouth if victim is rapidly losing consciousness. Have victim rinse mouth thoroughly with water. **Do not induce vomiting**. Dilute contents of stomach with 240 to 300 ml of water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is accidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

4.3 Indication of any immediate medical attention and special treatment needed In the event of an allergic reaction, immediate medical help is required. Allergic reactions may result in various health effects including respiration.

5. Fire Fighting Measures

5.1 Extinguishing Media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray, foam, or water fog.

- **5.2 Special hazards arising from mixture:** Carbon dioxide, carbon monoxide, oxides of nitrogen, undetermined organic compounds in acrid smoke.
- **Advice for firefighters:** Do not enter fire area without proper protection. Fight fire from a safe distance, upwind. Use of water may be ineffective due to low solubility. If water is used, direct fine

spray or fog at fire to cool and extinguish flames.

5.4 Further Information:

Sensitivity to Impact: No Sensitivity to Static Discharge: No

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD INDEX:

HEALTH: 3 FLAMMABILITY: 1 REACTIVITY: 0

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use. At minimum, an eye lavage kit should be kept on hand.

6.2 Environmental precautions

Ensure that any release of this material is contained to prevent leakage into waterways and sanitary sewers.

6.3 Methods and materials for containment and cleanup

Remedial Measures: Wash spill area with strong detergent and water solution, rinse with minimal water, if possible.

Large Spills: For large spills, dike area and prevent leakage into waterways or sanitary sewers. Recover using spark proof equipment and store in approved vented containers for re-use or disposal.

Small Spills: Small spills may be absorbed on an inert medium such as vermiculite or clay, then sweep into vented disposal containers.

6.4 Reference to other sections

For disposal, see section 13

7. Handling and Storage

7.1 Precautions for safe handling

Handling Procedures: Wear proper protective equipment when handling this material. Only use non-sparking tools when handling this material.

7.2 Conditions for safe storage, including incompatibilities

Storage: Store indoors in a well ventilated area where the storage temperature can be maintained between 1°C and 38°C. Storage above 38°C will result in reduced product life. Store in tightly closed containers away from heat, sparks, open flame, strong oxidizers, radiation and other initiators. Prevent contamination with foreign materials, including moisture.

7.3 Specific end use(s)

No other uses except those mentioned in Section 1.2

8. Exposure Controls, Personal Protection

8.1 Control parameters

Components with workplace control parameters

None

Note: Silica and titanium dioxide have respiratory exposure controls, but since these components are bound into the product and are not capable of becoming airborne, exposure controls need not be listed.

8.2 Exposure controls

Engineering Controls: When using indoors, ensure adequate ventilation by using local exhaust. Mechanical ventilation is recommended for all indoor situations to control fugitive emissions. Electrical and mechanical equipment should be explosion proof.

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use.

Control of environmental exposure

Prevent further leakage or spillage, if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Viscous liquid, various colours
Odour: Characteristic acrylic odour

Odour Threshold: Not available pH: Not applicable

Melting Point/Freezing Point: 0°C **Initial Boiling Point:** 131 °C Flash Point: >96.7 °C **Evaporation Rate:** Negligible Flammability: Not flammable **Upper Explosion Limit:** No data Lower Explosion Limit: No data < 0.01 @ 20°C Vapour Pressure: Vapour Density: No data

Relative Density: 1.15 @ 25°C (water=1)
Solubility: Negligible in water
Partition Coefficient: Not available
Autoignition Temperature: No data

Decomposition Temperature: No data
Viscosity: No data

Explosive Properties: Not explosive. Not expected to be sensitive to electrostatic

discharge.

Oxidizing Properties: No data

9.2 Other safety information: None

10. Stability and Reactivity

10.1 Reactivity

Product may become reactive if inhibitor is depleted.

10.2 Chemical Stability

Stable as supplied.

10.3 Possibility of hazardous reactions

High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may initiate spontaneous polymerization, generating heat and pressure. Closed containers may rupture during hazardous polymerization.

10.4 Conditions to avoid

Exposure to heat, light and moisture.

10.5 Incompatible materials

Keep away from strong oxidizers and moisture.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide and various oxides of nitrogen.

11. Toxicological Information

11.1 Information on toxicological effects

Note to reader: We do NOT test our products on animals. In compliance with current SDS preparation requirements, the values listed are published values for generic ingredients with known animal toxicity.

Acute toxicity

Component	LD ₅₀	LC ₅₀
Di-Hema Trimethylhexyl Dicarbamate, (CAS No. Proprietory)	>5000 mg/kg (oral/rat)	N/av
(EINECS No. None)		
2-Methoxyethyl Methacrylate, (CAS No. 868-77-9)	5564 mg/kg (oral/rat)	N/av
(EINECS No. 212-782-2)	>3000 mg/kg (dermal/rabbit)	
Hydroxypropyl Methacrylate, (CAS No. 27813-02-1)	11,200 mg/kg (oral/rat)	N/av
(EINECS No. 248-666-3)		
Trimethylbenzoyl Diphenylphosphine Oxide, (CAS No. 75980-60-8)	>5000 mg/kg	N/av
(EINECS No. 278-355-8)	(oral/rat) >2000 mg/kg	
	(dermal/rabbit)	
4- Methoxyphenol (p- Hydroxyanisole), (CAS No. 150-76-5)	N/av	N/av
(EINECS No. 205-769-8)		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg(oral/rat)	N/av
EINECS No. 215-168-2	,	
1-Methyl-2-pyrrolidone, (CAS No 872-50-4)	3914 mg/kg (oral/rat)	LD _{LO} >5100 ppm
(EINECS No. 212-828-1)	8000 mg/kg (dermal/rabbit)	(inh, rat/4h)
Titanium Dioxide, CAS No. 13463-67-7	>25,000 mg/kg (oral/rat)	>6820 mg/m ³
EINECS No. 236-675-5	>10,000 mg/mg (dermal/rabbit)	
Black (Cl77266), Carbon, mesoporous, CAS No 1333-86-4	>15,400 mg/kg (oral/rat)	6750 mg/m ³
EINECS No 215-609-9		
Silica, CAS No. 7631-86-9	3160 mg/kg (oral/rat)	N/av
EINECS No. 231-545-4		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg (oral/rat)	N/av
EINECS No. 215-168-2		
Tin Oxide, CAS No 18282-10-10	>20,000 mg/kg (oral/rat)	N/av
EINECS No 242-159-0		

ABBREVIATION KEY: N/p: not published, N/d: not determined, N/ap: not applicable, N/av: not available

Skin corrosion/irritation

Components of this mixture may cause skin irritation, H315, Category 2, Warning

Serious eye damage/eye irritation

Components of this mixture may cause eye irritation, H319, Category 2A, Warning

Respiratory or skin sensitization

Components of this mixture may cause skin sensitization, H317, Category 1, Warning

Germ Cell Mutagenicity

Components in this mixture suspected of causing genetic defects, H341, Category 2, Warning

Carcinogenicity

Not classifiable as a human carcinogen. Titanium dioxide is present in the formulation but is not in a respirable form and cannot become airborne.

Reproductive toxicity

Components in this mixture are suspected of damaging fertility or the unborn child, H361, Category 2, Warning

Specific Target Organ Toxicity - Single exposure

Components of this mixture may cause respiratory irritation, H335, Category 3, Warning

Specific Target Organ Toxicity - Repeated exposure

No information available

Aspiration Hazard

No information available

Additional information

None

12. Ecological Information

12.1 Toxicity

To fish:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate flow through test Fathead Minnow 227mg/l – 96 hour

Hydroxypropyl methacrylate No data available

4-Methoxyphenol LC_{50} : rainbow trout -28.5 mg/l - 96 hour

Trimethylbenzoyl 10 – 100 mg/l

diphenylphosphine oxide

To algae:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate 345 mg/L/72hr (Green algae) Hydroxypropyl methacrylate > 97 mg/L/72hr (Green algae)

4-Methoxyphenol No data available Trimethylbenzoyl 10 – 100 mg/l72 hr

diphenylphosphine oxide

To daphnia:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate
Hydroxypropyl methacrylate
4-Methoxyphenol
Trimethylbenzoyl

380 mg/l
>140 mg/l
No data available
10 – 100 mg/l

diphenylphosphine oxide

12.2 Persistence and degradability

2-Hydroxyethyl methacrylate (HEMA) and Hydroxypropyl methacrylate (HPMA) are considered to be readily biodegradable.

Trimethylbenzoyl diphenylphosphine oxide is considered to be poorly biodegradable. Isobornyl acrylate. Isobornyl acrylate is not considered to be readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not conducted

12.6 Other adverse effects

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product:

Review federal, provincial or state, and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions. Disposal by controlled incineration or by secure land fill may be acceptable.

Contaminated packaging

Dispose as above.

14. Transport Information

All Luxio Gels

Transport of Dangerous Goods (TDG and CLR): Not regulated

United States Department of Transport (49CFR): Not regulated

International Air Transport Association (IATA): Not regulated

International Maritime Organization (IMO): Not regulated

15. Regulatory Information

REGULATIONS:

None

16. Other Information

Original Preparation Date: 8/24/2021

Prepared by: MPK GmbH

Disclaimer: This Safety Data Sheet (SDS) was prepared using information provided by CCINFO, ingredient supplier SDS and other relevant sources. This product has been classified using weight of evidence, expert judgment and previous testing as per Part 1.3 of the Fifth Edition of The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information in this SDS is offered for your consideration and guidance when exposed to this product. Haigh Industries Inc. expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of MPK GMBH

Revisions: None

SAFETY DATA SHEET



This Safety Data Sheet complies with the European Union Directives Nr. 1907/2006.

1. Product and Supplier Identification

1.1 Product: G5190-ColorGel CaribbeanCruise

1.2 Product Use: UV Curing Product for Artificial Nails

1.3 Producer: MPK Nails GmbH

An der Brücke 1 95679 Waldershof

Germany

Telephone: +49 (0)9231-9739630

Email: info@mpknails.de

Supplier: As above

1.4 Emergencies (24-hour number): +49 (0)9231-9739630

2. Hazards Identification

2.1 Classification of product or mixture

Note to reader: This product in an untested mixture and GHS classification is based on the classification of the ingredients and their concentrations. Proprietary ingredients do NOT exhibit any health effects not listed in this SDS.

GHS Classification: Skin Irritation: Category 2

Eye Irritation: Category 2A Skin Sensitization: Category 1

Specific Target Organ Toxicity, SE, Respiratory Category 3

2.2 GHS Label Elements, including precautionary statements



Pictogram:

Signal Word: Warning

GHS Hazard Statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

GHS Precautionary Statements:

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been

read and understood.

P261: Avoid breathing mist, vapours or spray P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area. P272: Contaminated work clothing should not be allowed

out of the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

Response: P302+P352: IF ON SKIN: Wash with plenty of soap and

water.

P304+P340: IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical

advice/attention.

P312: Call a POISON CENTER/doctor...if you feel unwell.

P321: Specific treatment (see Section 4).

P332+ P313: If skin irritation occurs: Get medical

advice/attention.

P333+P313: If skin irritation or rash occurs, Get medical

advice/attention

P337+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P362 + P364: Take off contaminated clothing and wash it

before reuse.

Storage: P403+P233: Store in a well-ventilated place. Keep container tightly

Closed and away of UV Light.

P405: Store locked up.

Disposal: P501: Dispose of contents/container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS: None

2.4 Additional Information

Primary Routes of Entry:

Skin Contact:

Skin Absorption:

Eye Contact:

Ingestion:

No

Inhalation:

Yes

Yes

Yes

Emergency Overview:

This product contains ingredients which may cause mild eye and skin irritation in some people. For eye contact, symptoms may include a moderate burning sensation, tearing, redness, or swelling. Contact with skin may cause an allergic reaction due to prior sensitization. Local redness, rash, or itchy skin may occur in those persons with a pre-existing sensitivity or those predisposed to skin problems. In rare cases an allergic skin reaction may occur after long term contact with this product.

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is ccidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

3. Composition

3.1 Mixture composition

The Product contain the following chemicals:

Ingredients	CAS	%
Epoxy Methacrylate Oligomer	N/A	25-50%
Urethane Acrylate Oligomer	N/A	25-50%
Di-HEMA-Trimethylhexyldicarbamat	41137-60-4	10-25%
Ethoxylated Trimethylolpropane Triacrylate	28961-43-5	5-10%
1-Hydroxycyclohexyl-phenyl ketone	947-19-3	5-10%
2-Hydroxy-2-methyl-1-phenylpropanone	7473-98-5	1-5%
Silica	67762-90-7	1-5%
2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide	75980-60-8	0,1-1%
p-Hxdroxysanisole	150-76-5	<0,1%
внт	128-37-02	<0,1%
CI44090	221-409-2	0,1-1%
CI74891	13463-67-7	1-5%

3.2 Inci for Labeling

Epoxy Methacrylate Oligomer, Urethane Acrylate Oligomer, Di-HEMA-Trimethylhexyldicarbamat, Ethoxylated Trimethylolpropane Triacrylate, 1-Hydroxycyclohexyl-phenyl ketone, 2-Hydroxy-2-methyl-1-phenylpropanone, Silica, 2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide, p-Hxdroxysanisole, BHT, CI44090, CI74891

4. First Aid Measures

4.1 Description of First Aid Measures

General advice: Consult a physician. Show this safety data sheet to the physician in attendance.

Move away from dangerous area. Remove contaminated clothing. Completely decontaminate clothing, shoes and leather goods before re-use or discard.

In case of eye contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 to 30 minutes or until the chemical is removed, while holding the eyelid(s) open. Obtain medical attention immediately or transport to a medical facility and continue to flush the eyes en route.

In case of skin contact: Wash gently and thoroughly with water and non-abrasive soap for at least 20 minutes or until chemical is removed. If signs of sensitization or irritation occur, obtain medical advice.

If inhalation: Remove source of contamination or move victim to fresh air. If breathing is difficult , give artificial respiration. If breathing is difficult oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow the victim to move about unnecessarily. Consult a physician.

If ingestion: Ingestion unlikely. Never give anything by mouth if victim is rapidly losing consciousness. Have victim rinse mouth thoroughly with water. **Do not induce vomiting**. Dilute contents of stomach with 240 to 300 ml of water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is accidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

4.3 Indication of any immediate medical attention and special treatment needed In the event of an allergic reaction, immediate medical help is required. Allergic reactions may result in various health effects including respiration.

5. Fire Fighting Measures

5.1 Extinguishing Media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray, foam, or water fog.

- **5.2 Special hazards arising from mixture:** Carbon dioxide, carbon monoxide, oxides of nitrogen, undetermined organic compounds in acrid smoke.
- **Advice for firefighters:** Do not enter fire area without proper protection. Fight fire from a safe distance, upwind. Use of water may be ineffective due to low solubility. If water is used, direct fine

spray or fog at fire to cool and extinguish flames.

5.4 Further Information:

Sensitivity to Impact: No Sensitivity to Static Discharge: No

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD INDEX:

HEALTH: 3 FLAMMABILITY: 1 REACTIVITY: 0

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use. At minimum, an eye lavage kit should be kept on hand.

6.2 Environmental precautions

Ensure that any release of this material is contained to prevent leakage into waterways and sanitary sewers.

6.3 Methods and materials for containment and cleanup

Remedial Measures: Wash spill area with strong detergent and water solution, rinse with minimal water, if possible.

Large Spills: For large spills, dike area and prevent leakage into waterways or sanitary sewers. Recover using spark proof equipment and store in approved vented containers for re-use or disposal.

Small Spills: Small spills may be absorbed on an inert medium such as vermiculite or clay, then sweep into vented disposal containers.

6.4 Reference to other sections

For disposal, see section 13

7. Handling and Storage

7.1 Precautions for safe handling

Handling Procedures: Wear proper protective equipment when handling this material. Only use non-sparking tools when handling this material.

7.2 Conditions for safe storage, including incompatibilities

Storage: Store indoors in a well ventilated area where the storage temperature can be maintained between 1°C and 38°C. Storage above 38°C will result in reduced product life. Store in tightly closed containers away from heat, sparks, open flame, strong oxidizers, radiation and other initiators. Prevent contamination with foreign materials, including moisture.

7.3 Specific end use(s)

No other uses except those mentioned in Section 1.2

8. Exposure Controls, Personal Protection

8.1 Control parameters

Components with workplace control parameters

None

Note: Silica and titanium dioxide have respiratory exposure controls, but since these components are bound into the product and are not capable of becoming airborne, exposure controls need not be listed.

8.2 Exposure controls

Engineering Controls: When using indoors, ensure adequate ventilation by using local exhaust. Mechanical ventilation is recommended for all indoor situations to control fugitive emissions. Electrical and mechanical equipment should be explosion proof.

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use.

Control of environmental exposure

Prevent further leakage or spillage, if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Viscous liquid, various colours
Odour: Characteristic acrylic odour

Odour Threshold: Not available pH: Not applicable

Melting Point/Freezing Point: 0°C **Initial Boiling Point:** 131 °C Flash Point: >96.7 °C **Evaporation Rate:** Negligible Flammability: Not flammable **Upper Explosion Limit:** No data Lower Explosion Limit: No data < 0.01 @ 20°C Vapour Pressure: Vapour Density: No data

Relative Density: 1.15 @ 25°C (water=1)
Solubility: Negligible in water
Partition Coefficient: Not available
Autoignition Temperature: No data

Decomposition Temperature: No data
Viscosity: No data

Explosive Properties: Not explosive. Not expected to be sensitive to electrostatic

discharge.

Oxidizing Properties: No data

9.2 Other safety information: None

10. Stability and Reactivity

10.1 Reactivity

Product may become reactive if inhibitor is depleted.

10.2 Chemical Stability

Stable as supplied.

10.3 Possibility of hazardous reactions

High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may initiate spontaneous polymerization, generating heat and pressure. Closed containers may rupture during hazardous polymerization.

10.4 Conditions to avoid

Exposure to heat, light and moisture.

10.5 Incompatible materials

Keep away from strong oxidizers and moisture.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide and various oxides of nitrogen.

11. Toxicological Information

11.1 Information on toxicological effects

Note to reader: We do NOT test our products on animals. In compliance with current SDS preparation requirements, the values listed are published values for generic ingredients with known animal toxicity.

Acute toxicity

Component	LD ₅₀	LC ₅₀
Di-Hema Trimethylhexyl Dicarbamate, (CAS No. Proprietory)	>5000 mg/kg (oral/rat)	N/av
(EINECS No. None)		
2-Methoxyethyl Methacrylate, (CAS No. 868-77-9)	5564 mg/kg (oral/rat)	N/av
(EINECS No. 212-782-2)	>3000 mg/kg (dermal/rabbit)	
Hydroxypropyl Methacrylate, (CAS No. 27813-02-1)	11,200 mg/kg (oral/rat)	N/av
(EINECS No. 248-666-3)		
Trimethylbenzoyl Diphenylphosphine Oxide, (CAS No. 75980-60-8)	>5000 mg/kg	N/av
(EINECS No. 278-355-8)	(oral/rat) >2000 mg/kg	
	(dermal/rabbit)	
4- Methoxyphenol (p- Hydroxyanisole), (CAS No. 150-76-5)	N/av	N/av
(EINECS No. 205-769-8)		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg(oral/rat)	N/av
EINECS No. 215-168-2	,	
1-Methyl-2-pyrrolidone, (CAS No 872-50-4)	3914 mg/kg (oral/rat)	LD _{LO} >5100 ppm
(EINECS No. 212-828-1)	8000 mg/kg (dermal/rabbit)	(inh, rat/4h)
Titanium Dioxide, CAS No. 13463-67-7	>25,000 mg/kg (oral/rat)	>6820 mg/m ³
EINECS No. 236-675-5	>10,000 mg/mg (dermal/rabbit)	
Black (Cl77266), Carbon, mesoporous, CAS No 1333-86-4	>15,400 mg/kg (oral/rat)	6750 mg/m ³
EINECS No 215-609-9		
Silica, CAS No. 7631-86-9	3160 mg/kg (oral/rat)	N/av
EINECS No. 231-545-4		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg (oral/rat)	N/av
EINECS No. 215-168-2		
Tin Oxide, CAS No 18282-10-10	>20,000 mg/kg (oral/rat)	N/av
EINECS No 242-159-0		

ABBREVIATION KEY: N/p: not published, N/d: not determined, N/ap: not applicable, N/av: not available

Skin corrosion/irritation

Components of this mixture may cause skin irritation, H315, Category 2, Warning

Serious eye damage/eye irritation

Components of this mixture may cause eye irritation, H319, Category 2A, Warning

Respiratory or skin sensitization

Components of this mixture may cause skin sensitization, H317, Category 1, Warning

Germ Cell Mutagenicity

Components in this mixture suspected of causing genetic defects, H341, Category 2, Warning

Carcinogenicity

Not classifiable as a human carcinogen. Titanium dioxide is present in the formulation but is not in a respirable form and cannot become airborne.

Reproductive toxicity

Components in this mixture are suspected of damaging fertility or the unborn child, H361, Category 2, Warning

Specific Target Organ Toxicity - Single exposure

Components of this mixture may cause respiratory irritation, H335, Category 3, Warning

Specific Target Organ Toxicity - Repeated exposure

No information available

Aspiration Hazard

No information available

Additional information

None

12. Ecological Information

12.1 Toxicity

To fish:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate flow through test Fathead Minnow 227mg/l – 96 hour

Hydroxypropyl methacrylate No data available

4-Methoxyphenol LC_{50} : rainbow trout -28.5 mg/l - 96 hour

Trimethylbenzoyl 10 – 100 mg/l

diphenylphosphine oxide

To algae:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate 345 mg/L/72hr (Green algae) Hydroxypropyl methacrylate > 97 mg/L/72hr (Green algae)

4-Methoxyphenol No data available Trimethylbenzoyl 10 – 100 mg/l72 hr

diphenylphosphine oxide

To daphnia:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate
Hydroxypropyl methacrylate
4-Methoxyphenol
Trimethylbenzoyl

380 mg/l
>140 mg/l
No data available
10 – 100 mg/l

diphenylphosphine oxide

12.2 Persistence and degradability

2-Hydroxyethyl methacrylate (HEMA) and Hydroxypropyl methacrylate (HPMA) are considered to be readily biodegradable.

Trimethylbenzoyl diphenylphosphine oxide is considered to be poorly biodegradable. Isobornyl acrylate. Isobornyl acrylate is not considered to be readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not conducted

12.6 Other adverse effects

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product:

Review federal, provincial or state, and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions. Disposal by controlled incineration or by secure land fill may be acceptable.

Contaminated packaging

Dispose as above.

14. Transport Information

All Luxio Gels

Transport of Dangerous Goods (TDG and CLR): Not regulated

United States Department of Transport (49CFR): Not regulated

International Air Transport Association (IATA): Not regulated

International Maritime Organization (IMO): Not regulated

15. Regulatory Information

REGULATIONS:

None

16. Other Information

Original Preparation Date: 8/24/2021

Prepared by: MPK GmbH

Disclaimer: This Safety Data Sheet (SDS) was prepared using information provided by CCINFO, ingredient supplier SDS and other relevant sources. This product has been classified using weight of evidence, expert judgment and previous testing as per Part 1.3 of the Fifth Edition of The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information in this SDS is offered for your consideration and guidance when exposed to this product. Haigh Industries Inc. expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of MPK GMBH

Revisions: None

SAFETY DATA SHEET



This Safety Data Sheet complies with the European Union Directives Nr. 1907/2006.

1. Product and Supplier Identification

1.1 Product: G5199-ColorGel PurSunshine

1.2 Product Use: UV Curing Product for Artificial Nails

1.3 Producer: MPK Nails GmbH

An der Brücke 1 95679 Waldershof

Germany

Telephone: +49 (0)9231-9739630

Email: info@mpknails.de

Supplier: As above

1.4 Emergencies (24-hour number): +49 (0)9231-9739630

2. Hazards Identification

2.1 Classification of product or mixture

Note to reader: This product in an untested mixture and GHS classification is based on the classification of the ingredients and their concentrations. Proprietary ingredients do NOT exhibit any health effects not listed in this SDS.

GHS Classification: Skin Irritation: Category 2

Eye Irritation: Category 2A Skin Sensitization: Category 1

Specific Target Organ Toxicity, SE, Respiratory Category 3

2.2 GHS Label Elements, including precautionary statements



Pictogram:

Signal Word: Warning

GHS Hazard Statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

GHS Precautionary Statements:

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been

read and understood.

P261: Avoid breathing mist, vapours or spray P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area. P272: Contaminated work clothing should not be allowed

out of the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

Response: P302+P352: IF ON SKIN: Wash with plenty of soap and

water.

P304+P340: IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical

advice/attention.

P312: Call a POISON CENTER/doctor...if you feel unwell.

P321: Specific treatment (see Section 4).

P332+ P313: If skin irritation occurs: Get medical

advice/attention.

P333+P313: If skin irritation or rash occurs, Get medical

advice/attention

P337+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P362 + P364: Take off contaminated clothing and wash it

before reuse.

Storage: P403+P233: Store in a well-ventilated place. Keep container tightly

Closed and away of UV Light.

P405: Store locked up.

Disposal: P501: Dispose of contents/container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS: None

2.4 Additional Information

Primary Routes of Entry:

Skin Contact:

Skin Absorption:

Eye Contact:

Ingestion:

No

Inhalation:

Yes

Yes

Yes

Emergency Overview:

This product contains ingredients which may cause mild eye and skin irritation in some people. For eye contact, symptoms may include a moderate burning sensation, tearing, redness, or swelling. Contact with skin may cause an allergic reaction due to prior sensitization. Local redness, rash, or itchy skin may occur in those persons with a pre-existing sensitivity or those predisposed to skin problems. In rare cases an allergic skin reaction may occur after long term contact with this product.

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is ccidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

3. Composition

3.1 Mixture composition

The Product contain the following chemicals:

Ingredients	CAS	%
Epoxy Methacrylate Oligomer	N/A	25-50%
Urethane Acrylate Oligomer	N/A	10-25%
Di-HEMA-Trimethylhexyldicarbamat	41137-60-4	10-25%
Ethoxylated Trimethylolpropane Triacrylate	28961-43-5	5-10%
1-Hydroxycyclohexyl-phenyl ketone	947-19-3	5-10%
2-Hydroxy-2-methyl-1-phenylpropanone	7473-98-5	1-5%
Dayglow Pigments	N/A	1-5%
Silica	67762-90-7	1-5%
2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide	75980-60-8	0,1-1%
p-Hxdroxysanisole	150-76-5	<0,1%
внт	128-37-02	<0,1%
CI77019	12001-26-2	1-5%
CI77891	13463-67-7	0,1-1%
CI19140	235-428-9	0,1-1%
CI74891	13463-67-7	1-5%

3.2 Inci for Labeling

Epoxy Methacrylate Oligomer, Urethane Acrylate Oligomer, Di-HEMA-Trimethylhexyldicarbamat, Ethoxylated Trimethylolpropane Triacrylate, 1-Hydroxycyclohexyl-phenyl ketone, 2-Hydroxy-2-methyl-1-phenylpropanone, Dayglow Pigments, Silica, 2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide, p-Hxdroxysanisole, BHT, CI77019, CI77891, CI19140, CI74891

4. First Aid Measures

4.1 Description of First Aid Measures

General advice: Consult a physician. Show this safety data sheet to the physician in attendance.

Move away from dangerous area. Remove contaminated clothing. Completely decontaminate clothing, shoes and leather goods before re-use or discard.

In case of eye contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 to 30 minutes or until the chemical is removed, while holding the eyelid(s) open. Obtain medical attention immediately or transport to a medical facility and continue to flush the eyes en route.

In case of skin contact: Wash gently and thoroughly with water and non-abrasive soap for at least 20 minutes or until chemical is removed. If signs of sensitization or irritation occur, obtain medical advice.

If inhalation: Remove source of contamination or move victim to fresh air. If breathing is difficult , give artificial respiration. If breathing is difficult oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow the victim to move about unnecessarily. Consult a physician.

If ingestion: Ingestion unlikely. Never give anything by mouth if victim is rapidly losing consciousness. Have victim rinse mouth thoroughly with water. **Do not induce vomiting**. Dilute contents of stomach with 240 to 300 ml of water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is accidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

4.3 Indication of any immediate medical attention and special treatment needed In the event of an allergic reaction, immediate medical help is required. Allergic reactions may result in various health effects including respiration.

5. Fire Fighting Measures

5.1 Extinguishing Media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray, foam, or water fog.

- **5.2 Special hazards arising from mixture:** Carbon dioxide, carbon monoxide, oxides of nitrogen, undetermined organic compounds in acrid smoke.
- **Advice for firefighters:** Do not enter fire area without proper protection. Fight fire from a safe distance, upwind. Use of water may be ineffective due to low solubility. If water is used, direct fine

spray or fog at fire to cool and extinguish flames.

5.4 Further Information:

Sensitivity to Impact: No Sensitivity to Static Discharge: No

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD INDEX:

HEALTH: 3 FLAMMABILITY: 1 REACTIVITY: 0

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use. At minimum, an eye lavage kit should be kept on hand.

6.2 Environmental precautions

Ensure that any release of this material is contained to prevent leakage into waterways and sanitary sewers.

6.3 Methods and materials for containment and cleanup

Remedial Measures: Wash spill area with strong detergent and water solution, rinse with minimal water, if possible.

Large Spills: For large spills, dike area and prevent leakage into waterways or sanitary sewers. Recover using spark proof equipment and store in approved vented containers for re-use or disposal.

Small Spills: Small spills may be absorbed on an inert medium such as vermiculite or clay, then sweep into vented disposal containers.

6.4 Reference to other sections

For disposal, see section 13

7. Handling and Storage

7.1 Precautions for safe handling

Handling Procedures: Wear proper protective equipment when handling this material. Only use non-sparking tools when handling this material.

7.2 Conditions for safe storage, including incompatibilities

Storage: Store indoors in a well ventilated area where the storage temperature can be maintained between 1°C and 38°C. Storage above 38°C will result in reduced product life. Store in tightly closed containers away from heat, sparks, open flame, strong oxidizers, radiation and other initiators. Prevent contamination with foreign materials, including moisture.

7.3 Specific end use(s)

No other uses except those mentioned in Section 1.2

8. Exposure Controls, Personal Protection

8.1 Control parameters

Components with workplace control parameters

None

Note: Silica and titanium dioxide have respiratory exposure controls, but since these components are bound into the product and are not capable of becoming airborne, exposure controls need not be listed.

8.2 Exposure controls

Engineering Controls: When using indoors, ensure adequate ventilation by using local exhaust. Mechanical ventilation is recommended for all indoor situations to control fugitive emissions. Electrical and mechanical equipment should be explosion proof.

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use.

Control of environmental exposure

Prevent further leakage or spillage, if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Viscous liquid, various colours
Odour: Characteristic acrylic odour

Odour Threshold: Not available pH: Not applicable

Melting Point/Freezing Point: 0°C **Initial Boiling Point:** 131 °C Flash Point: >96.7 °C **Evaporation Rate:** Negligible Flammability: Not flammable **Upper Explosion Limit:** No data Lower Explosion Limit: No data < 0.01 @ 20°C Vapour Pressure: Vapour Density: No data

Relative Density: 1.15 @ 25°C (water=1)
Solubility: Negligible in water
Partition Coefficient: Not available
Autoignition Temperature: No data

Decomposition Temperature: No data
Viscosity: No data

Explosive Properties: Not explosive. Not expected to be sensitive to electrostatic

discharge.

Oxidizing Properties: No data

9.2 Other safety information: None

10. Stability and Reactivity

10.1 Reactivity

Product may become reactive if inhibitor is depleted.

10.2 Chemical Stability

Stable as supplied.

10.3 Possibility of hazardous reactions

High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may initiate spontaneous polymerization, generating heat and pressure. Closed containers may rupture during hazardous polymerization.

10.4 Conditions to avoid

Exposure to heat, light and moisture.

10.5 Incompatible materials

Keep away from strong oxidizers and moisture.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide and various oxides of nitrogen.

11. Toxicological Information

11.1 Information on toxicological effects

Note to reader: We do NOT test our products on animals. In compliance with current SDS preparation requirements, the values listed are published values for generic ingredients with known animal toxicity.

Acute toxicity

Component	LD ₅₀	LC ₅₀
Di-Hema Trimethylhexyl Dicarbamate, (CAS No. Proprietory)	>5000 mg/kg (oral/rat)	N/av
(EINECS No. None)		
2-Methoxyethyl Methacrylate, (CAS No. 868-77-9)	5564 mg/kg (oral/rat)	N/av
(EINECS No. 212-782-2)	>3000 mg/kg (dermal/rabbit)	
Hydroxypropyl Methacrylate, (CAS No. 27813-02-1)	11,200 mg/kg (oral/rat)	N/av
(EINECS No. 248-666-3)		
Trimethylbenzoyl Diphenylphosphine Oxide, (CAS No. 75980-60-8)	>5000 mg/kg	N/av
(EINECS No. 278-355-8)	(oral/rat) >2000 mg/kg	
	(dermal/rabbit)	
4- Methoxyphenol (p- Hydroxyanisole), (CAS No. 150-76-5)	N/av	N/av
(EINECS No. 205-769-8)		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg(oral/rat)	N/av
EINECS No. 215-168-2	,	
1-Methyl-2-pyrrolidone, (CAS No 872-50-4)	3914 mg/kg (oral/rat)	LD _{LO} >5100 ppm
(EINECS No. 212-828-1)	8000 mg/kg (dermal/rabbit)	(inh, rat/4h)
Titanium Dioxide, CAS No. 13463-67-7	>25,000 mg/kg (oral/rat)	>6820 mg/m ³
EINECS No. 236-675-5	>10,000 mg/mg (dermal/rabbit)	
Black (Cl77266), Carbon, mesoporous, CAS No 1333-86-4	>15,400 mg/kg (oral/rat)	6750 mg/m ³
EINECS No 215-609-9		
Silica, CAS No. 7631-86-9	3160 mg/kg (oral/rat)	N/av
EINECS No. 231-545-4		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg (oral/rat)	N/av
EINECS No. 215-168-2		
Tin Oxide, CAS No 18282-10-10	>20,000 mg/kg (oral/rat)	N/av
EINECS No 242-159-0		

ABBREVIATION KEY: N/p: not published, N/d: not determined, N/ap: not applicable, N/av: not available

Skin corrosion/irritation

Components of this mixture may cause skin irritation, H315, Category 2, Warning

Serious eye damage/eye irritation

Components of this mixture may cause eye irritation, H319, Category 2A, Warning

Respiratory or skin sensitization

Components of this mixture may cause skin sensitization, H317, Category 1, Warning

Germ Cell Mutagenicity

Components in this mixture suspected of causing genetic defects, H341, Category 2, Warning

Carcinogenicity

Not classifiable as a human carcinogen. Titanium dioxide is present in the formulation but is not in a respirable form and cannot become airborne.

Reproductive toxicity

Components in this mixture are suspected of damaging fertility or the unborn child, H361, Category 2, Warning

Specific Target Organ Toxicity - Single exposure

Components of this mixture may cause respiratory irritation, H335, Category 3, Warning

Specific Target Organ Toxicity - Repeated exposure

No information available

Aspiration Hazard

No information available

Additional information

None

12. Ecological Information

12.1 Toxicity

To fish:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate flow through test Fathead Minnow 227mg/l – 96 hour

Hydroxypropyl methacrylate No data available

4-Methoxyphenol LC_{50} : rainbow trout -28.5 mg/l - 96 hour

Trimethylbenzoyl 10 – 100 mg/l

diphenylphosphine oxide

To algae:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate 345 mg/L/72hr (Green algae) Hydroxypropyl methacrylate > 97 mg/L/72hr (Green algae)

4-Methoxyphenol No data available Trimethylbenzoyl 10 – 100 mg/l72 hr

diphenylphosphine oxide

To daphnia:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate
Hydroxypropyl methacrylate
4-Methoxyphenol
Trimethylbenzoyl

380 mg/l
>140 mg/l
No data available
10 – 100 mg/l

diphenylphosphine oxide

12.2 Persistence and degradability

2-Hydroxyethyl methacrylate (HEMA) and Hydroxypropyl methacrylate (HPMA) are considered to be readily biodegradable.

Trimethylbenzoyl diphenylphosphine oxide is considered to be poorly biodegradable. Isobornyl acrylate. Isobornyl acrylate is not considered to be readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not conducted

12.6 Other adverse effects

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product:

Review federal, provincial or state, and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions. Disposal by controlled incineration or by secure land fill may be acceptable.

Contaminated packaging

Dispose as above.

14. Transport Information

All Luxio Gels

Transport of Dangerous Goods (TDG and CLR): Not regulated

United States Department of Transport (49CFR): Not regulated

International Air Transport Association (IATA): Not regulated

International Maritime Organization (IMO): Not regulated

15. Regulatory Information

REGULATIONS:

None

16. Other Information

Original Preparation Date: 8/24/2021

Prepared by: MPK GmbH

Disclaimer: This Safety Data Sheet (SDS) was prepared using information provided by CCINFO, ingredient supplier SDS and other relevant sources. This product has been classified using weight of evidence, expert judgment and previous testing as per Part 1.3 of the Fifth Edition of The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information in this SDS is offered for your consideration and guidance when exposed to this product. Haigh Industries Inc. expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of MPK GMBH

Revisions: None

SAFETY DATA SHEET



This Safety Data Sheet complies with the European Union Directives Nr. 1907/2006.

1. Product and Supplier Identification

1.1 Product: G5200-ColorGel CaribicOcean

1.2 Product Use: UV Curing Product for Artificial Nails

1.3 Producer: MPK Nails GmbH

An der Brücke 1 95679 Waldershof

Germany

Telephone: +49 (0)9231-9739630

Email: info@mpknails.de

Supplier: As above

1.4 Emergencies (24-hour number): +49 (0)9231-9739630

2. Hazards Identification

2.1 Classification of product or mixture

Note to reader: This product in an untested mixture and GHS classification is based on the classification of the ingredients and their concentrations. Proprietary ingredients do NOT exhibit any health effects not listed in this SDS.

GHS Classification: Skin Irritation: Category 2

Eye Irritation: Category 2A Skin Sensitization: Category 1

Specific Target Organ Toxicity, SE, Respiratory Category 3

2.2 GHS Label Elements, including precautionary statements



Pictogram:

Signal Word: Warning

GHS Hazard Statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

GHS Precautionary Statements:

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been

read and understood.

P261: Avoid breathing mist, vapours or spray P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area. P272: Contaminated work clothing should not be allowed

out of the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

Response: P302+P352: IF ON SKIN: Wash with plenty of soap and

water.

P304+P340: IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical

advice/attention.

P312: Call a POISON CENTER/doctor...if you feel unwell.

P321: Specific treatment (see Section 4).

P332+ P313: If skin irritation occurs: Get medical

advice/attention.

P333+P313: If skin irritation or rash occurs, Get medical

advice/attention

P337+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P362 + P364: Take off contaminated clothing and wash it

before reuse.

Storage: P403+P233: Store in a well-ventilated place. Keep container tightly

Closed and away of UV Light.

P405: Store locked up.

Disposal: P501: Dispose of contents/container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS: None

2.4 Additional Information

Primary Routes of Entry:

Skin Contact:

Skin Absorption:

Eye Contact:

Ingestion:

No

Inhalation:

Yes

Yes

Yes

Emergency Overview:

This product contains ingredients which may cause mild eye and skin irritation in some people. For eye contact, symptoms may include a moderate burning sensation, tearing, redness, or swelling. Contact with skin may cause an allergic reaction due to prior sensitization. Local redness, rash, or itchy skin may occur in those persons with a pre-existing sensitivity or those predisposed to skin problems. In rare cases an allergic skin reaction may occur after long term contact with this product.

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is ccidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

3. Composition

3.1 Mixture composition

The Product contain the following chemicals:

Ingredients	CAS	%
Epoxy Methacrylate Oligomer	N/A	25-50%
Urethane Acrylate Oligomer	N/A	10-25%
Di-HEMA-Trimethylhexyldicarbamat	41137-60-4	10-25%
Ethoxylated Trimethylolpropane Triacrylate	28961-43-5	5-10%
1-Hydroxycyclohexyl-phenyl ketone	947-19-3	5-10%
2-Hydroxy-2-methyl-1-phenylpropanone	7473-98-5	1-5%
Silica	67762-90-7	1-5%
2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide	75980-60-8	0,1-1%
p-Hxdroxysanisole	150-76-5	<0,1%
ВНТ	128-37-02	<0,1%
Dayglow Pigments	N/A	1-5%
CI74891	13463-67-7	1-5%

3.2 Inci for Labeling

Epoxy Methacrylate Oligomer, Urethane Acrylate Oligomer, Di-HEMA-Trimethylhexyldicarbamat, Ethoxylated Trimethylolpropane Triacrylate, 1-Hydroxycyclohexyl-phenyl ketone, 2-Hydroxy-2-methyl-1-phenylpropanone, Silica, 2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide, p-Hxdroxysanisole, BHT, Dayglow Pigments, CI74891

4. First Aid Measures

4.1 Description of First Aid Measures

General advice: Consult a physician. Show this safety data sheet to the physician in attendance.

Move away from dangerous area. Remove contaminated clothing. Completely decontaminate clothing, shoes and leather goods before re-use or discard.

In case of eye contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 to 30 minutes or until the chemical is removed, while holding the eyelid(s) open. Obtain medical attention immediately or transport to a medical facility and continue to flush the eyes en route.

In case of skin contact: Wash gently and thoroughly with water and non-abrasive soap for at least 20 minutes or until chemical is removed. If signs of sensitization or irritation occur, obtain medical advice.

If inhalation: Remove source of contamination or move victim to fresh air. If breathing is difficult , give artificial respiration. If breathing is difficult oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow the victim to move about unnecessarily. Consult a physician.

If ingestion: Ingestion unlikely. Never give anything by mouth if victim is rapidly losing consciousness. Have victim rinse mouth thoroughly with water. **Do not induce vomiting**. Dilute contents of stomach with 240 to 300 ml of water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is accidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

4.3 Indication of any immediate medical attention and special treatment needed In the event of an allergic reaction, immediate medical help is required. Allergic reactions may result in various health effects including respiration.

5. Fire Fighting Measures

5.1 Extinguishing Media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray, foam, or water fog.

- **5.2 Special hazards arising from mixture:** Carbon dioxide, carbon monoxide, oxides of nitrogen, undetermined organic compounds in acrid smoke.
- **Advice for firefighters:** Do not enter fire area without proper protection. Fight fire from a safe distance, upwind. Use of water may be ineffective due to low solubility. If water is used, direct fine

spray or fog at fire to cool and extinguish flames.

5.4 Further Information:

Sensitivity to Impact: No Sensitivity to Static Discharge: No

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD INDEX:

HEALTH: 3 FLAMMABILITY: 1 REACTIVITY: 0

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use. At minimum, an eye lavage kit should be kept on hand.

6.2 Environmental precautions

Ensure that any release of this material is contained to prevent leakage into waterways and sanitary sewers.

6.3 Methods and materials for containment and cleanup

Remedial Measures: Wash spill area with strong detergent and water solution, rinse with minimal water, if possible.

Large Spills: For large spills, dike area and prevent leakage into waterways or sanitary sewers. Recover using spark proof equipment and store in approved vented containers for re-use or disposal.

Small Spills: Small spills may be absorbed on an inert medium such as vermiculite or clay, then sweep into vented disposal containers.

6.4 Reference to other sections

For disposal, see section 13

7. Handling and Storage

7.1 Precautions for safe handling

Handling Procedures: Wear proper protective equipment when handling this material. Only use non-sparking tools when handling this material.

7.2 Conditions for safe storage, including incompatibilities

Storage: Store indoors in a well ventilated area where the storage temperature can be maintained between 1°C and 38°C. Storage above 38°C will result in reduced product life. Store in tightly closed containers away from heat, sparks, open flame, strong oxidizers, radiation and other initiators. Prevent contamination with foreign materials, including moisture.

7.3 Specific end use(s)

No other uses except those mentioned in Section 1.2

8. Exposure Controls, Personal Protection

8.1 Control parameters

Components with workplace control parameters

None

Note: Silica and titanium dioxide have respiratory exposure controls, but since these components are bound into the product and are not capable of becoming airborne, exposure controls need not be listed.

8.2 Exposure controls

Engineering Controls: When using indoors, ensure adequate ventilation by using local exhaust. Mechanical ventilation is recommended for all indoor situations to control fugitive emissions. Electrical and mechanical equipment should be explosion proof.

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use.

Control of environmental exposure

Prevent further leakage or spillage, if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Viscous liquid, various colours
Odour: Characteristic acrylic odour

Odour Threshold: Not available pH: Not applicable

Melting Point/Freezing Point: 0°C **Initial Boiling Point:** 131 °C Flash Point: >96.7 °C **Evaporation Rate:** Negligible Flammability: Not flammable **Upper Explosion Limit:** No data Lower Explosion Limit: No data < 0.01 @ 20°C Vapour Pressure: Vapour Density: No data

Relative Density: 1.15 @ 25°C (water=1)
Solubility: Negligible in water
Partition Coefficient: Not available
Autoignition Temperature: No data

Decomposition Temperature: No data
Viscosity: No data

Explosive Properties: Not explosive. Not expected to be sensitive to electrostatic

discharge.

Oxidizing Properties: No data

9.2 Other safety information: None

10. Stability and Reactivity

10.1 Reactivity

Product may become reactive if inhibitor is depleted.

10.2 Chemical Stability

Stable as supplied.

10.3 Possibility of hazardous reactions

High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may initiate spontaneous polymerization, generating heat and pressure. Closed containers may rupture during hazardous polymerization.

10.4 Conditions to avoid

Exposure to heat, light and moisture.

10.5 Incompatible materials

Keep away from strong oxidizers and moisture.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide and various oxides of nitrogen.

11. Toxicological Information

11.1 Information on toxicological effects

Note to reader: We do NOT test our products on animals. In compliance with current SDS preparation requirements, the values listed are published values for generic ingredients with known animal toxicity.

Acute toxicity

Component	LD ₅₀	LC ₅₀
Di-Hema Trimethylhexyl Dicarbamate, (CAS No. Proprietory)	>5000 mg/kg (oral/rat)	N/av
(EINECS No. None)		
2-Methoxyethyl Methacrylate, (CAS No. 868-77-9)	5564 mg/kg (oral/rat)	N/av
(EINECS No. 212-782-2)	>3000 mg/kg (dermal/rabbit)	
Hydroxypropyl Methacrylate, (CAS No. 27813-02-1)	11,200 mg/kg (oral/rat)	N/av
(EINECS No. 248-666-3)		
Trimethylbenzoyl Diphenylphosphine Oxide, (CAS No. 75980-60-8)	>5000 mg/kg	N/av
(EINECS No. 278-355-8)	(oral/rat) >2000 mg/kg	
	(dermal/rabbit)	
4- Methoxyphenol (p- Hydroxyanisole), (CAS No. 150-76-5)	N/av	N/av
(EINECS No. 205-769-8)		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg(oral/rat)	N/av
EINECS No. 215-168-2	,	
1-Methyl-2-pyrrolidone, (CAS No 872-50-4)	3914 mg/kg (oral/rat)	LD _{LO} >5100 ppm
(EINECS No. 212-828-1)	8000 mg/kg (dermal/rabbit)	(inh, rat/4h)
Titanium Dioxide, CAS No. 13463-67-7	>25,000 mg/kg (oral/rat)	>6820 mg/m ³
EINECS No. 236-675-5	>10,000 mg/mg (dermal/rabbit)	
Black (Cl77266), Carbon, mesoporous, CAS No 1333-86-4	>15,400 mg/kg (oral/rat)	6750 mg/m ³
EINECS No 215-609-9		
Silica, CAS No. 7631-86-9	3160 mg/kg (oral/rat)	N/av
EINECS No. 231-545-4		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg (oral/rat)	N/av
EINECS No. 215-168-2		
Tin Oxide, CAS No 18282-10-10	>20,000 mg/kg (oral/rat)	N/av
EINECS No 242-159-0		

ABBREVIATION KEY: N/p: not published, N/d: not determined, N/ap: not applicable, N/av: not available

Skin corrosion/irritation

Components of this mixture may cause skin irritation, H315, Category 2, Warning

Serious eye damage/eye irritation

Components of this mixture may cause eye irritation, H319, Category 2A, Warning

Respiratory or skin sensitization

Components of this mixture may cause skin sensitization, H317, Category 1, Warning

Germ Cell Mutagenicity

Components in this mixture suspected of causing genetic defects, H341, Category 2, Warning

Carcinogenicity

Not classifiable as a human carcinogen. Titanium dioxide is present in the formulation but is not in a respirable form and cannot become airborne.

Reproductive toxicity

Components in this mixture are suspected of damaging fertility or the unborn child, H361, Category 2, Warning

Specific Target Organ Toxicity - Single exposure

Components of this mixture may cause respiratory irritation, H335, Category 3, Warning

Specific Target Organ Toxicity - Repeated exposure

No information available

Aspiration Hazard

No information available

Additional information

None

12. Ecological Information

12.1 Toxicity

To fish:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate flow through test Fathead Minnow 227mg/l – 96 hour

Hydroxypropyl methacrylate No data available

4-Methoxyphenol LC_{50} : rainbow trout -28.5 mg/l - 96 hour

Trimethylbenzoyl 10 – 100 mg/l

diphenylphosphine oxide

To algae:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate 345 mg/L/72hr (Green algae) Hydroxypropyl methacrylate > 97 mg/L/72hr (Green algae)

4-Methoxyphenol No data available Trimethylbenzoyl 10 – 100 mg/l72 hr

diphenylphosphine oxide

To daphnia:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate
Hydroxypropyl methacrylate
4-Methoxyphenol
Trimethylbenzoyl

380 mg/l
>140 mg/l
No data available
10 – 100 mg/l

diphenylphosphine oxide

12.2 Persistence and degradability

2-Hydroxyethyl methacrylate (HEMA) and Hydroxypropyl methacrylate (HPMA) are considered to be readily biodegradable.

Trimethylbenzoyl diphenylphosphine oxide is considered to be poorly biodegradable. Isobornyl acrylate. Isobornyl acrylate is not considered to be readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not conducted

12.6 Other adverse effects

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product:

Review federal, provincial or state, and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions. Disposal by controlled incineration or by secure land fill may be acceptable.

Contaminated packaging

Dispose as above.

14. Transport Information

All Luxio Gels

Transport of Dangerous Goods (TDG and CLR): Not regulated

United States Department of Transport (49CFR): Not regulated

International Air Transport Association (IATA): Not regulated

International Maritime Organization (IMO): Not regulated

15. Regulatory Information

REGULATIONS:

None

16. Other Information

Original Preparation Date: 8/24/2021

Prepared by: MPK GmbH

Disclaimer: This Safety Data Sheet (SDS) was prepared using information provided by CCINFO, ingredient supplier SDS and other relevant sources. This product has been classified using weight of evidence, expert judgment and previous testing as per Part 1.3 of the Fifth Edition of The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information in this SDS is offered for your consideration and guidance when exposed to this product. Haigh Industries Inc. expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of MPK GMBH

Revisions: None

SAFETY DATA SHEET



This Safety Data Sheet complies with the European Union Directives Nr. 1907/2006.

1. Product and Supplier Identification

1.1 Product: G5201-Colorgel Milka

1.2 Product Use: UV Curing Product for Artificial Nails

1.3 Producer: MPK Nails GmbH

An der Brücke 1 95679 Waldershof

Germany

Telephone: +49 (0)9231-9739630

Email: info@mpknails.de

Supplier: As above

1.4 Emergencies (24-hour number): +49 (0)9231-9739630

2. Hazards Identification

2.1 Classification of product or mixture

Note to reader: This product in an untested mixture and GHS classification is based on the classification of the ingredients and their concentrations. Proprietary ingredients do NOT exhibit any health effects not listed in this SDS.

GHS Classification: Skin Irritation: Category 2

Eye Irritation: Category 2A Skin Sensitization: Category 1

Specific Target Organ Toxicity, SE, Respiratory Category 3

2.2 GHS Label Elements, including precautionary statements



Pictogram:

Signal Word: Warning

GHS Hazard Statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

GHS Precautionary Statements:

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been

read and understood.

P261: Avoid breathing mist, vapours or spray P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area. P272: Contaminated work clothing should not be allowed

out of the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

Response: P302+P352: IF ON SKIN: Wash with plenty of soap and

water.

P304+P340: IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical

advice/attention.

P312: Call a POISON CENTER/doctor...if you feel unwell.

P321: Specific treatment (see Section 4).

P332+ P313: If skin irritation occurs: Get medical

advice/attention.

P333+P313: If skin irritation or rash occurs, Get medical

advice/attention

P337+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P362 + P364: Take off contaminated clothing and wash it

before reuse.

Storage: P403+P233: Store in a well-ventilated place. Keep container tightly

Closed and away of UV Light.

P405: Store locked up.

Disposal: P501: Dispose of contents/container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS: None

2.4 Additional Information

Primary Routes of Entry:

Skin Contact:

Skin Absorption:

Eye Contact:

Ingestion:

No

Inhalation:

Yes

Yes

Yes

Emergency Overview:

This product contains ingredients which may cause mild eye and skin irritation in some people. For eye contact, symptoms may include a moderate burning sensation, tearing, redness, or swelling. Contact with skin may cause an allergic reaction due to prior sensitization. Local redness, rash, or itchy skin may occur in those persons with a pre-existing sensitivity or those predisposed to skin problems. In rare cases an allergic skin reaction may occur after long term contact with this product.

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is ccidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

3. Composition

3.1 Mixture composition

The Product contain the following chemicals:

Ingredients	CAS	%
Epoxy Methacrylate Oligomer	N/A	25-50%
Urethane Acrylate Oligomer	N/A	10-25%
Di-HEMA-Trimethylhexyldicarbamat	41137-60-4	10-25%
Ethoxylated Trimethylolpropane Triacrylate	28961-43-5	5-10%
1-Hydroxycyclohexyl-phenyl ketone	947-19-3	1-5%
2-Hydroxy-2-methyl-1-phenylpropanone	7473-98-5	1-5%
Silica	67762-90-7	1-5%
2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide	75980-60-8	0,1-1%
p-Hxdroxysanisole	150-76-5	<0,1%
ВНТ	128-37-02	<0,1%
CI77891	13463-67-7	10-25%
CI77742	10101-66-3	1-5%
CI77007	57455-37-5	0,1-1%

3.2 Inci for Labeling

Epoxy Methacrylate Oligomer, Urethane Acrylate Oligomer, Di-HEMA-Trimethylhexyldicarbamat, Ethoxylated Trimethylolpropane Triacrylate, 1-Hydroxycyclohexyl-phenyl ketone, 2-Hydroxy-2-methyl-1-phenylpropanone, Silica, 2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide, p-Hxdroxysanisole, BHT, CI77891, CI77742, CI77007

4. First Aid Measures

4.1 Description of First Aid Measures

General advice: Consult a physician. Show this safety data sheet to the physician in attendance.

Move away from dangerous area. Remove contaminated clothing. Completely decontaminate clothing, shoes and leather goods before re-use or discard.

In case of eye contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 to 30 minutes or until the chemical is removed, while holding the eyelid(s) open. Obtain medical attention immediately or transport to a medical facility and continue to flush the eyes en route.

In case of skin contact: Wash gently and thoroughly with water and non-abrasive soap for at least 20 minutes or until chemical is removed. If signs of sensitization or irritation occur, obtain medical advice.

If inhalation: Remove source of contamination or move victim to fresh air. If breathing is difficult , give artificial respiration. If breathing is difficult oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow the victim to move about unnecessarily. Consult a physician.

If ingestion: Ingestion unlikely. Never give anything by mouth if victim is rapidly losing consciousness. Have victim rinse mouth thoroughly with water. **Do not induce vomiting**. Dilute contents of stomach with 240 to 300 ml of water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is accidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

4.3 Indication of any immediate medical attention and special treatment needed In the event of an allergic reaction, immediate medical help is required. Allergic reactions may result in various health effects including respiration.

5. Fire Fighting Measures

5.1 Extinguishing Media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray, foam, or water fog.

- **5.2 Special hazards arising from mixture:** Carbon dioxide, carbon monoxide, oxides of nitrogen, undetermined organic compounds in acrid smoke.
- **Advice for firefighters:** Do not enter fire area without proper protection. Fight fire from a safe distance, upwind. Use of water may be ineffective due to low solubility. If water is used, direct fine

spray or fog at fire to cool and extinguish flames.

5.4 Further Information:

Sensitivity to Impact: No Sensitivity to Static Discharge: No

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD INDEX:

HEALTH: 3 FLAMMABILITY: 1 REACTIVITY: 0

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use. At minimum, an eye lavage kit should be kept on hand.

6.2 Environmental precautions

Ensure that any release of this material is contained to prevent leakage into waterways and sanitary sewers.

6.3 Methods and materials for containment and cleanup

Remedial Measures: Wash spill area with strong detergent and water solution, rinse with minimal water, if possible.

Large Spills: For large spills, dike area and prevent leakage into waterways or sanitary sewers. Recover using spark proof equipment and store in approved vented containers for re-use or disposal.

Small Spills: Small spills may be absorbed on an inert medium such as vermiculite or clay, then sweep into vented disposal containers.

6.4 Reference to other sections

For disposal, see section 13

7. Handling and Storage

7.1 Precautions for safe handling

Handling Procedures: Wear proper protective equipment when handling this material. Only use non-sparking tools when handling this material.

7.2 Conditions for safe storage, including incompatibilities

Storage: Store indoors in a well ventilated area where the storage temperature can be maintained between 1°C and 38°C. Storage above 38°C will result in reduced product life. Store in tightly closed containers away from heat, sparks, open flame, strong oxidizers, radiation and other initiators. Prevent contamination with foreign materials, including moisture.

7.3 Specific end use(s)

No other uses except those mentioned in Section 1.2

8. Exposure Controls, Personal Protection

8.1 Control parameters

Components with workplace control parameters

None

Note: Silica and titanium dioxide have respiratory exposure controls, but since these components are bound into the product and are not capable of becoming airborne, exposure controls need not be listed.

8.2 Exposure controls

Engineering Controls: When using indoors, ensure adequate ventilation by using local exhaust. Mechanical ventilation is recommended for all indoor situations to control fugitive emissions. Electrical and mechanical equipment should be explosion proof.

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use.

Control of environmental exposure

Prevent further leakage or spillage, if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Viscous liquid, various colours
Odour: Characteristic acrylic odour

Odour Threshold: Not available pH: Not applicable

Melting Point/Freezing Point: 0°C **Initial Boiling Point:** 131 °C Flash Point: >96.7 °C **Evaporation Rate:** Negligible Flammability: Not flammable **Upper Explosion Limit:** No data Lower Explosion Limit: No data < 0.01 @ 20°C Vapour Pressure: Vapour Density: No data

Relative Density: 1.15 @ 25°C (water=1)
Solubility: Negligible in water
Partition Coefficient: Not available
Autoignition Temperature: No data

Decomposition Temperature: No data
Viscosity: No data

Explosive Properties: Not explosive. Not expected to be sensitive to electrostatic

discharge.

Oxidizing Properties: No data

9.2 Other safety information: None

10. Stability and Reactivity

10.1 Reactivity

Product may become reactive if inhibitor is depleted.

10.2 Chemical Stability

Stable as supplied.

10.3 Possibility of hazardous reactions

High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may initiate spontaneous polymerization, generating heat and pressure. Closed containers may rupture during hazardous polymerization.

10.4 Conditions to avoid

Exposure to heat, light and moisture.

10.5 Incompatible materials

Keep away from strong oxidizers and moisture.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide and various oxides of nitrogen.

11. Toxicological Information

11.1 Information on toxicological effects

Note to reader: We do NOT test our products on animals. In compliance with current SDS preparation requirements, the values listed are published values for generic ingredients with known animal toxicity.

Acute toxicity

Component	LD ₅₀	LC ₅₀
Di-Hema Trimethylhexyl Dicarbamate, (CAS No. Proprietory)	>5000 mg/kg (oral/rat)	N/av
(EINECS No. None)		
2-Methoxyethyl Methacrylate, (CAS No. 868-77-9)	5564 mg/kg (oral/rat)	N/av
(EINECS No. 212-782-2)	>3000 mg/kg (dermal/rabbit)	
Hydroxypropyl Methacrylate, (CAS No. 27813-02-1)	11,200 mg/kg (oral/rat)	N/av
(EINECS No. 248-666-3)		
Trimethylbenzoyl Diphenylphosphine Oxide, (CAS No. 75980-60-8)	>5000 mg/kg	N/av
(EINECS No. 278-355-8)	(oral/rat) >2000 mg/kg	
	(dermal/rabbit)	
4- Methoxyphenol (p- Hydroxyanisole), (CAS No. 150-76-5)	N/av	N/av
(EINECS No. 205-769-8)		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg(oral/rat)	N/av
EINECS No. 215-168-2	,	
1-Methyl-2-pyrrolidone, (CAS No 872-50-4)	3914 mg/kg (oral/rat)	LD _{LO} >5100 ppm
(EINECS No. 212-828-1)	8000 mg/kg (dermal/rabbit)	(inh, rat/4h)
Titanium Dioxide, CAS No. 13463-67-7	>25,000 mg/kg (oral/rat)	>6820 mg/m ³
EINECS No. 236-675-5	>10,000 mg/mg (dermal/rabbit)	
Black (Cl77266), Carbon, mesoporous, CAS No 1333-86-4	>15,400 mg/kg (oral/rat)	6750 mg/m ³
EINECS No 215-609-9		
Silica, CAS No. 7631-86-9	3160 mg/kg (oral/rat)	N/av
EINECS No. 231-545-4		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg (oral/rat)	N/av
EINECS No. 215-168-2		
Tin Oxide, CAS No 18282-10-10	>20,000 mg/kg (oral/rat)	N/av
EINECS No 242-159-0		

ABBREVIATION KEY: N/p: not published, N/d: not determined, N/ap: not applicable, N/av: not available

Skin corrosion/irritation

Components of this mixture may cause skin irritation, H315, Category 2, Warning

Serious eye damage/eye irritation

Components of this mixture may cause eye irritation, H319, Category 2A, Warning

Respiratory or skin sensitization

Components of this mixture may cause skin sensitization, H317, Category 1, Warning

Germ Cell Mutagenicity

Components in this mixture suspected of causing genetic defects, H341, Category 2, Warning

Carcinogenicity

Not classifiable as a human carcinogen. Titanium dioxide is present in the formulation but is not in a respirable form and cannot become airborne.

Reproductive toxicity

Components in this mixture are suspected of damaging fertility or the unborn child, H361, Category 2, Warning

Specific Target Organ Toxicity - Single exposure

Components of this mixture may cause respiratory irritation, H335, Category 3, Warning

Specific Target Organ Toxicity - Repeated exposure

No information available

Aspiration Hazard

No information available

Additional information

None

12. Ecological Information

12.1 Toxicity

To fish:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate flow through test Fathead Minnow 227mg/l – 96 hour

Hydroxypropyl methacrylate No data available

4-Methoxyphenol LC_{50} : rainbow trout -28.5 mg/l - 96 hour

Trimethylbenzoyl 10 – 100 mg/l

diphenylphosphine oxide

To algae:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate 345 mg/L/72hr (Green algae) Hydroxypropyl methacrylate > 97 mg/L/72hr (Green algae)

4-Methoxyphenol No data available Trimethylbenzoyl 10 – 100 mg/l72 hr

diphenylphosphine oxide

To daphnia:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate
Hydroxypropyl methacrylate
4-Methoxyphenol
Trimethylbenzoyl

380 mg/l
>140 mg/l
No data available
10 – 100 mg/l

diphenylphosphine oxide

12.2 Persistence and degradability

2-Hydroxyethyl methacrylate (HEMA) and Hydroxypropyl methacrylate (HPMA) are considered to be readily biodegradable.

Trimethylbenzoyl diphenylphosphine oxide is considered to be poorly biodegradable. Isobornyl acrylate. Isobornyl acrylate is not considered to be readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not conducted

12.6 Other adverse effects

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product:

Review federal, provincial or state, and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions. Disposal by controlled incineration or by secure land fill may be acceptable.

Contaminated packaging

Dispose as above.

14. Transport Information

All Luxio Gels

Transport of Dangerous Goods (TDG and CLR): Not regulated

United States Department of Transport (49CFR): Not regulated

International Air Transport Association (IATA): Not regulated

International Maritime Organization (IMO): Not regulated

15. Regulatory Information

REGULATIONS:

None

16. Other Information

Original Preparation Date: 8/24/2021

Prepared by: MPK GmbH

Disclaimer: This Safety Data Sheet (SDS) was prepared using information provided by CCINFO, ingredient supplier SDS and other relevant sources. This product has been classified using weight of evidence, expert judgment and previous testing as per Part 1.3 of the Fifth Edition of The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information in this SDS is offered for your consideration and guidance when exposed to this product. Haigh Industries Inc. expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of MPK GMBH

Revisions: None

SAFETY DATA SHEET



This Safety Data Sheet complies with the European Union Directives Nr. 1907/2006.

1. Product and Supplier Identification

1.1 Product: G5202-Colorgel PinkPanther

1.2 Product Use: UV Curing Product for Artificial Nails

1.3 Producer: MPK Nails GmbH

An der Brücke 1 95679 Waldershof

Germany

Telephone: +49 (0)9231-9739630

Email: info@mpknails.de

Supplier: As above

1.4 Emergencies (24-hour number): +49 (0)9231-9739630

2. Hazards Identification

2.1 Classification of product or mixture

Note to reader: This product in an untested mixture and GHS classification is based on the classification of the ingredients and their concentrations. Proprietary ingredients do NOT exhibit any health effects not listed in this SDS.

GHS Classification: Skin Irritation: Category 2

Eye Irritation: Category 2A Skin Sensitization: Category 1

Specific Target Organ Toxicity, SE, Respiratory Category 3

2.2 GHS Label Elements, including precautionary statements



Pictogram:

Signal Word: Warning

GHS Hazard Statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

GHS Precautionary Statements:

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been

read and understood.

P261: Avoid breathing mist, vapours or spray P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area. P272: Contaminated work clothing should not be allowed

out of the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

Response: P302+P352: IF ON SKIN: Wash with plenty of soap and

water.

P304+P340: IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical

advice/attention.

P312: Call a POISON CENTER/doctor...if you feel unwell.

P321: Specific treatment (see Section 4).

P332+ P313: If skin irritation occurs: Get medical

advice/attention.

P333+P313: If skin irritation or rash occurs, Get medical

advice/attention

P337+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P362 + P364: Take off contaminated clothing and wash it

before reuse.

Storage: P403+P233: Store in a well-ventilated place. Keep container tightly

Closed and away of UV Light.

P405: Store locked up.

Disposal: P501: Dispose of contents/container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS: None

2.4 Additional Information

Primary Routes of Entry:

Skin Contact:

Skin Absorption:

Eye Contact:

Ingestion:

No

Inhalation:

Yes

Yes

Yes

Emergency Overview:

This product contains ingredients which may cause mild eye and skin irritation in some people. For eye contact, symptoms may include a moderate burning sensation, tearing, redness, or swelling. Contact with skin may cause an allergic reaction due to prior sensitization. Local redness, rash, or itchy skin may occur in those persons with a pre-existing sensitivity or those predisposed to skin problems. In rare cases an allergic skin reaction may occur after long term contact with this product.

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is ccidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

3. Composition

3.1 Mixture composition

The Product contain the following chemicals:

Ingredients	CAS	%
Epoxy Methacrylate Oligomer	N/A	25-50%
Urethane Acrylate Oligomer	N/A	25-50%
Di-HEMA-Trimethylhexyldicarbamat	41137-60-4	10-25%
Ethoxylated Trimethylolpropane Triacrylate	28961-43-5	5-10%
1-Hydroxycyclohexyl-phenyl ketone	947-19-3	5-10%
2-Hydroxy-2-methyl-1-phenylpropanone	7473-98-5	1-5%
Silica	67762-90-7	1-5%
2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide	75980-60-8	0,1-1%
p-Hxdroxysanisole	150-76-5	<0,1%
ВНТ	128-37-02	<0,1%
CI77492	51274-00-1	1-5%
CI74891	13463-67-7	1-5%

3.2 Inci for Labeling

Epoxy Methacrylate Oligomer, Urethane Acrylate Oligomer, Di-HEMA-Trimethylhexyldicarbamat, Ethoxylated Trimethylolpropane Triacrylate, 1-Hydroxycyclohexyl-phenyl ketone, 2-Hydroxy-2-methyl-1-phenylpropanone, Silica, 2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide, p-Hxdroxysanisole, BHT, CI77492, CI74891

4. First Aid Measures

4.1 Description of First Aid Measures

General advice: Consult a physician. Show this safety data sheet to the physician in attendance.

Move away from dangerous area. Remove contaminated clothing. Completely decontaminate clothing, shoes and leather goods before re-use or discard.

In case of eye contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 to 30 minutes or until the chemical is removed, while holding the eyelid(s) open. Obtain medical attention immediately or transport to a medical facility and continue to flush the eyes en route.

In case of skin contact: Wash gently and thoroughly with water and non-abrasive soap for at least 20 minutes or until chemical is removed. If signs of sensitization or irritation occur, obtain medical advice.

If inhalation: Remove source of contamination or move victim to fresh air. If breathing is difficult , give artificial respiration. If breathing is difficult oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow the victim to move about unnecessarily. Consult a physician.

If ingestion: Ingestion unlikely. Never give anything by mouth if victim is rapidly losing consciousness. Have victim rinse mouth thoroughly with water. **Do not induce vomiting**. Dilute contents of stomach with 240 to 300 ml of water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is accidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

4.3 Indication of any immediate medical attention and special treatment needed In the event of an allergic reaction, immediate medical help is required. Allergic reactions may result in various health effects including respiration.

5. Fire Fighting Measures

5.1 Extinguishing Media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray, foam, or water fog.

- **5.2 Special hazards arising from mixture:** Carbon dioxide, carbon monoxide, oxides of nitrogen, undetermined organic compounds in acrid smoke.
- **Advice for firefighters:** Do not enter fire area without proper protection. Fight fire from a safe distance, upwind. Use of water may be ineffective due to low solubility. If water is used, direct fine

spray or fog at fire to cool and extinguish flames.

5.4 Further Information:

Sensitivity to Impact: No Sensitivity to Static Discharge: No

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD INDEX:

HEALTH: 3 FLAMMABILITY: 1 REACTIVITY: 0

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use. At minimum, an eye lavage kit should be kept on hand.

6.2 Environmental precautions

Ensure that any release of this material is contained to prevent leakage into waterways and sanitary sewers.

6.3 Methods and materials for containment and cleanup

Remedial Measures: Wash spill area with strong detergent and water solution, rinse with minimal water, if possible.

Large Spills: For large spills, dike area and prevent leakage into waterways or sanitary sewers. Recover using spark proof equipment and store in approved vented containers for re-use or disposal.

Small Spills: Small spills may be absorbed on an inert medium such as vermiculite or clay, then sweep into vented disposal containers.

6.4 Reference to other sections

For disposal, see section 13

7. Handling and Storage

7.1 Precautions for safe handling

Handling Procedures: Wear proper protective equipment when handling this material. Only use non-sparking tools when handling this material.

7.2 Conditions for safe storage, including incompatibilities

Storage: Store indoors in a well ventilated area where the storage temperature can be maintained between 1°C and 38°C. Storage above 38°C will result in reduced product life. Store in tightly closed containers away from heat, sparks, open flame, strong oxidizers, radiation and other initiators. Prevent contamination with foreign materials, including moisture.

7.3 Specific end use(s)

No other uses except those mentioned in Section 1.2

8. Exposure Controls, Personal Protection

8.1 Control parameters

Components with workplace control parameters

None

Note: Silica and titanium dioxide have respiratory exposure controls, but since these components are bound into the product and are not capable of becoming airborne, exposure controls need not be listed.

8.2 Exposure controls

Engineering Controls: When using indoors, ensure adequate ventilation by using local exhaust. Mechanical ventilation is recommended for all indoor situations to control fugitive emissions. Electrical and mechanical equipment should be explosion proof.

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use.

Control of environmental exposure

Prevent further leakage or spillage, if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Viscous liquid, various colours
Odour: Characteristic acrylic odour

Odour Threshold: Not available pH: Not applicable

Melting Point/Freezing Point: 0°C **Initial Boiling Point:** 131 °C Flash Point: >96.7 °C **Evaporation Rate:** Negligible Flammability: Not flammable **Upper Explosion Limit:** No data Lower Explosion Limit: No data < 0.01 @ 20°C Vapour Pressure: Vapour Density: No data

Relative Density: 1.15 @ 25°C (water=1)
Solubility: Negligible in water
Partition Coefficient: Not available
Autoignition Temperature: No data

Decomposition Temperature: No data
Viscosity: No data

Explosive Properties: Not explosive. Not expected to be sensitive to electrostatic

discharge.

Oxidizing Properties: No data

9.2 Other safety information: None

10. Stability and Reactivity

10.1 Reactivity

Product may become reactive if inhibitor is depleted.

10.2 Chemical Stability

Stable as supplied.

10.3 Possibility of hazardous reactions

High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may initiate spontaneous polymerization, generating heat and pressure. Closed containers may rupture during hazardous polymerization.

10.4 Conditions to avoid

Exposure to heat, light and moisture.

10.5 Incompatible materials

Keep away from strong oxidizers and moisture.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide and various oxides of nitrogen.

11. Toxicological Information

11.1 Information on toxicological effects

Note to reader: We do NOT test our products on animals. In compliance with current SDS preparation requirements, the values listed are published values for generic ingredients with known animal toxicity.

Acute toxicity

Component	LD ₅₀	LC ₅₀
Di-Hema Trimethylhexyl Dicarbamate, (CAS No. Proprietory)	>5000 mg/kg (oral/rat)	N/av
(EINECS No. None)		
2-Methoxyethyl Methacrylate, (CAS No. 868-77-9)	5564 mg/kg (oral/rat)	N/av
(EINECS No. 212-782-2)	>3000 mg/kg (dermal/rabbit)	
Hydroxypropyl Methacrylate, (CAS No. 27813-02-1)	11,200 mg/kg (oral/rat)	N/av
(EINECS No. 248-666-3)		
Trimethylbenzoyl Diphenylphosphine Oxide, (CAS No. 75980-60-8)	>5000 mg/kg	N/av
(EINECS No. 278-355-8)	(oral/rat) >2000 mg/kg	
	(dermal/rabbit)	
4- Methoxyphenol (p- Hydroxyanisole), (CAS No. 150-76-5)	N/av	N/av
(EINECS No. 205-769-8)		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg(oral/rat)	N/av
EINECS No. 215-168-2	,	
1-Methyl-2-pyrrolidone, (CAS No 872-50-4)	3914 mg/kg (oral/rat)	LD _{LO} >5100 ppm
(EINECS No. 212-828-1)	8000 mg/kg (dermal/rabbit)	(inh, rat/4h)
Titanium Dioxide, CAS No. 13463-67-7	>25,000 mg/kg (oral/rat)	>6820 mg/m ³
EINECS No. 236-675-5	>10,000 mg/mg (dermal/rabbit)	
Black (Cl77266), Carbon, mesoporous, CAS No 1333-86-4	>15,400 mg/kg (oral/rat)	6750 mg/m ³
EINECS No 215-609-9		
Silica, CAS No. 7631-86-9	3160 mg/kg (oral/rat)	N/av
EINECS No. 231-545-4		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg (oral/rat)	N/av
EINECS No. 215-168-2		
Tin Oxide, CAS No 18282-10-10	>20,000 mg/kg (oral/rat)	N/av
EINECS No 242-159-0		

ABBREVIATION KEY: N/p: not published, N/d: not determined, N/ap: not applicable, N/av: not available

Skin corrosion/irritation

Components of this mixture may cause skin irritation, H315, Category 2, Warning

Serious eye damage/eye irritation

Components of this mixture may cause eye irritation, H319, Category 2A, Warning

Respiratory or skin sensitization

Components of this mixture may cause skin sensitization, H317, Category 1, Warning

Germ Cell Mutagenicity

Components in this mixture suspected of causing genetic defects, H341, Category 2, Warning

Carcinogenicity

Not classifiable as a human carcinogen. Titanium dioxide is present in the formulation but is not in a respirable form and cannot become airborne.

Reproductive toxicity

Components in this mixture are suspected of damaging fertility or the unborn child, H361, Category 2, Warning

Specific Target Organ Toxicity - Single exposure

Components of this mixture may cause respiratory irritation, H335, Category 3, Warning

Specific Target Organ Toxicity - Repeated exposure

No information available

Aspiration Hazard

No information available

Additional information

None

12. Ecological Information

12.1 Toxicity

To fish:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate flow through test Fathead Minnow 227mg/l – 96 hour

Hydroxypropyl methacrylate No data available

4-Methoxyphenol LC_{50} : rainbow trout -28.5 mg/l - 96 hour

Trimethylbenzoyl 10 – 100 mg/l

diphenylphosphine oxide

To algae:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate 345 mg/L/72hr (Green algae) Hydroxypropyl methacrylate > 97 mg/L/72hr (Green algae)

4-Methoxyphenol No data available Trimethylbenzoyl 10 – 100 mg/l72 hr

diphenylphosphine oxide

To daphnia:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate
Hydroxypropyl methacrylate
4-Methoxyphenol
Trimethylbenzoyl

380 mg/l
>140 mg/l
No data available
10 – 100 mg/l

diphenylphosphine oxide

12.2 Persistence and degradability

2-Hydroxyethyl methacrylate (HEMA) and Hydroxypropyl methacrylate (HPMA) are considered to be readily biodegradable.

Trimethylbenzoyl diphenylphosphine oxide is considered to be poorly biodegradable. Isobornyl acrylate. Isobornyl acrylate is not considered to be readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not conducted

12.6 Other adverse effects

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product:

Review federal, provincial or state, and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions. Disposal by controlled incineration or by secure land fill may be acceptable.

Contaminated packaging

Dispose as above.

14. Transport Information

All Luxio Gels

Transport of Dangerous Goods (TDG and CLR): Not regulated

United States Department of Transport (49CFR): Not regulated

International Air Transport Association (IATA): Not regulated

International Maritime Organization (IMO): Not regulated

15. Regulatory Information

REGULATIONS:

None

16. Other Information

Original Preparation Date: 8/24/2021

Prepared by: MPK GmbH

Disclaimer: This Safety Data Sheet (SDS) was prepared using information provided by CCINFO, ingredient supplier SDS and other relevant sources. This product has been classified using weight of evidence, expert judgment and previous testing as per Part 1.3 of the Fifth Edition of The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information in this SDS is offered for your consideration and guidance when exposed to this product. Haigh Industries Inc. expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of MPK GMBH

Revisions: None

SAFETY DATA SHEET



This Safety Data Sheet complies with the European Union Directives Nr. 1907/2006.

1. Product and Supplier Identification

1.1 Product: G5203-Colorgel Grasshoppers

1.2 Product Use: UV Curing Product for Artificial Nails

1.3 Producer: MPK Nails GmbH

An der Brücke 1 95679 Waldershof

Germany

Telephone: +49 (0)9231-9739630

Email: info@mpknails.de

Supplier: As above

1.4 Emergencies (24-hour number): +49 (0)9231-9739630

2. Hazards Identification

2.1 Classification of product or mixture

Note to reader: This product in an untested mixture and GHS classification is based on the classification of the ingredients and their concentrations. Proprietary ingredients do NOT exhibit any health effects not listed in this SDS.

GHS Classification: Skin Irritation: Category 2

Eye Irritation: Category 2A Skin Sensitization: Category 1

Specific Target Organ Toxicity, SE, Respiratory Category 3

2.2 GHS Label Elements, including precautionary statements



Pictogram:

Signal Word: Warning

GHS Hazard Statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

GHS Precautionary Statements:

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been

read and understood.

P261: Avoid breathing mist, vapours or spray P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area. P272: Contaminated work clothing should not be allowed

out of the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

Response: P302+P352: IF ON SKIN: Wash with plenty of soap and

water.

P304+P340: IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical

advice/attention.

P312: Call a POISON CENTER/doctor...if you feel unwell.

P321: Specific treatment (see Section 4).

P332+ P313: If skin irritation occurs: Get medical

advice/attention.

P333+P313: If skin irritation or rash occurs, Get medical

advice/attention

P337+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P362 + P364: Take off contaminated clothing and wash it

before reuse.

Storage: P403+P233: Store in a well-ventilated place. Keep container tightly

Closed and away of UV Light.

P405: Store locked up.

Disposal: P501: Dispose of contents/container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS: None

2.4 Additional Information

Primary Routes of Entry:

Skin Contact:

Skin Absorption:

Eye Contact:

Ingestion:

No

Inhalation:

Yes

Yes

Yes

Emergency Overview:

This product contains ingredients which may cause mild eye and skin irritation in some people. For eye contact, symptoms may include a moderate burning sensation, tearing, redness, or swelling. Contact with skin may cause an allergic reaction due to prior sensitization. Local redness, rash, or itchy skin may occur in those persons with a pre-existing sensitivity or those predisposed to skin problems. In rare cases an allergic skin reaction may occur after long term contact with this product.

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is ccidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

3. Composition

3.1 Mixture composition

The Product contain the following chemicals:

Ingredients	CAS	%
Epoxy Methacrylate Oligomer	N/A	25-50%
Urethane Acrylate Oligomer	N/A	25-50%
Di-HEMA-Trimethylhexyldicarbamat	41137-60-4	10-25%
Ethoxylated Trimethylolpropane Triacrylate	28961-43-5	5-10%
1-Hydroxycyclohexyl-phenyl ketone	947-19-3	5-10%
Dayglow Pigments	N/A	1-5%
2-Hydroxy-2-methyl-1-phenylpropanone	7473-98-5	1-5%
Silica	67762-90-7	1-5%
2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide	75980-60-8	0,1-1%
p-Hxdroxysanisole	150-76-5	<0,1%
ВНТ	128-37-02	<0,1%
CI74891	13463-67-7	1-5%
CI77499	1317-61-9	<0,1%

3.2 Inci for Labeling

Epoxy Methacrylate Oligomer, Urethane Acrylate Oligomer, Di-HEMA-Trimethylhexyldicarbamat, Ethoxylated Trimethylolpropane Triacrylate, 1-Hydroxycyclohexyl-phenyl ketone, Dayglow Pigments, 2-Hydroxy-2-methyl-1-phenylpropanone, Silica, 2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide, p-Hxdroxysanisole, BHT, CI74891, CI77499

4. First Aid Measures

4.1 Description of First Aid Measures

General advice: Consult a physician. Show this safety data sheet to the physician in attendance.

Move away from dangerous area. Remove contaminated clothing. Completely decontaminate clothing, shoes and leather goods before re-use or discard.

In case of eye contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 to 30 minutes or until the chemical is removed, while holding the eyelid(s) open. Obtain medical attention immediately or transport to a medical facility and continue to flush the eyes en route.

In case of skin contact: Wash gently and thoroughly with water and non-abrasive soap for at least 20 minutes or until chemical is removed. If signs of sensitization or irritation occur, obtain medical advice.

If inhalation: Remove source of contamination or move victim to fresh air. If breathing is difficult , give artificial respiration. If breathing is difficult oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow the victim to move about unnecessarily. Consult a physician.

If ingestion: Ingestion unlikely. Never give anything by mouth if victim is rapidly losing consciousness. Have victim rinse mouth thoroughly with water. **Do not induce vomiting**. Dilute contents of stomach with 240 to 300 ml of water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is accidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

4.3 Indication of any immediate medical attention and special treatment needed In the event of an allergic reaction, immediate medical help is required. Allergic reactions may result in various health effects including respiration.

5. Fire Fighting Measures

5.1 Extinguishing Media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray, foam, or water fog.

- **5.2 Special hazards arising from mixture:** Carbon dioxide, carbon monoxide, oxides of nitrogen, undetermined organic compounds in acrid smoke.
- **Advice for firefighters:** Do not enter fire area without proper protection. Fight fire from a safe distance, upwind. Use of water may be ineffective due to low solubility. If water is used, direct fine

spray or fog at fire to cool and extinguish flames.

5.4 Further Information:

Sensitivity to Impact: No Sensitivity to Static Discharge: No

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD INDEX:

HEALTH: 3 FLAMMABILITY: 1 REACTIVITY: 0

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use. At minimum, an eye lavage kit should be kept on hand.

6.2 Environmental precautions

Ensure that any release of this material is contained to prevent leakage into waterways and sanitary sewers.

6.3 Methods and materials for containment and cleanup

Remedial Measures: Wash spill area with strong detergent and water solution, rinse with minimal water, if possible.

Large Spills: For large spills, dike area and prevent leakage into waterways or sanitary sewers. Recover using spark proof equipment and store in approved vented containers for re-use or disposal.

Small Spills: Small spills may be absorbed on an inert medium such as vermiculite or clay, then sweep into vented disposal containers.

6.4 Reference to other sections

For disposal, see section 13

7. Handling and Storage

7.1 Precautions for safe handling

Handling Procedures: Wear proper protective equipment when handling this material. Only use non-sparking tools when handling this material.

7.2 Conditions for safe storage, including incompatibilities

Storage: Store indoors in a well ventilated area where the storage temperature can be maintained between 1°C and 38°C. Storage above 38°C will result in reduced product life. Store in tightly closed containers away from heat, sparks, open flame, strong oxidizers, radiation and other initiators. Prevent contamination with foreign materials, including moisture.

7.3 Specific end use(s)

No other uses except those mentioned in Section 1.2

8. Exposure Controls, Personal Protection

8.1 Control parameters

Components with workplace control parameters

None

Note: Silica and titanium dioxide have respiratory exposure controls, but since these components are bound into the product and are not capable of becoming airborne, exposure controls need not be listed.

8.2 Exposure controls

Engineering Controls: When using indoors, ensure adequate ventilation by using local exhaust. Mechanical ventilation is recommended for all indoor situations to control fugitive emissions. Electrical and mechanical equipment should be explosion proof.

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use.

Control of environmental exposure

Prevent further leakage or spillage, if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Viscous liquid, various colours
Odour: Characteristic acrylic odour

Odour Threshold: Not available pH: Not applicable

Melting Point/Freezing Point: 0°C **Initial Boiling Point:** 131 °C Flash Point: >96.7 °C **Evaporation Rate:** Negligible Flammability: Not flammable **Upper Explosion Limit:** No data Lower Explosion Limit: No data < 0.01 @ 20°C Vapour Pressure: Vapour Density: No data

Relative Density: 1.15 @ 25°C (water=1)
Solubility: Negligible in water
Partition Coefficient: Not available
Autoignition Temperature: No data

Decomposition Temperature: No data
Viscosity: No data

Explosive Properties: Not explosive. Not expected to be sensitive to electrostatic

discharge.

Oxidizing Properties: No data

9.2 Other safety information: None

10. Stability and Reactivity

10.1 Reactivity

Product may become reactive if inhibitor is depleted.

10.2 Chemical Stability

Stable as supplied.

10.3 Possibility of hazardous reactions

High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may initiate spontaneous polymerization, generating heat and pressure. Closed containers may rupture during hazardous polymerization.

10.4 Conditions to avoid

Exposure to heat, light and moisture.

10.5 Incompatible materials

Keep away from strong oxidizers and moisture.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide and various oxides of nitrogen.

11. Toxicological Information

11.1 Information on toxicological effects

Note to reader: We do NOT test our products on animals. In compliance with current SDS preparation requirements, the values listed are published values for generic ingredients with known animal toxicity.

Acute toxicity

Component	LD ₅₀	LC ₅₀
Di-Hema Trimethylhexyl Dicarbamate, (CAS No. Proprietory)	>5000 mg/kg (oral/rat)	N/av
(EINECS No. None)		
2-Methoxyethyl Methacrylate, (CAS No. 868-77-9)	5564 mg/kg (oral/rat)	N/av
(EINECS No. 212-782-2)	>3000 mg/kg (dermal/rabbit)	
Hydroxypropyl Methacrylate, (CAS No. 27813-02-1)	11,200 mg/kg (oral/rat)	N/av
(EINECS No. 248-666-3)		
Trimethylbenzoyl Diphenylphosphine Oxide, (CAS No. 75980-60-8)	>5000 mg/kg	N/av
(EINECS No. 278-355-8)	(oral/rat) >2000 mg/kg	
	(dermal/rabbit)	
4- Methoxyphenol (p- Hydroxyanisole), (CAS No. 150-76-5)	N/av	N/av
(EINECS No. 205-769-8)		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg(oral/rat)	N/av
EINECS No. 215-168-2	,	
1-Methyl-2-pyrrolidone, (CAS No 872-50-4)	3914 mg/kg (oral/rat)	LD _{LO} >5100 ppm
(EINECS No. 212-828-1)	8000 mg/kg (dermal/rabbit)	(inh, rat/4h)
Titanium Dioxide, CAS No. 13463-67-7	>25,000 mg/kg (oral/rat)	>6820 mg/m ³
EINECS No. 236-675-5	>10,000 mg/mg (dermal/rabbit)	
Black (Cl77266), Carbon, mesoporous, CAS No 1333-86-4	>15,400 mg/kg (oral/rat)	6750 mg/m ³
EINECS No 215-609-9		
Silica, CAS No. 7631-86-9	3160 mg/kg (oral/rat)	N/av
EINECS No. 231-545-4		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg (oral/rat)	N/av
EINECS No. 215-168-2		
Tin Oxide, CAS No 18282-10-10	>20,000 mg/kg (oral/rat)	N/av
EINECS No 242-159-0		

ABBREVIATION KEY: N/p: not published, N/d: not determined, N/ap: not applicable, N/av: not available

Skin corrosion/irritation

Components of this mixture may cause skin irritation, H315, Category 2, Warning

Serious eye damage/eye irritation

Components of this mixture may cause eye irritation, H319, Category 2A, Warning

Respiratory or skin sensitization

Components of this mixture may cause skin sensitization, H317, Category 1, Warning

Germ Cell Mutagenicity

Components in this mixture suspected of causing genetic defects, H341, Category 2, Warning

Carcinogenicity

Not classifiable as a human carcinogen. Titanium dioxide is present in the formulation but is not in a respirable form and cannot become airborne.

Reproductive toxicity

Components in this mixture are suspected of damaging fertility or the unborn child, H361, Category 2, Warning

Specific Target Organ Toxicity - Single exposure

Components of this mixture may cause respiratory irritation, H335, Category 3, Warning

Specific Target Organ Toxicity - Repeated exposure

No information available

Aspiration Hazard

No information available

Additional information

None

12. Ecological Information

12.1 Toxicity

To fish:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate flow through test Fathead Minnow 227mg/l – 96 hour

Hydroxypropyl methacrylate No data available

4-Methoxyphenol LC_{50} : rainbow trout -28.5 mg/l - 96 hour

Trimethylbenzoyl 10 – 100 mg/l

diphenylphosphine oxide

To algae:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate 345 mg/L/72hr (Green algae) Hydroxypropyl methacrylate > 97 mg/L/72hr (Green algae)

4-Methoxyphenol No data available Trimethylbenzoyl 10 – 100 mg/l72 hr

diphenylphosphine oxide

To daphnia:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate
Hydroxypropyl methacrylate
4-Methoxyphenol
Trimethylbenzoyl

380 mg/l
>140 mg/l
No data available
10 – 100 mg/l

diphenylphosphine oxide

12.2 Persistence and degradability

2-Hydroxyethyl methacrylate (HEMA) and Hydroxypropyl methacrylate (HPMA) are considered to be readily biodegradable.

Trimethylbenzoyl diphenylphosphine oxide is considered to be poorly biodegradable. Isobornyl acrylate. Isobornyl acrylate is not considered to be readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not conducted

12.6 Other adverse effects

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product:

Review federal, provincial or state, and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions. Disposal by controlled incineration or by secure land fill may be acceptable.

Contaminated packaging

Dispose as above.

14. Transport Information

All Luxio Gels

Transport of Dangerous Goods (TDG and CLR): Not regulated

United States Department of Transport (49CFR): Not regulated

International Air Transport Association (IATA): Not regulated

International Maritime Organization (IMO): Not regulated

15. Regulatory Information

REGULATIONS:

None

16. Other Information

Original Preparation Date: 8/24/2021

Prepared by: MPK GmbH

Disclaimer: This Safety Data Sheet (SDS) was prepared using information provided by CCINFO, ingredient supplier SDS and other relevant sources. This product has been classified using weight of evidence, expert judgment and previous testing as per Part 1.3 of the Fifth Edition of The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information in this SDS is offered for your consideration and guidance when exposed to this product. Haigh Industries Inc. expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of MPK GMBH

Revisions: None

SAFETY DATA SHEET



This Safety Data Sheet complies with the European Union Directives Nr. 1907/2006.

1. Product and Supplier Identification

1.1 Product: G5204-Colorgel EasyPurple

1.2 Product Use: UV Curing Product for Artificial Nails

1.3 Producer: MPK Nails GmbH

An der Brücke 1 95679 Waldershof

Germany

Telephone: +49 (0)9231-9739630

Email: info@mpknails.de

Supplier: As above

1.4 Emergencies (24-hour number): +49 (0)9231-9739630

2. Hazards Identification

2.1 Classification of product or mixture

Note to reader: This product in an untested mixture and GHS classification is based on the classification of the ingredients and their concentrations. Proprietary ingredients do NOT exhibit any health effects not listed in this SDS.

GHS Classification: Skin Irritation: Category 2

Eye Irritation: Category 2A Skin Sensitization: Category 1

Specific Target Organ Toxicity, SE, Respiratory Category 3

2.2 GHS Label Elements, including precautionary statements



Pictogram:

Signal Word: Warning

GHS Hazard Statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

GHS Precautionary Statements:

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been

read and understood.

P261: Avoid breathing mist, vapours or spray P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area. P272: Contaminated work clothing should not be allowed

out of the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

Response: P302+P352: IF ON SKIN: Wash with plenty of soap and

water.

P304+P340: IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical

advice/attention.

P312: Call a POISON CENTER/doctor...if you feel unwell.

P321: Specific treatment (see Section 4).

P332+ P313: If skin irritation occurs: Get medical

advice/attention.

P333+P313: If skin irritation or rash occurs, Get medical

advice/attention

P337+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P362 + P364: Take off contaminated clothing and wash it

before reuse.

Storage: P403+P233: Store in a well-ventilated place. Keep container tightly

Closed and away of UV Light.

P405: Store locked up.

Disposal: P501: Dispose of contents/container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS: None

2.4 Additional Information

Primary Routes of Entry:

Skin Contact:

Skin Absorption:

Eye Contact:

Ingestion:

No

Inhalation:

Yes

Yes

Yes

Emergency Overview:

This product contains ingredients which may cause mild eye and skin irritation in some people. For eye contact, symptoms may include a moderate burning sensation, tearing, redness, or swelling. Contact with skin may cause an allergic reaction due to prior sensitization. Local redness, rash, or itchy skin may occur in those persons with a pre-existing sensitivity or those predisposed to skin problems. In rare cases an allergic skin reaction may occur after long term contact with this product.

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is ccidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

3. Composition

3.1 Mixture composition

The Product contain the following chemicals:

Ingredients	CAS	%
Epoxy Methacrylate Oligomer	N/A	25-50%
Urethane Acrylate Oligomer	N/A	10-25%
Di-HEMA-Trimethylhexyldicarbamat	41137-60-4	10-25%
Ethoxylated Trimethylolpropane Triacrylate	28961-43-5	5-10%
1-Hydroxycyclohexyl-phenyl ketone	947-19-3	1-5%
2-Hydroxy-2-methyl-1-phenylpropanone	7473-98-5	1-5%
Dayglow Pigments	N/A	1-5%
Silica	67762-90-7	1-5%
Isophorone Diamine	28855-13-2	1-5%
2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide	75980-60-8	0,1-1%
p-Hxdroxysanisole	150-76-5	<0,1%
ВНТ	128-37-02	<0,1%
CI45410	84473-86-9	0,1-1%
CI45380	17372-87-1	0,1-1%
CI77891	13463-67-7	5-10%

3.2 Inci for Labeling

Epoxy Methacrylate Oligomer, Urethane Acrylate Oligomer, Di-HEMA-Trimethylhexyldicarbamat, Ethoxylated Trimethylolpropane Triacrylate, 1-Hydroxycyclohexyl-phenyl ketone, 2-Hydroxy-2-methyl-1-phenylpropanone, Dayglow Pigments, Silica, Isophorone Diamine, 2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide, p-Hxdroxysanisole, BHT, CI45410, CI45380, CI77891

4. First Aid Measures

4.1 Description of First Aid Measures

General advice: Consult a physician. Show this safety data sheet to the physician in attendance.

Move away from dangerous area. Remove contaminated clothing. Completely decontaminate clothing, shoes and leather goods before re-use or discard.

In case of eye contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 to 30 minutes or until the chemical is removed, while holding the eyelid(s) open. Obtain medical attention immediately or transport to a medical facility and continue to flush the eyes en route.

In case of skin contact: Wash gently and thoroughly with water and non-abrasive soap for at least 20 minutes or until chemical is removed. If signs of sensitization or irritation occur, obtain medical advice.

If inhalation: Remove source of contamination or move victim to fresh air. If breathing is difficult , give artificial respiration. If breathing is difficult oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow the victim to move about unnecessarily. Consult a physician.

If ingestion: Ingestion unlikely. Never give anything by mouth if victim is rapidly losing consciousness. Have victim rinse mouth thoroughly with water. **Do not induce vomiting**. Dilute contents of stomach with 240 to 300 ml of water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is accidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

4.3 Indication of any immediate medical attention and special treatment needed In the event of an allergic reaction, immediate medical help is required. Allergic reactions may result in various health effects including respiration.

5. Fire Fighting Measures

5.1 Extinguishing Media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray, foam, or water fog.

- **5.2 Special hazards arising from mixture:** Carbon dioxide, carbon monoxide, oxides of nitrogen, undetermined organic compounds in acrid smoke.
- **Advice for firefighters:** Do not enter fire area without proper protection. Fight fire from a safe distance, upwind. Use of water may be ineffective due to low solubility. If water is used, direct fine

spray or fog at fire to cool and extinguish flames.

5.4 Further Information:

Sensitivity to Impact: No Sensitivity to Static Discharge: No

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD INDEX:

HEALTH: 3 FLAMMABILITY: 1 REACTIVITY: 0

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use. At minimum, an eye lavage kit should be kept on hand.

6.2 Environmental precautions

Ensure that any release of this material is contained to prevent leakage into waterways and sanitary sewers.

6.3 Methods and materials for containment and cleanup

Remedial Measures: Wash spill area with strong detergent and water solution, rinse with minimal water, if possible.

Large Spills: For large spills, dike area and prevent leakage into waterways or sanitary sewers. Recover using spark proof equipment and store in approved vented containers for re-use or disposal.

Small Spills: Small spills may be absorbed on an inert medium such as vermiculite or clay, then sweep into vented disposal containers.

6.4 Reference to other sections

For disposal, see section 13

7. Handling and Storage

7.1 Precautions for safe handling

Handling Procedures: Wear proper protective equipment when handling this material. Only use non-sparking tools when handling this material.

7.2 Conditions for safe storage, including incompatibilities

Storage: Store indoors in a well ventilated area where the storage temperature can be maintained between 1°C and 38°C. Storage above 38°C will result in reduced product life. Store in tightly closed containers away from heat, sparks, open flame, strong oxidizers, radiation and other initiators. Prevent contamination with foreign materials, including moisture.

7.3 Specific end use(s)

No other uses except those mentioned in Section 1.2

8. Exposure Controls, Personal Protection

8.1 Control parameters

Components with workplace control parameters

None

Note: Silica and titanium dioxide have respiratory exposure controls, but since these components are bound into the product and are not capable of becoming airborne, exposure controls need not be listed.

8.2 Exposure controls

Engineering Controls: When using indoors, ensure adequate ventilation by using local exhaust. Mechanical ventilation is recommended for all indoor situations to control fugitive emissions. Electrical and mechanical equipment should be explosion proof.

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use.

Control of environmental exposure

Prevent further leakage or spillage, if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Viscous liquid, various colours
Odour: Characteristic acrylic odour

Odour Threshold: Not available pH: Not applicable

Melting Point/Freezing Point: 0°C **Initial Boiling Point:** 131 °C Flash Point: >96.7 °C **Evaporation Rate:** Negligible Flammability: Not flammable **Upper Explosion Limit:** No data Lower Explosion Limit: No data < 0.01 @ 20°C Vapour Pressure: Vapour Density: No data

Relative Density: 1.15 @ 25°C (water=1)
Solubility: Negligible in water
Partition Coefficient: Not available
Autoignition Temperature: No data

Decomposition Temperature: No data
Viscosity: No data

Explosive Properties: Not explosive. Not expected to be sensitive to electrostatic

discharge.

Oxidizing Properties: No data

9.2 Other safety information: None

10. Stability and Reactivity

10.1 Reactivity

Product may become reactive if inhibitor is depleted.

10.2 Chemical Stability

Stable as supplied.

10.3 Possibility of hazardous reactions

High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may initiate spontaneous polymerization, generating heat and pressure. Closed containers may rupture during hazardous polymerization.

10.4 Conditions to avoid

Exposure to heat, light and moisture.

10.5 Incompatible materials

Keep away from strong oxidizers and moisture.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide and various oxides of nitrogen.

11. Toxicological Information

11.1 Information on toxicological effects

Note to reader: We do NOT test our products on animals. In compliance with current SDS preparation requirements, the values listed are published values for generic ingredients with known animal toxicity.

Acute toxicity

Component	LD ₅₀	LC ₅₀
Di-Hema Trimethylhexyl Dicarbamate, (CAS No. Proprietory)	>5000 mg/kg (oral/rat)	N/av
(EINECS No. None)		
2-Methoxyethyl Methacrylate, (CAS No. 868-77-9)	5564 mg/kg (oral/rat)	N/av
(EINECS No. 212-782-2)	>3000 mg/kg (dermal/rabbit)	
Hydroxypropyl Methacrylate, (CAS No. 27813-02-1)	11,200 mg/kg (oral/rat)	N/av
(EINECS No. 248-666-3)		
Trimethylbenzoyl Diphenylphosphine Oxide, (CAS No. 75980-60-8)	>5000 mg/kg	N/av
(EINECS No. 278-355-8)	(oral/rat) >2000 mg/kg	
	(dermal/rabbit)	
4- Methoxyphenol (p- Hydroxyanisole), (CAS No. 150-76-5)	N/av	N/av
(EINECS No. 205-769-8)		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg(oral/rat)	N/av
EINECS No. 215-168-2	,	
1-Methyl-2-pyrrolidone, (CAS No 872-50-4)	3914 mg/kg (oral/rat)	LD _{LO} >5100 ppm
(EINECS No. 212-828-1)	8000 mg/kg (dermal/rabbit)	(inh, rat/4h)
Titanium Dioxide, CAS No. 13463-67-7	>25,000 mg/kg (oral/rat)	>6820 mg/m ³
EINECS No. 236-675-5	>10,000 mg/mg (dermal/rabbit)	
Black (Cl77266), Carbon, mesoporous, CAS No 1333-86-4	>15,400 mg/kg (oral/rat)	6750 mg/m ³
EINECS No 215-609-9		
Silica, CAS No. 7631-86-9	3160 mg/kg (oral/rat)	N/av
EINECS No. 231-545-4		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg (oral/rat)	N/av
EINECS No. 215-168-2		
Tin Oxide, CAS No 18282-10-10	>20,000 mg/kg (oral/rat)	N/av
EINECS No 242-159-0		

ABBREVIATION KEY: N/p: not published, N/d: not determined, N/ap: not applicable, N/av: not available

Skin corrosion/irritation

Components of this mixture may cause skin irritation, H315, Category 2, Warning

Serious eye damage/eye irritation

Components of this mixture may cause eye irritation, H319, Category 2A, Warning

Respiratory or skin sensitization

Components of this mixture may cause skin sensitization, H317, Category 1, Warning

Germ Cell Mutagenicity

Components in this mixture suspected of causing genetic defects, H341, Category 2, Warning

Carcinogenicity

Not classifiable as a human carcinogen. Titanium dioxide is present in the formulation but is not in a respirable form and cannot become airborne.

Reproductive toxicity

Components in this mixture are suspected of damaging fertility or the unborn child, H361, Category 2, Warning

Specific Target Organ Toxicity - Single exposure

Components of this mixture may cause respiratory irritation, H335, Category 3, Warning

Specific Target Organ Toxicity - Repeated exposure

No information available

Aspiration Hazard

No information available

Additional information

None

12. Ecological Information

12.1 Toxicity

To fish:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate flow through test Fathead Minnow 227mg/l – 96 hour

Hydroxypropyl methacrylate No data available

4-Methoxyphenol LC_{50} : rainbow trout -28.5 mg/l - 96 hour

Trimethylbenzoyl 10 – 100 mg/l

diphenylphosphine oxide

To algae:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate 345 mg/L/72hr (Green algae) Hydroxypropyl methacrylate > 97 mg/L/72hr (Green algae)

4-Methoxyphenol No data available Trimethylbenzoyl 10 – 100 mg/l72 hr

diphenylphosphine oxide

To daphnia:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate
Hydroxypropyl methacrylate
4-Methoxyphenol
Trimethylbenzoyl

380 mg/l
>140 mg/l
No data available
10 – 100 mg/l

diphenylphosphine oxide

12.2 Persistence and degradability

2-Hydroxyethyl methacrylate (HEMA) and Hydroxypropyl methacrylate (HPMA) are considered to be readily biodegradable.

Trimethylbenzoyl diphenylphosphine oxide is considered to be poorly biodegradable. Isobornyl acrylate. Isobornyl acrylate is not considered to be readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not conducted

12.6 Other adverse effects

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product:

Review federal, provincial or state, and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions. Disposal by controlled incineration or by secure land fill may be acceptable.

Contaminated packaging

Dispose as above.

14. Transport Information

All Luxio Gels

Transport of Dangerous Goods (TDG and CLR): Not regulated

United States Department of Transport (49CFR): Not regulated

International Air Transport Association (IATA): Not regulated

International Maritime Organization (IMO): Not regulated

15. Regulatory Information

REGULATIONS:

None

16. Other Information

Original Preparation Date: 8/24/2021

Prepared by: MPK GmbH

Disclaimer: This Safety Data Sheet (SDS) was prepared using information provided by CCINFO, ingredient supplier SDS and other relevant sources. This product has been classified using weight of evidence, expert judgment and previous testing as per Part 1.3 of the Fifth Edition of The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information in this SDS is offered for your consideration and guidance when exposed to this product. Haigh Industries Inc. expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of MPK GMBH

Revisions: None

SAFETY DATA SHEET



This Safety Data Sheet complies with the European Union Directives Nr. 1907/2006.

1. Product and Supplier Identification

1.1 Product: G5206-ColorGel SweetPrincess

1.2 Product Use: UV Curing Product for Artificial Nails

1.3 Producer: MPK Nails GmbH

An der Brücke 1 95679 Waldershof

Germany

Telephone: +49 (0)9231-9739630

Email: info@mpknails.de

Supplier: As above

1.4 Emergencies (24-hour number): +49 (0)9231-9739630

2. Hazards Identification

2.1 Classification of product or mixture

Note to reader: This product in an untested mixture and GHS classification is based on the classification of the ingredients and their concentrations. Proprietary ingredients do NOT exhibit any health effects not listed in this SDS.

GHS Classification: Skin Irritation: Category 2

Eye Irritation: Category 2A Skin Sensitization: Category 1

Specific Target Organ Toxicity, SE, Respiratory Category 3

2.2 GHS Label Elements, including precautionary statements



Pictogram:

Signal Word: Warning

GHS Hazard Statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

GHS Precautionary Statements:

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been

read and understood.

P261: Avoid breathing mist, vapours or spray P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area. P272: Contaminated work clothing should not be allowed

out of the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

Response: P302+P352: IF ON SKIN: Wash with plenty of soap and

water.

P304+P340: IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical

advice/attention.

P312: Call a POISON CENTER/doctor...if you feel unwell.

P321: Specific treatment (see Section 4).

P332+ P313: If skin irritation occurs: Get medical

advice/attention.

P333+P313: If skin irritation or rash occurs, Get medical

advice/attention

P337+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P362 + P364: Take off contaminated clothing and wash it

before reuse.

Storage: P403+P233: Store in a well-ventilated place. Keep container tightly

Closed and away of UV Light.

P405: Store locked up.

Disposal: P501: Dispose of contents/container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS: None

2.4 Additional Information

Primary Routes of Entry:

Skin Contact:

Skin Absorption:

Eye Contact:

Ingestion:

No

Inhalation:

Yes

Yes

Yes

Emergency Overview:

This product contains ingredients which may cause mild eye and skin irritation in some people. For eye contact, symptoms may include a moderate burning sensation, tearing, redness, or swelling. Contact with skin may cause an allergic reaction due to prior sensitization. Local redness, rash, or itchy skin may occur in those persons with a pre-existing sensitivity or those predisposed to skin problems. In rare cases an allergic skin reaction may occur after long term contact with this product.

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is ccidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

3. Composition

3.1 Mixture composition

The Product contain the following chemicals:

Ingredients	CAS	%
Epoxy Methacrylate Oligomer	N/A	25-50%
Urethane Acrylate Oligomer	N/A	25-50%
Di-HEMA-Trimethylhexyldicarbamat	41137-60-4	10-25%
Ethoxylated Trimethylolpropane Triacrylate	28961-43-5	5-10%
1-Hydroxycyclohexyl-phenyl ketone	947-19-3	5-10%
2-Hydroxy-2-methyl-1-phenylpropanone	7473-98-5	1-5%
Silica	67762-90-7	1-5%
2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide	75980-60-8	0,1-1%
p-Hxdroxysanisole	150-76-5	<0,1%
ВНТ	128-37-02	<0,1%
CI15850	5281-04-9	<0,1%
Cl45410	84473-86-9	<0,1%
CI74891	13463-67-7	1-5%

3.2 Inci for Labeling

Epoxy Methacrylate Oligomer, Urethane Acrylate Oligomer, Di-HEMA-Trimethylhexyldicarbamat, Ethoxylated Trimethylolpropane Triacrylate, 1-Hydroxycyclohexyl-phenyl ketone, 2-Hydroxy-2-methyl-1-phenylpropanone, Silica, 2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide, p-Hxdroxysanisole, BHT, CI15850, CI45410, CI74891

4. First Aid Measures

4.1 Description of First Aid Measures

General advice: Consult a physician. Show this safety data sheet to the physician in attendance.

Move away from dangerous area. Remove contaminated clothing. Completely decontaminate clothing, shoes and leather goods before re-use or discard.

In case of eye contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 to 30 minutes or until the chemical is removed, while holding the eyelid(s) open. Obtain medical attention immediately or transport to a medical facility and continue to flush the eyes en route.

In case of skin contact: Wash gently and thoroughly with water and non-abrasive soap for at least 20 minutes or until chemical is removed. If signs of sensitization or irritation occur, obtain medical advice.

If inhalation: Remove source of contamination or move victim to fresh air. If breathing is difficult , give artificial respiration. If breathing is difficult oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow the victim to move about unnecessarily. Consult a physician.

If ingestion: Ingestion unlikely. Never give anything by mouth if victim is rapidly losing consciousness. Have victim rinse mouth thoroughly with water. **Do not induce vomiting**. Dilute contents of stomach with 240 to 300 ml of water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is accidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

4.3 Indication of any immediate medical attention and special treatment needed In the event of an allergic reaction, immediate medical help is required. Allergic reactions may result in various health effects including respiration.

5. Fire Fighting Measures

5.1 Extinguishing Media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray, foam, or water fog.

- **5.2 Special hazards arising from mixture:** Carbon dioxide, carbon monoxide, oxides of nitrogen, undetermined organic compounds in acrid smoke.
- **Advice for firefighters:** Do not enter fire area without proper protection. Fight fire from a safe distance, upwind. Use of water may be ineffective due to low solubility. If water is used, direct fine

spray or fog at fire to cool and extinguish flames.

5.4 Further Information:

Sensitivity to Impact: No Sensitivity to Static Discharge: No

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD INDEX:

HEALTH: 3 FLAMMABILITY: 1 REACTIVITY: 0

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use. At minimum, an eye lavage kit should be kept on hand.

6.2 Environmental precautions

Ensure that any release of this material is contained to prevent leakage into waterways and sanitary sewers.

6.3 Methods and materials for containment and cleanup

Remedial Measures: Wash spill area with strong detergent and water solution, rinse with minimal water, if possible.

Large Spills: For large spills, dike area and prevent leakage into waterways or sanitary sewers. Recover using spark proof equipment and store in approved vented containers for re-use or disposal.

Small Spills: Small spills may be absorbed on an inert medium such as vermiculite or clay, then sweep into vented disposal containers.

6.4 Reference to other sections

For disposal, see section 13

7. Handling and Storage

7.1 Precautions for safe handling

Handling Procedures: Wear proper protective equipment when handling this material. Only use non-sparking tools when handling this material.

7.2 Conditions for safe storage, including incompatibilities

Storage: Store indoors in a well ventilated area where the storage temperature can be maintained between 1°C and 38°C. Storage above 38°C will result in reduced product life. Store in tightly closed containers away from heat, sparks, open flame, strong oxidizers, radiation and other initiators. Prevent contamination with foreign materials, including moisture.

7.3 Specific end use(s)

No other uses except those mentioned in Section 1.2

8. Exposure Controls, Personal Protection

8.1 Control parameters

Components with workplace control parameters

None

Note: Silica and titanium dioxide have respiratory exposure controls, but since these components are bound into the product and are not capable of becoming airborne, exposure controls need not be listed.

8.2 Exposure controls

Engineering Controls: When using indoors, ensure adequate ventilation by using local exhaust. Mechanical ventilation is recommended for all indoor situations to control fugitive emissions. Electrical and mechanical equipment should be explosion proof.

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use.

Control of environmental exposure

Prevent further leakage or spillage, if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Viscous liquid, various colours
Odour: Characteristic acrylic odour

Odour Threshold: Not available pH: Not applicable

Melting Point/Freezing Point: 0°C **Initial Boiling Point:** 131 °C Flash Point: >96.7 °C **Evaporation Rate:** Negligible Flammability: Not flammable **Upper Explosion Limit:** No data Lower Explosion Limit: No data < 0.01 @ 20°C Vapour Pressure: Vapour Density: No data

Relative Density: 1.15 @ 25°C (water=1)
Solubility: Negligible in water
Partition Coefficient: Not available
Autoignition Temperature: No data

Decomposition Temperature: No data
Viscosity: No data

Explosive Properties: Not explosive. Not expected to be sensitive to electrostatic

discharge.

Oxidizing Properties: No data

9.2 Other safety information: None

10. Stability and Reactivity

10.1 Reactivity

Product may become reactive if inhibitor is depleted.

10.2 Chemical Stability

Stable as supplied.

10.3 Possibility of hazardous reactions

High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may initiate spontaneous polymerization, generating heat and pressure. Closed containers may rupture during hazardous polymerization.

10.4 Conditions to avoid

Exposure to heat, light and moisture.

10.5 Incompatible materials

Keep away from strong oxidizers and moisture.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide and various oxides of nitrogen.

11. Toxicological Information

11.1 Information on toxicological effects

Note to reader: We do NOT test our products on animals. In compliance with current SDS preparation requirements, the values listed are published values for generic ingredients with known animal toxicity.

Acute toxicity

Component	LD ₅₀	LC ₅₀
Di-Hema Trimethylhexyl Dicarbamate, (CAS No. Proprietory)	>5000 mg/kg (oral/rat)	N/av
(EINECS No. None)		
2-Methoxyethyl Methacrylate, (CAS No. 868-77-9)	5564 mg/kg (oral/rat)	N/av
(EINECS No. 212-782-2)	>3000 mg/kg (dermal/rabbit)	
Hydroxypropyl Methacrylate, (CAS No. 27813-02-1)	11,200 mg/kg (oral/rat)	N/av
(EINECS No. 248-666-3)		
Trimethylbenzoyl Diphenylphosphine Oxide, (CAS No. 75980-60-8)	>5000 mg/kg	N/av
(EINECS No. 278-355-8)	(oral/rat) >2000 mg/kg	
	(dermal/rabbit)	
4- Methoxyphenol (p- Hydroxyanisole), (CAS No. 150-76-5)	N/av	N/av
(EINECS No. 205-769-8)		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg(oral/rat)	N/av
EINECS No. 215-168-2	,	
1-Methyl-2-pyrrolidone, (CAS No 872-50-4)	3914 mg/kg (oral/rat)	LD _{LO} >5100 ppm
(EINECS No. 212-828-1)	8000 mg/kg (dermal/rabbit)	(inh, rat/4h)
Titanium Dioxide, CAS No. 13463-67-7	>25,000 mg/kg (oral/rat)	>6820 mg/m ³
EINECS No. 236-675-5	>10,000 mg/mg (dermal/rabbit)	
Black (Cl77266), Carbon, mesoporous, CAS No 1333-86-4	>15,400 mg/kg (oral/rat)	6750 mg/m ³
EINECS No 215-609-9		
Silica, CAS No. 7631-86-9	3160 mg/kg (oral/rat)	N/av
EINECS No. 231-545-4		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg (oral/rat)	N/av
EINECS No. 215-168-2		
Tin Oxide, CAS No 18282-10-10	>20,000 mg/kg (oral/rat)	N/av
EINECS No 242-159-0		

ABBREVIATION KEY: N/p: not published, N/d: not determined, N/ap: not applicable, N/av: not available

Skin corrosion/irritation

Components of this mixture may cause skin irritation, H315, Category 2, Warning

Serious eye damage/eye irritation

Components of this mixture may cause eye irritation, H319, Category 2A, Warning

Respiratory or skin sensitization

Components of this mixture may cause skin sensitization, H317, Category 1, Warning

Germ Cell Mutagenicity

Components in this mixture suspected of causing genetic defects, H341, Category 2, Warning

Carcinogenicity

Not classifiable as a human carcinogen. Titanium dioxide is present in the formulation but is not in a respirable form and cannot become airborne.

Reproductive toxicity

Components in this mixture are suspected of damaging fertility or the unborn child, H361, Category 2, Warning

Specific Target Organ Toxicity - Single exposure

Components of this mixture may cause respiratory irritation, H335, Category 3, Warning

Specific Target Organ Toxicity - Repeated exposure

No information available

Aspiration Hazard

No information available

Additional information

None

12. Ecological Information

12.1 Toxicity

To fish:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate flow through test Fathead Minnow 227mg/l – 96 hour

Hydroxypropyl methacrylate No data available

4-Methoxyphenol LC_{50} : rainbow trout -28.5 mg/l - 96 hour

Trimethylbenzoyl 10 – 100 mg/l

diphenylphosphine oxide

To algae:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate 345 mg/L/72hr (Green algae) Hydroxypropyl methacrylate > 97 mg/L/72hr (Green algae)

4-Methoxyphenol No data available Trimethylbenzoyl 10 – 100 mg/l72 hr

diphenylphosphine oxide

To daphnia:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate
Hydroxypropyl methacrylate
4-Methoxyphenol
Trimethylbenzoyl

380 mg/l
>140 mg/l
No data available
10 – 100 mg/l

diphenylphosphine oxide

12.2 Persistence and degradability

2-Hydroxyethyl methacrylate (HEMA) and Hydroxypropyl methacrylate (HPMA) are considered to be readily biodegradable.

Trimethylbenzoyl diphenylphosphine oxide is considered to be poorly biodegradable. Isobornyl acrylate. Isobornyl acrylate is not considered to be readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not conducted

12.6 Other adverse effects

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product:

Review federal, provincial or state, and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions. Disposal by controlled incineration or by secure land fill may be acceptable.

Contaminated packaging

Dispose as above.

14. Transport Information

All Luxio Gels

Transport of Dangerous Goods (TDG and CLR): Not regulated

United States Department of Transport (49CFR): Not regulated

International Air Transport Association (IATA): Not regulated

International Maritime Organization (IMO): Not regulated

15. Regulatory Information

REGULATIONS:

None

16. Other Information

Original Preparation Date: 8/24/2021

Prepared by: MPK GmbH

Disclaimer: This Safety Data Sheet (SDS) was prepared using information provided by CCINFO, ingredient supplier SDS and other relevant sources. This product has been classified using weight of evidence, expert judgment and previous testing as per Part 1.3 of the Fifth Edition of The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information in this SDS is offered for your consideration and guidance when exposed to this product. Haigh Industries Inc. expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of MPK GMBH

Revisions: None

SAFETY DATA SHEET



This Safety Data Sheet complies with the European Union Directives Nr. 1907/2006.

1. Product and Supplier Identification

1.1 Product: G5207-Colorgel Lobster

1.2 Product Use: UV Curing Product for Artificial Nails

1.3 Producer: MPK Nails GmbH

An der Brücke 1 95679 Waldershof

Germany

Telephone: +49 (0)9231-9739630

Email: info@mpknails.de

Supplier: As above

1.4 Emergencies (24-hour number): +49 (0)9231-9739630

2. Hazards Identification

2.1 Classification of product or mixture

Note to reader: This product in an untested mixture and GHS classification is based on the classification of the ingredients and their concentrations. Proprietary ingredients do NOT exhibit any health effects not listed in this SDS.

GHS Classification: Skin Irritation: Category 2

Eye Irritation: Category 2A Skin Sensitization: Category 1

Specific Target Organ Toxicity, SE, Respiratory Category 3

2.2 GHS Label Elements, including precautionary statements



Pictogram:

Signal Word: Warning

GHS Hazard Statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

GHS Precautionary Statements:

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been

read and understood.

P261: Avoid breathing mist, vapours or spray P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area. P272: Contaminated work clothing should not be allowed

out of the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

Response: P302+P352: IF ON SKIN: Wash with plenty of soap and

water.

P304+P340: IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical

advice/attention.

P312: Call a POISON CENTER/doctor...if you feel unwell.

P321: Specific treatment (see Section 4).

P332+ P313: If skin irritation occurs: Get medical

advice/attention.

P333+P313: If skin irritation or rash occurs, Get medical

advice/attention

P337+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P362 + P364: Take off contaminated clothing and wash it

before reuse.

Storage: P403+P233: Store in a well-ventilated place. Keep container tightly

Closed and away of UV Light.

P405: Store locked up.

Disposal: P501: Dispose of contents/container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS: None

2.4 Additional Information

Primary Routes of Entry:

Skin Contact:

Skin Absorption:

Eye Contact:

Ingestion:

No

Inhalation:

Yes

Yes

Yes

Emergency Overview:

This product contains ingredients which may cause mild eye and skin irritation in some people. For eye contact, symptoms may include a moderate burning sensation, tearing, redness, or swelling. Contact with skin may cause an allergic reaction due to prior sensitization. Local redness, rash, or itchy skin may occur in those persons with a pre-existing sensitivity or those predisposed to skin problems. In rare cases an allergic skin reaction may occur after long term contact with this product.

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is ccidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

3. Composition

3.1 Mixture composition

The Product contain the following chemicals:

Ingredients	CAS	%
Epoxy Methacrylate Oligomer	N/A	25-50%
Urethane Acrylate Oligomer	N/A	25-50%
Di-HEMA-Trimethylhexyldicarbamat	41137-60-4	10-25%
Ethoxylated Trimethylolpropane Triacrylate	28961-43-5	5-10%
1-Hydroxycyclohexyl-phenyl ketone	947-19-3	5-10%
2-Hydroxy-2-methyl-1-phenylpropanone	7473-98-5	1-5%
Silica	67762-90-7	1-5%
2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide	75980-60-8	0,1-1%
p-Hxdroxysanisole	150-76-5	<0,1%
ВНТ	128-37-02	<0,1%
CI15850	5281-04-9	0,1-1%
CI74891	13463-67-7	0,1-1%
CI45410	84473-86-9	<0,1%

3.2 Inci for Labeling

Epoxy Methacrylate Oligomer, Urethane Acrylate Oligomer, Di-HEMA-Trimethylhexyldicarbamat, Ethoxylated Trimethylolpropane Triacrylate, 1-Hydroxycyclohexyl-phenyl ketone, 2-Hydroxy-2-methyl-1-phenylpropanone, Silica, 2, 4, 6-trimethylbenzoyl-diphenyl-phosphine oxide, p-Hxdroxysanisole, BHT, CI15850, CI74891, CI45410

4. First Aid Measures

4.1 Description of First Aid Measures

General advice: Consult a physician. Show this safety data sheet to the physician in attendance.

Move away from dangerous area. Remove contaminated clothing. Completely decontaminate clothing, shoes and leather goods before re-use or discard.

In case of eye contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 to 30 minutes or until the chemical is removed, while holding the eyelid(s) open. Obtain medical attention immediately or transport to a medical facility and continue to flush the eyes en route.

In case of skin contact: Wash gently and thoroughly with water and non-abrasive soap for at least 20 minutes or until chemical is removed. If signs of sensitization or irritation occur, obtain medical advice.

If inhalation: Remove source of contamination or move victim to fresh air. If breathing is difficult , give artificial respiration. If breathing is difficult oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow the victim to move about unnecessarily. Consult a physician.

If ingestion: Ingestion unlikely. Never give anything by mouth if victim is rapidly losing consciousness. Have victim rinse mouth thoroughly with water. **Do not induce vomiting**. Dilute contents of stomach with 240 to 300 ml of water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is accidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

4.3 Indication of any immediate medical attention and special treatment needed In the event of an allergic reaction, immediate medical help is required. Allergic reactions may result in various health effects including respiration.

5. Fire Fighting Measures

5.1 Extinguishing Media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray, foam, or water fog.

- **5.2 Special hazards arising from mixture:** Carbon dioxide, carbon monoxide, oxides of nitrogen, undetermined organic compounds in acrid smoke.
- **Advice for firefighters:** Do not enter fire area without proper protection. Fight fire from a safe distance, upwind. Use of water may be ineffective due to low solubility. If water is used, direct fine

spray or fog at fire to cool and extinguish flames.

5.4 Further Information:

Sensitivity to Impact: No Sensitivity to Static Discharge: No

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD INDEX:

HEALTH: 3 FLAMMABILITY: 1 REACTIVITY: 0

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use. At minimum, an eye lavage kit should be kept on hand.

6.2 Environmental precautions

Ensure that any release of this material is contained to prevent leakage into waterways and sanitary sewers.

6.3 Methods and materials for containment and cleanup

Remedial Measures: Wash spill area with strong detergent and water solution, rinse with minimal water, if possible.

Large Spills: For large spills, dike area and prevent leakage into waterways or sanitary sewers. Recover using spark proof equipment and store in approved vented containers for re-use or disposal.

Small Spills: Small spills may be absorbed on an inert medium such as vermiculite or clay, then sweep into vented disposal containers.

6.4 Reference to other sections

For disposal, see section 13

7. Handling and Storage

7.1 Precautions for safe handling

Handling Procedures: Wear proper protective equipment when handling this material. Only use non-sparking tools when handling this material.

7.2 Conditions for safe storage, including incompatibilities

Storage: Store indoors in a well ventilated area where the storage temperature can be maintained between 1°C and 38°C. Storage above 38°C will result in reduced product life. Store in tightly closed containers away from heat, sparks, open flame, strong oxidizers, radiation and other initiators. Prevent contamination with foreign materials, including moisture.

7.3 Specific end use(s)

No other uses except those mentioned in Section 1.2

8. Exposure Controls, Personal Protection

8.1 Control parameters

Components with workplace control parameters

None

Note: Silica and titanium dioxide have respiratory exposure controls, but since these components are bound into the product and are not capable of becoming airborne, exposure controls need not be listed.

8.2 Exposure controls

Engineering Controls: When using indoors, ensure adequate ventilation by using local exhaust. Mechanical ventilation is recommended for all indoor situations to control fugitive emissions. Electrical and mechanical equipment should be explosion proof.

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use.

Control of environmental exposure

Prevent further leakage or spillage, if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Viscous liquid, various colours
Odour: Characteristic acrylic odour

Odour Threshold: Not available pH: Not applicable

Melting Point/Freezing Point: 0°C **Initial Boiling Point:** 131 °C Flash Point: >96.7 °C **Evaporation Rate:** Negligible Flammability: Not flammable **Upper Explosion Limit:** No data Lower Explosion Limit: No data < 0.01 @ 20°C Vapour Pressure: Vapour Density: No data

Relative Density: 1.15 @ 25°C (water=1)
Solubility: Negligible in water
Partition Coefficient: Not available
Autoignition Temperature: No data

Decomposition Temperature: No data
Viscosity: No data

Explosive Properties: Not explosive. Not expected to be sensitive to electrostatic

discharge.

Oxidizing Properties: No data

9.2 Other safety information: None

10. Stability and Reactivity

10.1 Reactivity

Product may become reactive if inhibitor is depleted.

10.2 Chemical Stability

Stable as supplied.

10.3 Possibility of hazardous reactions

High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may initiate spontaneous polymerization, generating heat and pressure. Closed containers may rupture during hazardous polymerization.

10.4 Conditions to avoid

Exposure to heat, light and moisture.

10.5 Incompatible materials

Keep away from strong oxidizers and moisture.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide and various oxides of nitrogen.

11. Toxicological Information

11.1 Information on toxicological effects

Note to reader: We do NOT test our products on animals. In compliance with current SDS preparation requirements, the values listed are published values for generic ingredients with known animal toxicity.

Acute toxicity

Component	LD ₅₀	LC ₅₀
Di-Hema Trimethylhexyl Dicarbamate, (CAS No. Proprietory)	>5000 mg/kg (oral/rat)	N/av
(EINECS No. None)		
2-Methoxyethyl Methacrylate, (CAS No. 868-77-9)	5564 mg/kg (oral/rat)	N/av
(EINECS No. 212-782-2)	>3000 mg/kg (dermal/rabbit)	
Hydroxypropyl Methacrylate, (CAS No. 27813-02-1)	11,200 mg/kg (oral/rat)	N/av
(EINECS No. 248-666-3)		
Trimethylbenzoyl Diphenylphosphine Oxide, (CAS No. 75980-60-8)	>5000 mg/kg	N/av
(EINECS No. 278-355-8)	(oral/rat) >2000 mg/kg	
	(dermal/rabbit)	
4- Methoxyphenol (p- Hydroxyanisole), (CAS No. 150-76-5)	N/av	N/av
(EINECS No. 205-769-8)		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg(oral/rat)	N/av
EINECS No. 215-168-2	,	
1-Methyl-2-pyrrolidone, (CAS No 872-50-4)	3914 mg/kg (oral/rat)	LD _{LO} >5100 ppm
(EINECS No. 212-828-1)	8000 mg/kg (dermal/rabbit)	(inh, rat/4h)
Titanium Dioxide, CAS No. 13463-67-7	>25,000 mg/kg (oral/rat)	>6820 mg/m ³
EINECS No. 236-675-5	>10,000 mg/mg (dermal/rabbit)	
Black (Cl77266), Carbon, mesoporous, CAS No 1333-86-4	>15,400 mg/kg (oral/rat)	6750 mg/m ³
EINECS No 215-609-9		
Silica, CAS No. 7631-86-9	3160 mg/kg (oral/rat)	N/av
EINECS No. 231-545-4		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg (oral/rat)	N/av
EINECS No. 215-168-2		
Tin Oxide, CAS No 18282-10-10	>20,000 mg/kg (oral/rat)	N/av
EINECS No 242-159-0		

ABBREVIATION KEY: N/p: not published, N/d: not determined, N/ap: not applicable, N/av: not available

Skin corrosion/irritation

Components of this mixture may cause skin irritation, H315, Category 2, Warning

Serious eye damage/eye irritation

Components of this mixture may cause eye irritation, H319, Category 2A, Warning

Respiratory or skin sensitization

Components of this mixture may cause skin sensitization, H317, Category 1, Warning

Germ Cell Mutagenicity

Components in this mixture suspected of causing genetic defects, H341, Category 2, Warning

Carcinogenicity

Not classifiable as a human carcinogen. Titanium dioxide is present in the formulation but is not in a respirable form and cannot become airborne.

Reproductive toxicity

Components in this mixture are suspected of damaging fertility or the unborn child, H361, Category 2, Warning

Specific Target Organ Toxicity - Single exposure

Components of this mixture may cause respiratory irritation, H335, Category 3, Warning

Specific Target Organ Toxicity - Repeated exposure

No information available

Aspiration Hazard

No information available

Additional information

None

12. Ecological Information

12.1 Toxicity

To fish:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate flow through test Fathead Minnow 227mg/l – 96 hour

Hydroxypropyl methacrylate No data available

4-Methoxyphenol LC_{50} : rainbow trout -28.5 mg/l - 96 hour

Trimethylbenzoyl 10 – 100 mg/l

diphenylphosphine oxide

To algae:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate 345 mg/L/72hr (Green algae) Hydroxypropyl methacrylate > 97 mg/L/72hr (Green algae)

4-Methoxyphenol No data available Trimethylbenzoyl 10 – 100 mg/l72 hr

diphenylphosphine oxide

To daphnia:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate
Hydroxypropyl methacrylate
4-Methoxyphenol
Trimethylbenzoyl

380 mg/l
>140 mg/l
No data available
10 – 100 mg/l

diphenylphosphine oxide

12.2 Persistence and degradability

2-Hydroxyethyl methacrylate (HEMA) and Hydroxypropyl methacrylate (HPMA) are considered to be readily biodegradable.

Trimethylbenzoyl diphenylphosphine oxide is considered to be poorly biodegradable. Isobornyl acrylate. Isobornyl acrylate is not considered to be readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not conducted

12.6 Other adverse effects

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product:

Review federal, provincial or state, and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions. Disposal by controlled incineration or by secure land fill may be acceptable.

Contaminated packaging

Dispose as above.

14. Transport Information

All Luxio Gels

Transport of Dangerous Goods (TDG and CLR): Not regulated

United States Department of Transport (49CFR): Not regulated

International Air Transport Association (IATA): Not regulated

International Maritime Organization (IMO): Not regulated

15. Regulatory Information

REGULATIONS:

None

16. Other Information

Original Preparation Date: 8/24/2021

Prepared by: MPK GmbH

Disclaimer: This Safety Data Sheet (SDS) was prepared using information provided by CCINFO, ingredient supplier SDS and other relevant sources. This product has been classified using weight of evidence, expert judgment and previous testing as per Part 1.3 of the Fifth Edition of The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information in this SDS is offered for your consideration and guidance when exposed to this product. Haigh Industries Inc. expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of MPK GMBH

Revisions: None

SAFETY DATA SHEET

This Safety Data Sheet complies with the European Union Directives Nr. 1907/2006.

1. Product and Supplier Identification

1.1 Product: G5149 ColorGel WildBerry

1.2 Product Use: UV Curing Product for Artificial Nails

1.3 Producer: MPK Nails GmbH

An der Brücke 1 95679 Waldershof Deutschland

Tel.: 09231 - 9739630 E-Mail: info@mpknails.de

Supplier: As above

1.4 Emergencies (24-hour number): +49 09231 - 9739630

2. Hazards Identification

2.1 Classification of product or mixture

Note to reader: This product in an untested mixture and GHS classification is based on the classification of the ingredients and their concentrations. Proprietary ingredients do NOT exhibit any health effects not listed in this SDS.

GHS Classification: Skin Irritation: Category 2

Eye Irritation: Category 2A Skin Sensitization: Category 1

Specific Target Organ Toxicity, SE, Respiratory Category 3

2.2 GHS Label Elements, including precautionary statements

Pictogram:



Signal Word: Warning

GHS Hazard Statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

GHS Precautionary Statements:

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and

understood.

P261: Avoid breathing mist, vapours or spray P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of

the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

Response: P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P312: Call a POISON CENTER/doctor...if you feel unwell.

P321: Specific treatment (see Section 4).

P332+ P313: If skin irritation occurs: Get medical advice/attention.

P333+P313: If skin irritation or rash occurs, get medical

advice/attention

P337+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P362 + P364: Take off contaminated clothing and wash it before

reuse.

Storage: P403+P233: Store in a well-ventilated place. Keep container tightly

closed.

P405: Store locked up.

Disposal: P501: Dispose of contents/container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS: None

2.4 Additional Information

Primary Routes of Entry:

Skin Contact: Yes
Skin Absorption: Yes
Eye Contact: Yes
Ingestion: No
Inhalation: Yes

Emergency Overview: This product contains ingredients which may cause mild eye and skin irritation in some people. For eye contact, symptoms may include a moderate burning sensation, tearing, redness, or swelling. Contact with skin may cause an allergic reaction due to prior sensitization. Local redness, rash, or itchy skin may occur in those persons with a pre-existing sensitivity or those predisposed to skin problems. In rare cases an allergic skin reaction may occur after long term contact with this product.

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is ccidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

3. Composition

3.1 Mixture composition

ColorGel WildBerry,Artnr.5149			
Ingredients	CAS	EINECS	Percentage
Epoxy Methacrylate	N/A	N/A	25-50%
Aliphat. Urethanacrylate	N/A	N/A	25-50%
Di-Hema Trimethylhexyl Dicarbamate	72869-86-4	N/A	10-25%
Ethoxylated Trimethylolpropane Triacrylate	28961-43-5	500-066-5	5-10%
1-Hydroxy-Cyclohexylphenyl-Ketone	947-19-3	213-426-9	5-10%
2-Hydroxy-2-Methylpropiophenone	7473-98-5	231-272-0	1-5%
Silica Dimethyl Silylate	68611-44-9	271-893-4	1-5%
Ethyl Phenyl (2,4,6-trimethylbenzoyl) Phosphinat	84434-11-7	282-810-6	0,1-1%
p-Hydroxyanisole	150-76-5	205-769-8	<0,1%
ВНТ	128-37-0	204-881-4	<0,1%
CI15880	6417-83-0	229-142-3	1-5%
CI45410	84473-86-9	282-941-9	0,1-1%
CI77266	1333-86-4	215-609-9	0,1-1%
CI77491	1309-37-1	215-168-2	<0,1%
CI77492	257-098-5	51274-00-1	<0,1%
CI77499	235-442-5	12227-89-3	<0,1%
CI77742	10101-66-3	233-257-4	<0,1%
CI77891	13463-67-7	`236-675-5	1-5%

4. First Aid Measures

4.1 Description of First Aid Measures

General advice: Consult a physician. Show this safety data sheet to the physician in attendance.

Move away from dangerous area. Remove contaminated clothing. Completely decontaminate clothing, shoes and leather goods before re-use or discard.

In case of eye contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 to 30 minutes or until the chemical is removed, while holding the eyelid(s) open. Obtain medical attention immediately or transport to a medical facility and continue to flush the eyes en route.

In case of skin contact: Wash gently and thoroughly with water and non-abrasive soap for at least 20 minutes or until chemical is removed. If signs of sensitization or irritation occur, obtain medical advice.

If inhalation: Remove source of contamination or move victim to fresh air. If breathing is difficult , give artificial respiration. If breathing is difficult oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow the victim to move about unnecessarily. Consult a physician.

If ingestion: Ingestion unlikely. Never give anything by mouth if victim is rapidly losing consciousness. Have victim rinse mouth thoroughly with water. **Do not induce vomiting**. Dilute contents of stomach with 240 to 300 ml of water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is accidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

4.3 Indication of any immediate medical attention and special treatment needed
In the event of an allergic reaction, immediate medical help is required. Allergic reactions may result in various health effects including respiration.

5. Fire Fighting Measures

5.1 Extinguishing Media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray, foam, or water fog.

- **5.2 Special hazards arising from mixture:** Carbon dioxide, carbon monoxide, oxides of nitrogen, undetermined organic compounds in acrid smoke.
- 5.3 Advice for firefighters: Do not enter fire area without proper protection. Fight fire from a safe distance, upwind. Use of water may be ineffective due to low solubility. If water is used, direct fine

spray or fog at fire to cool and extinguish flames.

5.4 Further Information:

Sensitivity to Impact: No Sensitivity to Static Discharge: No

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD INDEX:

HEALTH: 3

FLAMMABILITY: 1
REACTIVITY: 0

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use. At minimum, an eye lavage kit should be kept on hand.

6.2 Environmental precautions

Ensure that any release of this material is contained to prevent leakage into waterways and sanitary sewers.

6.3 Methods and materials for containment and cleanup

Remedial Measures: Wash spill area with strong detergent and water solution, rinse with minimal water, if possible.

Large Spills: For large spills, dike area and prevent leakage into waterways or sanitary sewers. Recover using spark proof equipment and store in approved vented containers for re-use or disposal.

Small Spills: Small spills may be absorbed on an inert medium such as vermiculite or clay, then sweep into vented disposal containers.

6.4 Reference to other sections

For disposal, see section 13

7. Handling and Storage

7.1 Precautions for safe handling

Handling Procedures: Wear proper protective equipment when handling this material. Only use non-sparking tools when handling this material.

7.2 Conditions for safe storage, including incompatibilities

Storage: Store indoors in a well ventilated area where the storage temperature can be maintained between 1°C and 38°C. Storage above 38°C will result in reduced product life. Store in tightly closed containers away from heat, sparks, open flame, strong oxidizers, radiation and other initiators. Prevent contamination with foreign materials, including moisture.

7.3 Specific end use(s)

No other uses except those mentioned in Section 1.2

8. Exposure Controls, Personal Protection

8.1 Control parameters

Components with workplace control parameters

None

Note: Silica and titanium dioxide have respiratory exposure controls, but since these components are bound into the product and are not capable of becoming airborne, exposure controls need not be listed.

8.2 Exposure controls

Engineering Controls: When using indoors, ensure adequate ventilation by using local exhaust. Mechanical ventilation is recommended for all indoor situations to control fugitive emissions. Electrical and mechanical equipment should be explosion proof.

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use.

Control of environmental exposure

Prevent further leakage or spillage, if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Viscous liquid, various colours
Odour: Characteristic acrylic odour

Odour Threshold: Not available pH: Not applicable

Melting Point/Freezing Point: 0°C 131 °C Initial Boiling Point: >96.7 °C Flash Point: **Evaporation Rate:** Negligible Flammability: Not flammable **Upper Explosion Limit:** No data Lower Explosion Limit: No data Vapour Pressure: < 0.01 @ 20°C Vapour Density: No data

Relative Density: 1.15 @ 25°C (water=1)
Solubility: Negligible in water
Partition Coefficient: Not available

Autoignition Temperature:

Decomposition Temperature:

Viscosity:

No data

No data

Explosive Properties: Not explosive. Not expected to be sensitive to electrostatic

discharge.

Oxidizing Properties: No data

9.2 Other safety information: None

10. Stability and Reactivity

10.1 Reactivity

Product may become reactive if inhibitor is depleted.

10.2 Chemical Stability

Stable as supplied.

10.3 Possibility of hazardous reactions

High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may initiate spontaneous polymerization, generating heat and pressure. Closed containers may rupture during hazardous polymerization.

10.4 Conditions to avoid

Exposure to heat, light and moisture.

10.5 Incompatible materials

Keep away from strong oxidizers and moisture.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide and various oxides of nitrogen.

11. Toxicological Information

11.1 Information on toxicological effects

Note to reader: We do NOT test our products on animals. In compliance with current SDS preparation requirements, the values listed are published values for generic ingredients with known animal toxicity.

Acute toxicity

Component	LD ₅₀	LC ₅₀
Di-Hema Trimethylhexyl Dicarbamate, (CAS No. Proprietory)	>5000 mg/kg (oral/rat)	N/av
(EINECS No. None)		
2-Methoxyethyl Methacrylate, (CAS No. 868-77-9)	5564 mg/kg (oral/rat)	N/av
(EINECS No. 212-782-2)	>3000 mg/kg (dermal/rabbit)	
Hydroxypropyl Methacrylate, (CAS No. 27813-02-1)	11,200 mg/kg (oral/rat)	N/av
(EINECS No. 248-666-3)		
Trimethylbenzoyl Diphenylphosphine Oxide, (CAS No. 75980-60-8)	>5000 mg/kg	N/av
(EINECS No. 278-355-8)	(oral/rat)	
	>2000 mg/kg (dermal/rabbit)	
4- Methoxyphenol (p- Hydroxyanisole), (CAS No. 150-76-5)	N/av	N/av
(EINECS No. 205-769-8)		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg(oral/rat)	N/av
EINECS No. 215-168-2		
1-Methyl-2-pyrrolidone, (CAS No 872-50-4)	3914 mg/kg (oral/rat)	LD _{LO} >5100 ppm
(EINECS No. 212-828-1)	8000 mg/kg (dermal/rabbit)	(inh, rat/4h)
Titanium Dioxide, CAS No. 13463-67-7	>25,000 mg/kg (oral/rat)	>6820 mg/m ³
EINECS No. 236-675-5	>10,000 mg/mg (dermal/rabbit)	
Black (CI77266), Carbon, mesoporous, CAS No 1333-86-4	>15,400 mg/kg (oral/rat)	6750 mg/m ³
EINECS No 215-609-9		
Silica, CAS No. 7631-86-9	3160 mg/kg (oral/rat)	N/av
EINECS No. 231-545-4		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg (oral/rat)	N/av
EINECS No. 215-168-2		
Tin Oxide, CAS No 18282-10-10	>20,000 mg/kg (oral/rat)	N/av
EINECS No 242-159-0		

ABBREVIATION KEY: N/p: not published, N/d: not determined, N/ap: not applicable, N/av: not available

Skin corrosion/irritation

Components of this mixture may cause skin irritation, H315, Category 2, Warning

Serious eye damage/eye irritation

Components of this mixture may cause eye irritation, H319, Category 2A, Warning

Respiratory or skin sensitization

Components of this mixture may cause skin sensitization, H317, Category 1, Warning

Germ Cell Mutagenicity

Components in this mixture suspected of causing genetic defects, H341, Category 2, Warning

Carcinogenicity

Not classifiable as a human carcinogen. Titanium dioxide is present in the formulation but is not in a respirable form and cannot become airborne.

Reproductive toxicity

Components in this mixture are suspected of damaging fertility or the unborn child, H361, Category 2, Warning

Specific Target Organ Toxicity - Single exposure

Components of this mixture may cause respiratory irritation, H335, Category 3, Warning

Specific Target Organ Toxicity - Repeated exposure

No information available

Aspiration Hazard

No information available

Additional information

None

12. Ecological Information

12.1 Toxicity To fish:

10 11511.

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate flow through test Fathead Minnow 227mg/l – 96 hour

4-Methoxyphenol LC_{50} : rainbow trout -28.5 mg/l - 96 hour

Trimethylbenzoyl 10 – 100 mg/l

diphenylphosphine oxide

diphenylphosphine oxide

To algae:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate 345 mg/L/72hr (Green algae) Hydroxypropyl methacrylate > 97 mg/L/72hr (Green algae)

4-Methoxyphenol No data available Trimethylbenzoyl 10 – 100 mg/l72 hr

To daphnia:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate
Hydroxypropyl methacrylate
4-Methoxyphenol
Trimethylbenzoyl
diphenylphosphine oxide

380 mg/l
>140 mg/l
No data available
10 – 100 mg/l

12.2 Persistence and degradability

2-Hydroxyethyl methacrylate (HEMA) and Hydroxypropyl methacrylate (HPMA) are considered to be readily biodegradable.

Trimethylbenzoyl diphenylphosphine oxide is considered to be poorly biodegradable. Isobornyl acrylate. Isobornyl acrylate is not considered to be readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not conducted

12.6 Other adverse effects

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product:

Review federal, provincial or state, and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions. Disposal by controlled incineration or by secure land fill may be acceptable.

Contaminated packaging

Dispose as above.

14. Transport Information

All Luxio Gels

Transport of Dangerous Goods (TDG and CLR): Not regulated

United States Department of Transport (49CFR): Not regulated

International Air Transport Association (IATA): Not regulated

International Maritime Organization (IMO): Not regulated

15. Regulatory Information

REGULATIONS:

None

16. Other Information

Original Preparation Date: 9/24/2020

Prepared by: Melanie Kühnel / MPK Nails GmbH

Disclaimer: This Safety Data Sheet (SDS) was prepared using information provided by CCINFO, ingredient supplier SDS and other relevant sources. This product has been classified using weight of evidence, expert judgment and previous testing as per Part 1.3 of the Fifth Edition of The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information in this SDS is offered for your consideration and guidance when exposed to this product. Haigh Industries Inc. expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of MPK Nails GmbH

Revisions: None

SAFETY DATA SHEET

This Safety Data Sheet complies with the European Union Directives Nr. 1907/2006.

1. Product and Supplier Identification

1.1 Product: G5151 ColorGel Eventide

1.2 Product Use: UV Curing Product for Artificial Nails

1.3 Producer: MPK Nails GmbH

An der Brücke 1 95679 Waldershof Deutschland

Tel.: 09231 - 9739630 E-Mail: info@mpknails.de

Supplier: As above

1.4 Emergencies (24-hour number): +49 09231 - 9739630

2. Hazards Identification

2.1 Classification of product or mixture

Note to reader: This product in an untested mixture and GHS classification is based on the classification of the ingredients and their concentrations. Proprietary ingredients do NOT exhibit any health effects not listed in this SDS.

GHS Classification: Skin Irritation: Category 2

Eye Irritation: Category 2A Skin Sensitization: Category 1

Specific Target Organ Toxicity, SE, Respiratory Category 3

2.2 GHS Label Elements, including precautionary statements

Pictogram:



Signal Word: Warning

GHS Hazard Statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

GHS Precautionary Statements:

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and

understood.

P261: Avoid breathing mist, vapours or spray P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of

the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

Response: P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P312: Call a POISON CENTER/doctor...if you feel unwell.

P321: Specific treatment (see Section 4).

P332+ P313: If skin irritation occurs: Get medical advice/attention.

P333+P313: If skin irritation or rash occurs, get medical

advice/attention

P337+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P362 + P364: Take off contaminated clothing and wash it before

reuse.

Storage: P403+P233: Store in a well-ventilated place. Keep container tightly

closed.

P405: Store locked up.

Disposal: P501: Dispose of contents/container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS: None

2.4 Additional Information

Primary Routes of Entry:

Skin Contact: Yes
Skin Absorption: Yes
Eye Contact: Yes
Ingestion: No
Inhalation: Yes

Emergency Overview: This product contains ingredients which may cause mild eye and skin irritation in some people. For eye contact, symptoms may include a moderate burning sensation, tearing, redness, or swelling. Contact with skin may cause an allergic reaction due to prior sensitization. Local redness, rash, or itchy skin may occur in those persons with a pre-existing sensitivity or those predisposed to skin problems. In rare cases an allergic skin reaction may occur after long term contact with this product.

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is ccidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

3. Composition

3.1 Mixture composition

The Product contain the following chemicals:

Ingredients	CAS	EINECS	Percentage
Epoxy Methacrylate	N/A	N/A	25-50%
Aliphat. Urethanacrylate	N/A	N/A	25-50%
Di-Hema Trimethylhexyl Dicarbamate	72869-86-4	N/A	10-25%
Ethoxylated Trimethylolpropane Triacrylate	28961-43-5	500-066-5	5-10%
1-Hydroxy-Cyclohexylphenyl-Ketone	947-19-3	213-426-9	5-10%
2-Hydroxy-2-Methylpropiophenone	7473-98-5	231-272-0	1-5%
Silica Dimethyl Silylate	68611-44-9	271-893-4	1-5%
Ethyl Phenyl (2,4,6-trimethylbenzoyl) Phosphinat	84434-11-7	282-810-6	0,1-1%
p-Hydroxyanisole	150-76-5	205-769-8	<0,1%
BHT	128-37-0	204-881-4	<0,1%
CI60725	81-48-1	201-353-5	0,1-1%
CI73015	860-22-0	212-728-8	0,1-1%
CI77266	1333-86-4	215-609-9	0,1-1%
CI77891	13463-67-7	`236-675-5	1-5%

4. First Aid Measures

4.1 Description of First Aid Measures

General advice: Consult a physician. Show this safety data sheet to the physician in attendance.

Move away from dangerous area. Remove contaminated clothing. Completely decontaminate clothing, shoes and leather goods before re-use or discard.

In case of eye contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 to 30 minutes or until the chemical is removed, while holding the eyelid(s) open. Obtain medical attention immediately or transport to a medical facility and continue to flush the eyes en route.

In case of skin contact: Wash gently and thoroughly with water and non-abrasive soap for at least 20 minutes or until chemical is removed. If signs of sensitization or irritation occur, obtain medical advice.

If inhalation: Remove source of contamination or move victim to fresh air. If breathing is difficult , give artificial respiration. If breathing is difficult oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow the victim to move about unnecessarily. Consult a physician.

If ingestion: Ingestion unlikely. Never give anything by mouth if victim is rapidly losing consciousness. Have victim rinse mouth thoroughly with water. **Do not induce vomiting**. Dilute contents of stomach with 240 to 300 ml of water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is accidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

4.3 Indication of any immediate medical attention and special treatment needed
In the event of an allergic reaction, immediate medical help is required. Allergic reactions may result in various health effects including respiration.

5. Fire Fighting Measures

5.1 Extinguishing Media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray, foam, or water fog.

- **5.2 Special hazards arising from mixture:** Carbon dioxide, carbon monoxide, oxides of nitrogen, undetermined organic compounds in acrid smoke.
- 5.3 Advice for firefighters: Do not enter fire area without proper protection. Fight fire from a safe distance, upwind. Use of water may be ineffective due to low solubility. If water is used, direct fine

spray or fog at fire to cool and extinguish flames.

5.4 Further Information:

Sensitivity to Impact: No Sensitivity to Static Discharge: No

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD INDEX:

HEALTH: 3
FLAMMABILITY: 1
REACTIVITY: 0

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use. At minimum, an eye lavage kit should be kept on hand.

6.2 Environmental precautions

Ensure that any release of this material is contained to prevent leakage into waterways and sanitary sewers.

6.3 Methods and materials for containment and cleanup

Remedial Measures: Wash spill area with strong detergent and water solution, rinse with minimal water, if possible.

Large Spills: For large spills, dike area and prevent leakage into waterways or sanitary sewers. Recover using spark proof equipment and store in approved vented containers for re-use or disposal.

Small Spills: Small spills may be absorbed on an inert medium such as vermiculite or clay, then sweep into vented disposal containers.

6.4 Reference to other sections

For disposal, see section 13

7. Handling and Storage

7.1 Precautions for safe handling

Handling Procedures: Wear proper protective equipment when handling this material. Only use non-sparking tools when handling this material.

7.2 Conditions for safe storage, including incompatibilities

Storage: Store indoors in a well ventilated area where the storage temperature can be maintained between 1°C and 38°C. Storage above 38°C will result in reduced product life. Store in tightly closed containers away from heat, sparks, open flame, strong oxidizers, radiation and other initiators. Prevent contamination with foreign materials, including moisture.

7.3 Specific end use(s)

No other uses except those mentioned in Section 1.2

8. Exposure Controls, Personal Protection

8.1 Control parameters

Components with workplace control parameters

None

Note: Silica and titanium dioxide have respiratory exposure controls, but since these components are bound into the product and are not capable of becoming airborne, exposure controls need not be listed.

8.2 Exposure controls

Engineering Controls: When using indoors, ensure adequate ventilation by using local exhaust. Mechanical ventilation is recommended for all indoor situations to control fugitive emissions. Electrical and mechanical equipment should be explosion proof.

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use.

Control of environmental exposure

Prevent further leakage or spillage, if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Viscous liquid, various colours
Odour: Characteristic acrylic odour

Odour Threshold: Not available pH: Not applicable

Melting Point/Freezing Point: 0°C 131 °C Initial Boiling Point: >96.7 °C Flash Point: **Evaporation Rate:** Negligible Flammability: Not flammable **Upper Explosion Limit:** No data Lower Explosion Limit: No data Vapour Pressure: < 0.01 @ 20°C Vapour Density: No data

Relative Density: 1.15 @ 25°C (water=1)
Solubility: Negligible in water
Partition Coefficient: Not available
Autoignition Temperature: No data

Autoignition Temperature: No data
Decomposition Temperature: No data
Viscosity: No data

Explosive Properties: Not explosive. Not expected to be sensitive to electrostatic

discharge.

Oxidizing Properties: No data

9.2 Other safety information: None

10. Stability and Reactivity

10.1 Reactivity

Product may become reactive if inhibitor is depleted.

10.2 Chemical Stability

Stable as supplied.

10.3 Possibility of hazardous reactions

High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may initiate spontaneous polymerization, generating heat and pressure. Closed containers may rupture during hazardous polymerization.

10.4 Conditions to avoid

Exposure to heat, light and moisture.

10.5 Incompatible materials

Keep away from strong oxidizers and moisture.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide and various oxides of nitrogen.

11. Toxicological Information

11.1 Information on toxicological effects

Note to reader: We do NOT test our products on animals. In compliance with current SDS preparation requirements, the values listed are published values for generic ingredients with known animal toxicity.

Acute toxicity

Component	LD ₅₀	LC ₅₀
Di-Hema Trimethylhexyl Dicarbamate, (CAS No. Proprietory)	>5000 mg/kg (oral/rat)	N/av
(EINECS No. None)		
2-Methoxyethyl Methacrylate, (CAS No. 868-77-9)	5564 mg/kg (oral/rat)	N/av
(EINECS No. 212-782-2)	>3000 mg/kg (dermal/rabbit)	
Hydroxypropyl Methacrylate, (CAS No. 27813-02-1)	11,200 mg/kg (oral/rat)	N/av
(EINECS No. 248-666-3)		
Trimethylbenzoyl Diphenylphosphine Oxide, (CAS No. 75980-60-8)	>5000 mg/kg	N/av
(EINECS No. 278-355-8)	(oral/rat)	
,	>2000 mg/kg	
	(dermal/rabbit)	
4- Methoxyphenol (p- Hydroxyanisole), (CAS No. 150-76-5)	N/av	N/av
(EINECS No. 205-769-8)		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg(oral/rat)	N/av
EINECS No. 215-168-2		
1-Methyl-2-pyrrolidone, (CAS No 872-50-4)	3914 mg/kg (oral/rat)	LD _{LO} >5100 ppm
(EINECS No. 212-828-1)	8000 mg/kg (dermal/rabbit)	(inh, rat/4h)
Titanium Dioxide, CAS No. 13463-67-7	>25,000 mg/kg (oral/rat)	>6820 mg/m ³
EINECS No. 236-675-5	>10,000 mg/mg (dermal/rabbit)	
Black (CI77266), Carbon, mesoporous, CAS No 1333-86-4	>15,400 mg/kg (oral/rat)	6750 mg/m ³
EINECS No 215-609-9		
Silica, CAS No. 7631-86-9	3160 mg/kg (oral/rat)	N/av
EINECS No. 231-545-4		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg (oral/rat)	N/av
EINECS No. 215-168-2		
Tin Oxide, CAS No 18282-10-10	>20,000 mg/kg (oral/rat)	N/av
EINECS No 242-159-0		

ABBREVIATION KEY: N/p: not published, N/d: not determined, N/ap: not applicable, N/av: not available

Skin corrosion/irritation

Components of this mixture may cause skin irritation, H315, Category 2, Warning

Serious eye damage/eye irritation

Components of this mixture may cause eye irritation, H319, Category 2A, Warning

Respiratory or skin sensitization

Components of this mixture may cause skin sensitization, H317, Category 1, Warning

Germ Cell Mutagenicity

Components in this mixture suspected of causing genetic defects, H341, Category 2, Warning

Carcinogenicity

Not classifiable as a human carcinogen. Titanium dioxide is present in the formulation but is not in a respirable form and cannot become airborne.

Reproductive toxicity

Components in this mixture are suspected of damaging fertility or the unborn child, H361, Category 2, Warning

Specific Target Organ Toxicity - Single exposure

Components of this mixture may cause respiratory irritation, H335, Category 3, Warning

Specific Target Organ Toxicity - Repeated exposure

No information available

Aspiration Hazard

No information available

Additional information

None

12. Ecological Information

12.1 Toxicity To fish:

10 11511.

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate flow through test Fathead Minnow 227mg/l – 96 hour

4-Methoxyphenol LC_{50} : rainbow trout -28.5 mg/l - 96 hour

Trimethylbenzoyl 10 – 100 mg/l

diphenylphosphine oxide

To algae:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate 345 mg/L/72hr (Green algae) Hydroxypropyl methacrylate > 97 mg/L/72hr (Green algae)

4-Methoxyphenol No data available Trimethylbenzoyl 10 – 100 mg/l72 hr

diphenylphosphine oxide

To daphnia:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate
Hydroxypropyl methacrylate
4-Methoxyphenol
Trimethylbenzoyl
diphenylphosphine oxide

380 mg/l
>140 mg/l
No data available
10 – 100 mg/l

12.2 Persistence and degradability

2-Hydroxyethyl methacrylate (HEMA) and Hydroxypropyl methacrylate (HPMA) are considered to be readily biodegradable.

Trimethylbenzoyl diphenylphosphine oxide is considered to be poorly biodegradable. Isobornyl acrylate. Isobornyl acrylate is not considered to be readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not conducted

12.6 Other adverse effects

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product:

Review federal, provincial or state, and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions. Disposal by controlled incineration or by secure land fill may be acceptable.

Contaminated packaging

Dispose as above.

14. Transport Information

All Luxio Gels

Transport of Dangerous Goods (TDG and CLR): Not regulated

United States Department of Transport (49CFR): Not regulated

International Air Transport Association (IATA): Not regulated

International Maritime Organization (IMO): Not regulated

15. Regulatory Information

REGULATIONS:

None

16. Other Information

Original Preparation Date: 8/13/2020

Prepared by: Melanie Kühnel / MPK Nails GmbH

Disclaimer: This Safety Data Sheet (SDS) was prepared using information provided by CCINFO, ingredient supplier SDS and other relevant sources. This product has been classified using weight of evidence, expert judgment and previous testing as per Part 1.3 of the Fifth Edition of The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information in this SDS is offered for your consideration and guidance when exposed to this product. Haigh Industries Inc. expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of MPK Nails GmbH

Revisions: None

SAFETY DATA SHEET

This Safety Data Sheet complies with the European Union Directives Nr. 1907/2006.

1. Product and Supplier Identification

1.1 Product: G5154 ColorGel SilkyLilac

1.2 Product Use: UV Curing Product for Artificial Nails

1.3 Producer: MPK Nails GmbH

An der Brücke 1 95679 Waldershof Deutschland

Tel.: 09231 - 9739630 E-Mail: info@mpknails.de

Supplier: As above

1.4 Emergencies (24-hour number): +49 09231 - 9739630

2. Hazards Identification

2.1 Classification of product or mixture

Note to reader: This product in an untested mixture and GHS classification is based on the classification of the ingredients and their concentrations. Proprietary ingredients do NOT exhibit any health effects not listed in this SDS.

GHS Classification: Skin Irritation: Category 2

Eye Irritation: Category 2A Skin Sensitization: Category 1

Specific Target Organ Toxicity, SE, Respiratory Category 3

2.2 GHS Label Elements, including precautionary statements

Pictogram:



Signal Word: Warning

GHS Hazard Statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

GHS Precautionary Statements:

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and

understood.

P261: Avoid breathing mist, vapours or spray P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of

the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

Response: P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P312: Call a POISON CENTER/doctor...if you feel unwell.

P321: Specific treatment (see Section 4).

P332+ P313: If skin irritation occurs: Get medical advice/attention.

P333+P313: If skin irritation or rash occurs, get medical

advice/attention

P337+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P362 + P364: Take off contaminated clothing and wash it before

reuse.

Storage: P403+P233: Store in a well-ventilated place. Keep container tightly

closed.

P405: Store locked up.

Disposal: P501: Dispose of contents/container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS: None

2.4 Additional Information

Primary Routes of Entry:

Skin Contact: Yes
Skin Absorption: Yes
Eye Contact: Yes
Ingestion: No
Inhalation: Yes

Emergency Overview: This product contains ingredients which may cause mild eye and skin irritation in some people. For eye contact, symptoms may include a moderate burning sensation, tearing, redness, or swelling. Contact with skin may cause an allergic reaction due to prior sensitization. Local redness, rash, or itchy skin may occur in those persons with a pre-existing sensitivity or those predisposed to skin problems. In rare cases an allergic skin reaction may occur after long term contact with this product.

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is ccidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

3. Composition

3.1 Mixture composition

The Product contain the following chemicals:

Ingredients	CAS	EINECS	Percentage
Epoxy Methacrylate	N/A	N/A	25-50%
Aliphat. Urethanacrylate	N/A	N/A	25-50%
Di-Hema Trimethylhexyl Dicarbamate	72869-86-4	N/A	10-25%
Ethoxylated Trimethylolpropane Triacrylate	28961-43-5	500-066-5	5-10%
1-Hydroxy-Cyclohexylphenyl-Ketone	947-19-3	213-426-9	5-10%
2-Hydroxy-2-Methylpropiophenone	7473-98-5	231-272-0	1-5%
Silica Dimethyl Silylate	68611-44-9	271-893-4	1-5%
p-Hydroxyanisole	150-76-5	205-769-8	<0,1%
ВНТ	128-37-0	204-881-4	<0,1%
CI77266	1333-86-4	215-609-9	0,1-1%
CI77742	10101-66-3	233-257-4	0,1-1%
CI77891	13463-67-7	`236-675-5	<0,1%

4. First Aid Measures

4.1 Description of First Aid Measures

General advice: Consult a physician. Show this safety data sheet to the physician in attendance.

Move away from dangerous area. Remove contaminated clothing. Completely decontaminate clothing, shoes and leather goods before re-use or discard.

In case of eye contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 to 30 minutes or until the chemical is removed, while holding the eyelid(s) open. Obtain medical attention immediately or transport to a medical facility and continue to flush the eyes en route.

In case of skin contact: Wash gently and thoroughly with water and non-abrasive soap for at least 20 minutes or until chemical is removed. If signs of sensitization or irritation occur, obtain medical advice.

If inhalation: Remove source of contamination or move victim to fresh air. If breathing is difficult , give artificial respiration. If breathing is difficult oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow the victim to move about unnecessarily. Consult a physician.

If ingestion: Ingestion unlikely. Never give anything by mouth if victim is rapidly losing consciousness. Have victim rinse mouth thoroughly with water. **Do not induce vomiting**. Dilute contents of stomach with 240 to 300 ml of water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is accidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

4.3 Indication of any immediate medical attention and special treatment needed
In the event of an allergic reaction, immediate medical help is required. Allergic reactions may result in various health effects including respiration.

5. Fire Fighting Measures

5.1 Extinguishing Media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray, foam, or water fog.

- **5.2 Special hazards arising from mixture:** Carbon dioxide, carbon monoxide, oxides of nitrogen, undetermined organic compounds in acrid smoke.
- 5.3 Advice for firefighters: Do not enter fire area without proper protection. Fight fire from a safe distance, upwind. Use of water may be ineffective due to low solubility. If water is used, direct fine

spray or fog at fire to cool and extinguish flames.

5.4 Further Information:

Sensitivity to Impact: No **Sensitivity to Static Discharge**: No

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD INDEX:

HEALTH: 3 FLAMMABILITY: 1 REACTIVITY: 0

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use. At minimum, an eye lavage kit should be kept on hand.

6.2 Environmental precautions

Ensure that any release of this material is contained to prevent leakage into waterways and sanitary sewers.

6.3 Methods and materials for containment and cleanup

Remedial Measures: Wash spill area with strong detergent and water solution, rinse with minimal water, if possible.

Large Spills: For large spills, dike area and prevent leakage into waterways or sanitary sewers. Recover using spark proof equipment and store in approved vented containers for re-use or disposal.

Small Spills: Small spills may be absorbed on an inert medium such as vermiculite or clay, then sweep into vented disposal containers.

6.4 Reference to other sections

For disposal, see section 13

7. Handling and Storage

7.1 Precautions for safe handling

Handling Procedures: Wear proper protective equipment when handling this material. Only use non-sparking tools when handling this material.

7.2 Conditions for safe storage, including incompatibilities

Storage: Store indoors in a well ventilated area where the storage temperature can be maintained between 1°C and 38°C. Storage above 38°C will result in reduced product life. Store in tightly closed containers away from heat, sparks, open flame, strong oxidizers, radiation and other initiators. Prevent contamination with foreign materials, including moisture.

7.3 Specific end use(s)

No other uses except those mentioned in Section 1.2

8. Exposure Controls, Personal Protection

8.1 Control parameters

Components with workplace control parameters

None

Note: Silica and titanium dioxide have respiratory exposure controls, but since these components are bound into the product and are not capable of becoming airborne, exposure controls need not be listed.

8.2 Exposure controls

Engineering Controls: When using indoors, ensure adequate ventilation by using local exhaust. Mechanical ventilation is recommended for all indoor situations to control fugitive emissions. Electrical and mechanical equipment should be explosion proof.

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use.

Control of environmental exposure

Prevent further leakage or spillage, if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Viscous liquid, various colours
Odour: Characteristic acrylic odour

Odour Threshold: Not available pH: Not applicable

Melting Point/Freezing Point: 0°C 131 °C Initial Boiling Point: >96.7 °C Flash Point: **Evaporation Rate:** Negligible Flammability: Not flammable **Upper Explosion Limit:** No data Lower Explosion Limit: No data Vapour Pressure: < 0.01 @ 20°C Vapour Density: No data

Relative Density: 1.15 @ 25°C (water=1)
Solubility: Negligible in water

Partition Coefficient: Not available
Autoignition Temperature: No data
Decomposition Temperature: No data
Viscosity: No data

Explosive Properties: Not explosive. Not expected to be sensitive to electrostatic

discharge.

Oxidizing Properties: No data

9.2 Other safety information: None

10. Stability and Reactivity

10.1 Reactivity

Product may become reactive if inhibitor is depleted.

10.2 Chemical Stability

Stable as supplied.

10.3 Possibility of hazardous reactions

High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may initiate spontaneous polymerization, generating heat and pressure. Closed containers may rupture during hazardous polymerization.

10.4 Conditions to avoid

Exposure to heat, light and moisture.

10.5 Incompatible materials

Keep away from strong oxidizers and moisture.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide and various oxides of nitrogen.

11. Toxicological Information

11.1 Information on toxicological effects

Note to reader: We do NOT test our products on animals. In compliance with current SDS preparation requirements, the values listed are published values for generic ingredients with known animal toxicity.

Acute toxicity

Component	LD ₅₀	LC ₅₀	
Di-Hema Trimethylhexyl Dicarbamate, (CAS No. Proprietory)	>5000 mg/kg (oral/rat)	N/av	
(EINECS No. None)			
2-Methoxyethyl Methacrylate, (CAS No. 868-77-9)	5564 mg/kg (oral/rat)	N/av	
(EINECS No. 212-782-2)	>3000 mg/kg (dermal/rabbit)		
Hydroxypropyl Methacrylate, (CAS No. 27813-02-1)	11,200 mg/kg (oral/rat)	N/av	
(EINECS No. 248-666-3)			
Trimethylbenzoyl Diphenylphosphine Oxide, (CAS No. 75980-60-8)	>5000 mg/kg	N/av	
(EINECS No. 278-355-8)	(oral/rat)		
,	>2000 mg/kg		
	(dermal/rabbit)		
4- Methoxyphenol (p- Hydroxyanisole), (CAS No. 150-76-5)	N/av	N/av	
(EINECS No. 205-769-8)			
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg(oral/rat)	N/av	
EINECS No. 215-168-2			
1-Methyl-2-pyrrolidone, (CAS No 872-50-4)	3914 mg/kg (oral/rat)	LD _{LO} >5100 ppm	
(EINECS No. 212-828-1)	8000 mg/kg (dermal/rabbit)	(inh, rat/4h)	
Titanium Dioxide, CAS No. 13463-67-7	>25,000 mg/kg (oral/rat)	>6820 mg/m ³	
EINECS No. 236-675-5	>10,000 mg/mg (dermal/rabbit)		
Black (CI77266), Carbon, mesoporous, CAS No 1333-86-4	>15,400 mg/kg (oral/rat)	6750 mg/m ³	
EINECS No 215-609-9			
Silica, CAS No. 7631-86-9	3160 mg/kg (oral/rat)	N/av	
EINECS No. 231-545-4			
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg (oral/rat)	N/av	
EINECS No. 215-168-2			
Tin Oxide, CAS No 18282-10-10	>20,000 mg/kg (oral/rat)	N/av	
EINECS No 242-159-0			

ABBREVIATION KEY: N/p: not published, N/d: not determined, N/ap: not applicable, N/av: not available

Skin corrosion/irritation

Components of this mixture may cause skin irritation, H315, Category 2, Warning

Serious eye damage/eye irritation

Components of this mixture may cause eye irritation, H319, Category 2A, Warning

Respiratory or skin sensitization

Components of this mixture may cause skin sensitization, H317, Category 1, Warning

Germ Cell Mutagenicity

Components in this mixture suspected of causing genetic defects, H341, Category 2, Warning

Carcinogenicity

Not classifiable as a human carcinogen. Titanium dioxide is present in the formulation but is not in a respirable form and cannot become airborne.

Reproductive toxicity

Components in this mixture are suspected of damaging fertility or the unborn child, H361, Category 2, Warning

Specific Target Organ Toxicity - Single exposure

Components of this mixture may cause respiratory irritation, H335, Category 3, Warning

Specific Target Organ Toxicity - Repeated exposure

No information available

Aspiration Hazard

No information available

Additional information

None

12. Ecological Information

12.1 Toxicity To fish:

10 11511.

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate flow through test Fathead Minnow 227mg/l – 96 hour

4-Methoxyphenol LC₅₀: rainbow trout – 28.5 mg/l – 96 hour

Trimethylbenzoyl 10 – 100 mg/l

diphenylphosphine oxide

To algae:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate 345 mg/L/72hr (Green algae) Hydroxypropyl methacrylate > 97 mg/L/72hr (Green algae)

4-Methoxyphenol No data available Trimethylbenzoyl 10 – 100 mg/l72 hr

diphenylphosphine oxide

To daphnia:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate
Hydroxypropyl methacrylate
4-Methoxyphenol
Trimethylbenzoyl

2-Hydroxyethyl methacrylate
380 mg/l
>140 mg/l
No data available
10 – 100 mg/l

diphenylphosphine oxide

12.2 Persistence and degradability

2-Hydroxyethyl methacrylate (HEMA) and Hydroxypropyl methacrylate (HPMA) are considered to be readily biodegradable.

Trimethylbenzoyl diphenylphosphine oxide is considered to be poorly biodegradable. Isobornyl acrylate. Isobornyl acrylate is not considered to be readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not conducted

12.6 Other adverse effects

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product:

Review federal, provincial or state, and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions. Disposal by controlled incineration or by secure land fill may be acceptable.

Contaminated packaging

Dispose as above.

14. Transport Information

All Luxio Gels

Transport of Dangerous Goods (TDG and CLR): Not regulated

United States Department of Transport (49CFR): Not regulated

International Air Transport Association (IATA): Not regulated

International Maritime Organization (IMO): Not regulated

15. Regulatory Information

REGULATIONS:

None

16. Other Information

Original Preparation Date: 8/11/2020

Prepared by: Melanie Kühnel / MPK Nails GmbH

Disclaimer: This Safety Data Sheet (SDS) was prepared using information provided by CCINFO, ingredient supplier SDS and other relevant sources. This product has been classified using weight of evidence, expert judgment and previous testing as per Part 1.3 of the Fifth Edition of The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information in this SDS is offered for your consideration and guidance when exposed to this product. Haigh Industries Inc. expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of MPK Nails GmbH

Revisions: None

SAFETY DATA SHEET

This Safety Data Sheet complies with the European Union Directives Nr. 1907/2006.

1. Product and Supplier Identification

1.1 Product: G5155 ColorGel DeepOcean

1.2 Product Use: UV Curing Product for Artificial Nails

1.3 Producer: MPK Nails GmbH

An der Brücke 1 95679 Waldershof Deutschland

Tel.: 09231 - 9739630 E-Mail: info@mpknails.de

Supplier: As above

1.4 Emergencies (24-hour number): +49 09231 - 9739630

2. Hazards Identification

2.1 Classification of product or mixture

Note to reader: This product in an untested mixture and GHS classification is based on the classification of the ingredients and their concentrations. Proprietary ingredients do NOT exhibit any health effects not listed in this SDS.

GHS Classification: Skin Irritation: Category 2

Eye Irritation: Category 2A Skin Sensitization: Category 1

Specific Target Organ Toxicity, SE, Respiratory Category 3

2.2 GHS Label Elements, including precautionary statements

Pictogram:



Signal Word: Warning

GHS Hazard Statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

GHS Precautionary Statements:

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and

understood.

P261: Avoid breathing mist, vapours or spray P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of

the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

Response: P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P312: Call a POISON CENTER/doctor...if you feel unwell.

P321: Specific treatment (see Section 4).

P332+ P313: If skin irritation occurs: Get medical advice/attention.

P333+P313: If skin irritation or rash occurs, get medical

advice/attention

P337+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P362 + P364: Take off contaminated clothing and wash it before

reuse.

Storage: P403+P233: Store in a well-ventilated place. Keep container tightly

closed.

P405: Store locked up.

Disposal: P501: Dispose of contents/container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS: None

2.4 Additional Information

Primary Routes of Entry:

Skin Contact: Yes
Skin Absorption: Yes
Eye Contact: Yes
Ingestion: No
Inhalation: Yes

Emergency Overview: This product contains ingredients which may cause mild eye and skin irritation in some people. For eye contact, symptoms may include a moderate burning sensation, tearing, redness, or swelling. Contact with skin may cause an allergic reaction due to prior sensitization. Local redness, rash, or itchy skin may occur in those persons with a pre-existing sensitivity or those predisposed to skin problems. In rare cases an allergic skin reaction may occur after long term contact with this product.

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is ccidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

3. Composition

3.1 Mixture composition

The Product contain the following chemicals:

Ingredients	CAS	EINECS	Percentage
Epoxy Methacrylate	N/A	N/A	25-50%
Aliphat. Urethanacrylate	N/A	N/A	25-50%
Di-Hema Trimethylhexyl Dicarbamate	72869-86-4	N/A	10-25%
Ethoxylated Trimethylolpropane Triacrylate	28961-43-5	500-066-5	5-10%
1-Hydroxy-Cyclohexylphenyl-Ketone	947-19-3	213-426-9	5-10%
2-Hydroxy-2-Methylpropiophenone	7473-98-5	231-272-0	1-5%
Silica Dimethyl Silylate	68611-44-9	271-893-4	1-5%
p-Hydroxyanisole	150-76-5	205-769-8	<0,1%
ВНТ	128-37-0	204-881-4	<0,1%
CI42090	68921-42-6	272-939-6	0,1-1%
CI74260	1328-53-6	215-524-7	0,1-1%
CI77266	1333-86-4	215-609-9	0,1-1%
CI77891	13463-67-7	`236-675-5	0,1-1%

4. First Aid Measures

4.1 Description of First Aid Measures

General advice: Consult a physician. Show this safety data sheet to the physician in attendance.

Move away from dangerous area. Remove contaminated clothing. Completely decontaminate clothing, shoes and leather goods before re-use or discard.

In case of eye contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 to 30 minutes or until the chemical is removed, while holding the eyelid(s) open. Obtain medical attention immediately or transport to a medical facility and continue to flush the eyes en route.

In case of skin contact: Wash gently and thoroughly with water and non-abrasive soap for at least 20 minutes or until chemical is removed. If signs of sensitization or irritation occur, obtain medical advice.

If inhalation: Remove source of contamination or move victim to fresh air. If breathing is difficult , give artificial respiration. If breathing is difficult oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow the victim to move about unnecessarily. Consult a physician.

If ingestion: Ingestion unlikely. Never give anything by mouth if victim is rapidly losing consciousness. Have victim rinse mouth thoroughly with water. **Do not induce vomiting**. Dilute contents of stomach with 240 to 300 ml of water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is accidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

4.3 Indication of any immediate medical attention and special treatment needed
In the event of an allergic reaction, immediate medical help is required. Allergic reactions may result in various health effects including respiration.

5. Fire Fighting Measures

5.1 Extinguishing Media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray, foam, or water fog.

- **5.2 Special hazards arising from mixture:** Carbon dioxide, carbon monoxide, oxides of nitrogen, undetermined organic compounds in acrid smoke.
- 5.3 Advice for firefighters: Do not enter fire area without proper protection. Fight fire from a safe distance, upwind. Use of water may be ineffective due to low solubility. If water is used, direct fine

spray or fog at fire to cool and extinguish flames.

5.4 Further Information:

Sensitivity to Impact: No Sensitivity to Static Discharge: No

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD INDEX:

HEALTH: 3 FLAMMABILITY: 1 REACTIVITY: 0

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use. At minimum, an eye lavage kit should be kept on hand.

6.2 Environmental precautions

Ensure that any release of this material is contained to prevent leakage into waterways and sanitary sewers.

6.3 Methods and materials for containment and cleanup

Remedial Measures: Wash spill area with strong detergent and water solution, rinse with minimal water, if possible.

Large Spills: For large spills, dike area and prevent leakage into waterways or sanitary sewers. Recover using spark proof equipment and store in approved vented containers for re-use or disposal.

Small Spills: Small spills may be absorbed on an inert medium such as vermiculite or clay, then sweep into vented disposal containers.

6.4 Reference to other sections

For disposal, see section 13

7. Handling and Storage

7.1 Precautions for safe handling

Handling Procedures: Wear proper protective equipment when handling this material. Only use non-sparking tools when handling this material.

7.2 Conditions for safe storage, including incompatibilities

Storage: Store indoors in a well ventilated area where the storage temperature can be maintained between 1°C and 38°C. Storage above 38°C will result in reduced product life. Store in tightly closed containers away from heat, sparks, open flame, strong oxidizers, radiation and other initiators. Prevent contamination with foreign materials, including moisture.

7.3 Specific end use(s)

No other uses except those mentioned in Section 1.2

8. Exposure Controls, Personal Protection

8.1 Control parameters

Components with workplace control parameters

None

Note: Silica and titanium dioxide have respiratory exposure controls, but since these components are bound into the product and are not capable of becoming airborne, exposure controls need not be listed.

8.2 Exposure controls

Engineering Controls: When using indoors, ensure adequate ventilation by using local exhaust. Mechanical ventilation is recommended for all indoor situations to control fugitive emissions. Electrical and mechanical equipment should be explosion proof.

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use.

Control of environmental exposure

Prevent further leakage or spillage, if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Viscous liquid, various colours
Odour: Characteristic acrylic odour

Odour Threshold: Not available pH: Not applicable

Melting Point/Freezing Point: 0°C 131 °C Initial Boiling Point: >96.7 °C Flash Point: **Evaporation Rate:** Negligible Flammability: Not flammable **Upper Explosion Limit:** No data Lower Explosion Limit: No data Vapour Pressure: < 0.01 @ 20°C Vapour Density: No data

Relative Density: 1.15 @ 25°C (water=1)
Solubility: Negligible in water

Partition Coefficient: Not available
Autoignition Temperature: No data
Decomposition Temperature: No data
Viscosity: No data

Explosive Properties: Not explosive. Not expected to be sensitive to electrostatic

discharge.

Oxidizing Properties: No data

9.2 Other safety information: None

10. Stability and Reactivity

10.1 Reactivity

Product may become reactive if inhibitor is depleted.

10.2 Chemical Stability

Stable as supplied.

10.3 Possibility of hazardous reactions

High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may initiate spontaneous polymerization, generating heat and pressure. Closed containers may rupture during hazardous polymerization.

10.4 Conditions to avoid

Exposure to heat, light and moisture.

10.5 Incompatible materials

Keep away from strong oxidizers and moisture.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide and various oxides of nitrogen.

11. Toxicological Information

11.1 Information on toxicological effects

Note to reader: We do NOT test our products on animals. In compliance with current SDS preparation requirements, the values listed are published values for generic ingredients with known animal toxicity.

Acute toxicity

Component	LD ₅₀	LC ₅₀	
Di-Hema Trimethylhexyl Dicarbamate, (CAS No. Proprietory)	>5000 mg/kg (oral/rat)	N/av	
(EINECS No. None)			
2-Methoxyethyl Methacrylate, (CAS No. 868-77-9)	5564 mg/kg (oral/rat)	N/av	
(EINECS No. 212-782-2)	>3000 mg/kg (dermal/rabbit)		
Hydroxypropyl Methacrylate, (CAS No. 27813-02-1)	11,200 mg/kg (oral/rat)	N/av	
(EINECS No. 248-666-3)			
Trimethylbenzoyl Diphenylphosphine Oxide, (CAS No. 75980-60-8)	>5000 mg/kg	N/av	
(EINECS No. 278-355-8)	(oral/rat)		
,	>2000 mg/kg		
	(dermal/rabbit)		
4- Methoxyphenol (p- Hydroxyanisole), (CAS No. 150-76-5)	N/av	N/av	
(EINECS No. 205-769-8)			
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg(oral/rat)	N/av	
EINECS No. 215-168-2			
1-Methyl-2-pyrrolidone, (CAS No 872-50-4)	3914 mg/kg (oral/rat)	LD _{LO} >5100 ppm	
(EINECS No. 212-828-1)	8000 mg/kg (dermal/rabbit)	(inh, rat/4h)	
Titanium Dioxide, CAS No. 13463-67-7	>25,000 mg/kg (oral/rat)	>6820 mg/m ³	
EINECS No. 236-675-5	>10,000 mg/mg (dermal/rabbit)		
Black (CI77266), Carbon, mesoporous, CAS No 1333-86-4	>15,400 mg/kg (oral/rat)	6750 mg/m ³	
EINECS No 215-609-9			
Silica, CAS No. 7631-86-9	3160 mg/kg (oral/rat)	N/av	
EINECS No. 231-545-4			
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg (oral/rat)	N/av	
EINECS No. 215-168-2			
Tin Oxide, CAS No 18282-10-10	>20,000 mg/kg (oral/rat)	N/av	
EINECS No 242-159-0			

ABBREVIATION KEY: N/p: not published, N/d: not determined, N/ap: not applicable, N/av: not available

Skin corrosion/irritation

Components of this mixture may cause skin irritation, H315, Category 2, Warning

Serious eye damage/eye irritation

Components of this mixture may cause eye irritation, H319, Category 2A, Warning

Respiratory or skin sensitization

Components of this mixture may cause skin sensitization, H317, Category 1, Warning

Germ Cell Mutagenicity

Components in this mixture suspected of causing genetic defects, H341, Category 2, Warning

Carcinogenicity

Not classifiable as a human carcinogen. Titanium dioxide is present in the formulation but is not in a respirable form and cannot become airborne.

Reproductive toxicity

Components in this mixture are suspected of damaging fertility or the unborn child, H361, Category 2, Warning

Specific Target Organ Toxicity - Single exposure

Components of this mixture may cause respiratory irritation, H335, Category 3, Warning

Specific Target Organ Toxicity - Repeated exposure

No information available

Aspiration Hazard

No information available

Additional information

None

12. Ecological Information

12.1 Toxicity To fish:

10 11511.

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate flow through test Fathead Minnow 227mg/l – 96 hour

4-Methoxyphenol LC₅₀: rainbow trout – 28.5 mg/l – 96 hour

Trimethylbenzoyl 10 – 100 mg/l

diphenylphosphine oxide

To algae:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate 345 mg/L/72hr (Green algae) Hydroxypropyl methacrylate > 97 mg/L/72hr (Green algae)

4-Methoxyphenol No data available Trimethylbenzoyl 10 – 100 mg/l72 hr

diphenylphosphine oxide

To daphnia:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate
Hydroxypropyl methacrylate
4-Methoxyphenol
Trimethylbenzoyl

2-Hydroxyethyl methacrylate
380 mg/l
>140 mg/l
No data available
10 – 100 mg/l

diphenylphosphine oxide

12.2 Persistence and degradability

2-Hydroxyethyl methacrylate (HEMA) and Hydroxypropyl methacrylate (HPMA) are considered to be readily biodegradable.

Trimethylbenzoyl diphenylphosphine oxide is considered to be poorly biodegradable. Isobornyl acrylate. Isobornyl acrylate is not considered to be readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not conducted

12.6 Other adverse effects

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product:

Review federal, provincial or state, and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions. Disposal by controlled incineration or by secure land fill may be acceptable.

Contaminated packaging

Dispose as above.

14. Transport Information

All Luxio Gels

Transport of Dangerous Goods (TDG and CLR): Not regulated

United States Department of Transport (49CFR): Not regulated

International Air Transport Association (IATA): Not regulated

International Maritime Organization (IMO): Not regulated

15. Regulatory Information

REGULATIONS:

None

16. Other Information

Original Preparation Date: 8/11/2020

Prepared by: Melanie Kühnel / MPK Nails GmbH

Disclaimer: This Safety Data Sheet (SDS) was prepared using information provided by CCINFO, ingredient supplier SDS and other relevant sources. This product has been classified using weight of evidence, expert judgment and previous testing as per Part 1.3 of the Fifth Edition of The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information in this SDS is offered for your consideration and guidance when exposed to this product. Haigh Industries Inc. expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of MPK Nails GmbH

Revisions: None

SAFETY DATA SHEET

This Safety Data Sheet complies with the European Union Directives Nr. 1907/2006.

1. Product and Supplier Identification

1.1 Product: G5156 ColorGel PurpleWine

1.2 Product Use: UV Curing Product for Artificial Nails

1.3 Producer: MPK Nails GmbH

An der Brücke 1 95679 Waldershof Deutschland

Tel.: 09231 - 9739630 E-Mail: info@mpknails.de

Supplier: As above

1.4 Emergencies (24-hour number): +49 09231 - 9739630

2. Hazards Identification

2.1 Classification of product or mixture

Note to reader: This product in an untested mixture and GHS classification is based on the classification of the ingredients and their concentrations. Proprietary ingredients do NOT exhibit any health effects not listed in this SDS.

GHS Classification: Skin Irritation: Category 2

Eye Irritation: Category 2A Skin Sensitization: Category 1

Specific Target Organ Toxicity, SE, Respiratory Category 3

2.2 GHS Label Elements, including precautionary statements

Pictogram:



Signal Word: Warning

GHS Hazard Statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

GHS Precautionary Statements:

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and

understood.

P261: Avoid breathing mist, vapours or spray P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of

the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

Response: P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P312: Call a POISON CENTER/doctor...if you feel unwell.

P321: Specific treatment (see Section 4).

P332+ P313: If skin irritation occurs: Get medical advice/attention.

P333+P313: If skin irritation or rash occurs, get medical

advice/attention

P337+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P362 + P364: Take off contaminated clothing and wash it before

reuse.

Storage: P403+P233: Store in a well-ventilated place. Keep container tightly

closed.

P405: Store locked up.

Disposal: P501: Dispose of contents/container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS: None

2.4 Additional Information

Primary Routes of Entry:

Skin Contact: Yes
Skin Absorption: Yes
Eye Contact: Yes
Ingestion: No
Inhalation: Yes

Emergency Overview: This product contains ingredients which may cause mild eye and skin irritation in some people. For eye contact, symptoms may include a moderate burning sensation, tearing, redness, or swelling. Contact with skin may cause an allergic reaction due to prior sensitization. Local redness, rash, or itchy skin may occur in those persons with a pre-existing sensitivity or those predisposed to skin problems. In rare cases an allergic skin reaction may occur after long term contact with this product.

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is ccidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

3. Composition

3.1 Mixture composition

The Product contain the following chemicals:

Ingredients	CAS	EINECS	Percentage
Epoxy Methacrylate	N/A	N/A	25-50%
Aliphat. Urethanacrylate	N/A	N/A	25-50%
Di-Hema Trimethylhexyl Dicarbamate	72869-86-4	N/A	10-25%
Ethoxylated Trimethylolpropane Triacrylate	28961-43-5	500-066-5	5-10%
1-Hydroxy-Cyclohexylphenyl-Ketone	947-19-3	213-426-9	5-10%
2-Hydroxy-2-Methylpropiophenone	7473-98-5	231-272-0	1-5%
Silica Dimethyl Silylate	68611-44-9	271-893-4	1-5%
p-Hydroxyanisole	150-76-5	205-769-8	<0,1%
BHT	128-37-0	204-881-4	<0,1%
CI15850	09.04.5281	226-109-5	1-5%
CI45410	18472-87-2	242-355-6	0,1-1%
C177002	1332-76-6	215-573-4	0,1-1%
C177007	57455-37-5	309-928-3	0,1-1%
CI77742	10101-66-3	233-257-4	1-5%
CI77891	13463-67-7	`236-675-5	0,1-1%

4. First Aid Measures

4.1 Description of First Aid Measures

General advice: Consult a physician. Show this safety data sheet to the physician in attendance.

Move away from dangerous area. Remove contaminated clothing. Completely decontaminate clothing, shoes and leather goods before re-use or discard.

In case of eye contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 to 30 minutes or until the chemical is removed, while holding the eyelid(s) open. Obtain medical attention immediately or transport to a medical facility and continue to flush the eyes en route.

In case of skin contact: Wash gently and thoroughly with water and non-abrasive soap for at least 20 minutes or until chemical is removed. If signs of sensitization or irritation occur, obtain medical advice.

If inhalation: Remove source of contamination or move victim to fresh air. If breathing is difficult , give artificial respiration. If breathing is difficult oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow the victim to move about unnecessarily. Consult a physician.

If ingestion: Ingestion unlikely. Never give anything by mouth if victim is rapidly losing consciousness. Have victim rinse mouth thoroughly with water. **Do not induce vomiting**. Dilute contents of stomach with 240 to 300 ml of water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is accidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

4.3 Indication of any immediate medical attention and special treatment needed
In the event of an allergic reaction, immediate medical help is required. Allergic reactions may result in various health effects including respiration.

5. Fire Fighting Measures

5.1 Extinguishing Media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray, foam, or water fog.

- **5.2 Special hazards arising from mixture:** Carbon dioxide, carbon monoxide, oxides of nitrogen, undetermined organic compounds in acrid smoke.
- 5.3 Advice for firefighters: Do not enter fire area without proper protection. Fight fire from a safe distance, upwind. Use of water may be ineffective due to low solubility. If water is used, direct fine

spray or fog at fire to cool and extinguish flames.

5.4 Further Information:

Sensitivity to Impact: No **Sensitivity to Static Discharge**: No

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD INDEX:

HEALTH: 3
FLAMMABILITY: 1
REACTIVITY: 0

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use. At minimum, an eye lavage kit should be kept on hand.

6.2 Environmental precautions

Ensure that any release of this material is contained to prevent leakage into waterways and sanitary sewers.

6.3 Methods and materials for containment and cleanup

Remedial Measures: Wash spill area with strong detergent and water solution, rinse with minimal water, if possible.

Large Spills: For large spills, dike area and prevent leakage into waterways or sanitary sewers. Recover using spark proof equipment and store in approved vented containers for re-use or disposal.

Small Spills: Small spills may be absorbed on an inert medium such as vermiculite or clay, then sweep into vented disposal containers.

6.4 Reference to other sections

For disposal, see section 13

7. Handling and Storage

7.1 Precautions for safe handling

Handling Procedures: Wear proper protective equipment when handling this material. Only use non-sparking tools when handling this material.

7.2 Conditions for safe storage, including incompatibilities

Storage: Store indoors in a well ventilated area where the storage temperature can be maintained between 1°C and 38°C. Storage above 38°C will result in reduced product life. Store in tightly closed containers away from heat, sparks, open flame, strong oxidizers, radiation and other initiators. Prevent contamination with foreign materials, including moisture.

7.3 Specific end use(s)

No other uses except those mentioned in Section 1.2

8. Exposure Controls, Personal Protection

8.1 Control parameters

Components with workplace control parameters

None

Note: Silica and titanium dioxide have respiratory exposure controls, but since these components are bound into the product and are not capable of becoming airborne, exposure controls need not be listed.

8.2 Exposure controls

Engineering Controls: When using indoors, ensure adequate ventilation by using local exhaust. Mechanical ventilation is recommended for all indoor situations to control fugitive emissions. Electrical and mechanical equipment should be explosion proof.

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use.

Control of environmental exposure

Prevent further leakage or spillage, if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Viscous liquid, various colours
Odour: Characteristic acrylic odour

Odour Threshold: Not available pH: Not applicable

Melting Point/Freezing Point: 0°C 131 °C Initial Boiling Point: >96.7 °C Flash Point: **Evaporation Rate:** Negligible Flammability: Not flammable **Upper Explosion Limit:** No data Lower Explosion Limit: No data Vapour Pressure: < 0.01 @ 20°C Vapour Density: No data

Relative Density: 1.15 @ 25°C (water=1)
Solubility: Negligible in water

Partition Coefficient: Not available
Autoignition Temperature: No data
Decomposition Temperature: No data
Viscosity: No data

Explosive Properties: Not explosive. Not expected to be sensitive to electrostatic

discharge.

Oxidizing Properties: No data

9.2 Other safety information: None

10. Stability and Reactivity

10.1 Reactivity

Product may become reactive if inhibitor is depleted.

10.2 Chemical Stability

Stable as supplied.

10.3 Possibility of hazardous reactions

High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may initiate spontaneous polymerization, generating heat and pressure. Closed containers may rupture during hazardous polymerization.

10.4 Conditions to avoid

Exposure to heat, light and moisture.

10.5 Incompatible materials

Keep away from strong oxidizers and moisture.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide and various oxides of nitrogen.

11. Toxicological Information

11.1 Information on toxicological effects

Note to reader: We do NOT test our products on animals. In compliance with current SDS preparation requirements, the values listed are published values for generic ingredients with known animal toxicity.

Acute toxicity

Component	LD ₅₀	LC ₅₀	
Di-Hema Trimethylhexyl Dicarbamate, (CAS No. Proprietory)	>5000 mg/kg (oral/rat)	N/av	
(EINECS No. None)			
2-Methoxyethyl Methacrylate, (CAS No. 868-77-9)	5564 mg/kg (oral/rat)	N/av	
(EINECS No. 212-782-2)	>3000 mg/kg (dermal/rabbit)		
Hydroxypropyl Methacrylate, (CAS No. 27813-02-1)	11,200 mg/kg (oral/rat)	N/av	
(EINECS No. 248-666-3)			
Trimethylbenzoyl Diphenylphosphine Oxide, (CAS No. 75980-60-8)	>5000 mg/kg	N/av	
(EINECS No. 278-355-8)	(oral/rat)		
,	>2000 mg/kg		
	(dermal/rabbit)		
4- Methoxyphenol (p- Hydroxyanisole), (CAS No. 150-76-5)	N/av	N/av	
(EINECS No. 205-769-8)			
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg(oral/rat)	N/av	
EINECS No. 215-168-2			
1-Methyl-2-pyrrolidone, (CAS No 872-50-4)	3914 mg/kg (oral/rat)	LD _{LO} >5100 ppm	
(EINECS No. 212-828-1)	8000 mg/kg (dermal/rabbit)	(inh, rat/4h)	
Titanium Dioxide, CAS No. 13463-67-7	>25,000 mg/kg (oral/rat)	>6820 mg/m ³	
EINECS No. 236-675-5	>10,000 mg/mg (dermal/rabbit)		
Black (CI77266), Carbon, mesoporous, CAS No 1333-86-4	>15,400 mg/kg (oral/rat)	6750 mg/m ³	
EINECS No 215-609-9			
Silica, CAS No. 7631-86-9	3160 mg/kg (oral/rat)	N/av	
EINECS No. 231-545-4			
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg (oral/rat)	N/av	
EINECS No. 215-168-2			
Tin Oxide, CAS No 18282-10-10	>20,000 mg/kg (oral/rat)	N/av	
EINECS No 242-159-0			

ABBREVIATION KEY: N/p: not published, N/d: not determined, N/ap: not applicable, N/av: not available

Skin corrosion/irritation

Components of this mixture may cause skin irritation, H315, Category 2, Warning

Serious eye damage/eye irritation

Components of this mixture may cause eye irritation, H319, Category 2A, Warning

Respiratory or skin sensitization

Components of this mixture may cause skin sensitization, H317, Category 1, Warning

Germ Cell Mutagenicity

Components in this mixture suspected of causing genetic defects, H341, Category 2, Warning

Carcinogenicity

Not classifiable as a human carcinogen. Titanium dioxide is present in the formulation but is not in a respirable form and cannot become airborne.

Reproductive toxicity

Components in this mixture are suspected of damaging fertility or the unborn child, H361, Category 2, Warning

Specific Target Organ Toxicity - Single exposure

Components of this mixture may cause respiratory irritation, H335, Category 3, Warning

Specific Target Organ Toxicity - Repeated exposure

No information available

Aspiration Hazard

No information available

Additional information

None

12. Ecological Information

12.1 Toxicity To fish:

10 11511.

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate flow through test Fathead Minnow 227mg/l – 96 hour

4-Methoxyphenol LC₅₀: rainbow trout – 28.5 mg/l – 96 hour

Trimethylbenzoyl 10 – 100 mg/l

diphenylphosphine oxide

To algae:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate 345 mg/L/72hr (Green algae) Hydroxypropyl methacrylate > 97 mg/L/72hr (Green algae)

4-Methoxyphenol No data available Trimethylbenzoyl 10 – 100 mg/l72 hr

diphenylphosphine oxide

To daphnia:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate
Hydroxypropyl methacrylate
4-Methoxyphenol
Trimethylbenzoyl

2-Hydroxyethyl methacrylate
380 mg/l
>140 mg/l
No data available
10 – 100 mg/l

diphenylphosphine oxide

12.2 Persistence and degradability

2-Hydroxyethyl methacrylate (HEMA) and Hydroxypropyl methacrylate (HPMA) are considered to be readily biodegradable.

Trimethylbenzoyl diphenylphosphine oxide is considered to be poorly biodegradable. Isobornyl acrylate. Isobornyl acrylate is not considered to be readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not conducted

12.6 Other adverse effects

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product:

Review federal, provincial or state, and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions. Disposal by controlled incineration or by secure land fill may be acceptable.

Contaminated packaging

Dispose as above.

14. Transport Information

All Luxio Gels

Transport of Dangerous Goods (TDG and CLR): Not regulated

United States Department of Transport (49CFR): Not regulated

International Air Transport Association (IATA): Not regulated

International Maritime Organization (IMO): Not regulated

15. Regulatory Information

REGULATIONS:

None

16. Other Information

Original Preparation Date: 8/11/2020

Prepared by: Melanie Kühnel / MPK Nails GmbH

Disclaimer: This Safety Data Sheet (SDS) was prepared using information provided by CCINFO, ingredient supplier SDS and other relevant sources. This product has been classified using weight of evidence, expert judgment and previous testing as per Part 1.3 of the Fifth Edition of The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information in this SDS is offered for your consideration and guidance when exposed to this product. Haigh Industries Inc. expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of MPK Nails GmbH

Revisions: None

SAFETY DATA SHEET

This Safety Data Sheet complies with the European Union Directives Nr. 1907/2006.

1. Product and Supplier Identification

1.1 Product: G5160 ColorGel Dreamer

1.2 Product Use: UV Curing Product for Artificial Nails

1.3 Producer: MPK Nails GmbH

An der Brücke 1 95679 Waldershof Deutschland

Tel.: 09231 - 9739630 E-Mail: info@mpknails.de

Supplier: As above

1.4 Emergencies (24-hour number): +49 09231 - 9739630

2. Hazards Identification

2.1 Classification of product or mixture

Note to reader: This product in an untested mixture and GHS classification is based on the classification of the ingredients and their concentrations. Proprietary ingredients do NOT exhibit any health effects not listed in this SDS.

GHS Classification: Skin Irritation: Category 2

Eye Irritation: Category 2A Skin Sensitization: Category 1

Specific Target Organ Toxicity, SE, Respiratory Category 3

2.2 GHS Label Elements, including precautionary statements

Pictogram:



Signal Word: Warning

GHS Hazard Statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

GHS Precautionary Statements:

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and

understood.

P261: Avoid breathing mist, vapours or spray P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response: P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P312: Call a POISON CENTER/doctor...if you feel unwell.

P321: Specific treatment (see Section 4).

P332+ P313: If skin irritation occurs: Get medical advice/attention.

P333+P313: If skin irritation or rash occurs, get medical

advice/attention

P337+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P362 + P364: Take off contaminated clothing and wash it before

reuse.

Storage: P403+P233: Store in a well-ventilated place. Keep container tightly

closed.

P405: Store locked up.

Disposal: P501: Dispose of contents/container to an approved waste disposal

plant

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS: None

2.4 Additional Information

Primary Routes of Entry:

Skin Contact: Yes
Skin Absorption: Yes
Eye Contact: Yes
Ingestion: No
Inhalation: Yes

Emergency Overview: This product contains ingredients which may cause mild eye and skin irritation in some people. For eye contact, symptoms may include a moderate burning sensation, tearing, redness, or swelling. Contact with skin may cause an allergic reaction due to prior sensitization. Local redness, rash, or itchy skin may occur in those persons with a pre-existing sensitivity or those predisposed to skin problems. In rare cases an allergic skin reaction may occur after long term contact with this product.

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is ccidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

3. Composition

3.1 Mixture composition

ColorGel Dreamer,Artnr.5160			
Ingredients	CAS	EINECS	Percentage
Epoxy Methacrylate	N/A	N/A	25-50%
Aliphat. Urethanacrylate	N/A	N/A	25-50%
Di-Hema Trimethylhexyl Dicarbamate	72869-86-4	N/A	10-25%
Ethoxylated Trimethylolpropane Triacrylate	28961-43-5	500-066-5	5-10%
1-Hydroxy-Cyclohexylphenyl-Ketone	947-19-3	213-426-9	5-10%
2-Hydroxy-2-Methylpropiophenone	7473-98-5	231-272-0	1-5%
Silica Dimethyl Silylate	68611-44-9	271-893-4	1-5%
Ethyl Phenyl (2,4,6-trimethylbenzoyl) Phosphinat	84434-11-7	282-810-6	1-5%
p-Hydroxyanisole	150-76-5	205-769-8	<0,1%
ВНТ	128-37-0	204-881-4	<0,1%
CI77499	1227-89-3	235-442-5	0,1-1%
CI77891	13463-67-7	`236-675-5	1-5%

4. First Aid Measures

4.1 Description of First Aid Measures

General advice: Consult a physician. Show this safety data sheet to the physician in attendance

Move away from dangerous area. Remove contaminated clothing. Completely decontaminate clothing, shoes and leather goods before re-use or discard.

In case of eye contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 to 30 minutes or until the chemical is removed, while holding the eyelid(s) open. Obtain medical attention immediately or transport to a medical facility and continue to flush the eyes en route.

In case of skin contact: Wash gently and thoroughly with water and non-abrasive soap for at least 20 minutes or until chemical is removed. If signs of sensitization or irritation occur, obtain medical advice.

If inhalation: Remove source of contamination or move victim to fresh air. If breathing is difficult , give artificial respiration. If breathing is difficult oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow the victim to move about unnecessarily. Consult a physician.

If ingestion: Ingestion unlikely. Never give anything by mouth if victim is rapidly losing consciousness. Have victim rinse mouth thoroughly with water. **Do not induce vomiting**. Dilute contents of stomach with 240 to 300 ml of water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is accidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

4.3 Indication of any immediate medical attention and special treatment needed
In the event of an allergic reaction, immediate medical help is required. Allergic reactions may result in various health effects including respiration.

5. Fire Fighting Measures

5.1 Extinguishing Media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray, foam, or water fog.

- **5.2 Special hazards arising from mixture:** Carbon dioxide, carbon monoxide, oxides of nitrogen, undetermined organic compounds in acrid smoke.
- **5.3** Advice for firefighters: Do not enter fire area without proper protection. Fight fire from a safe distance, upwind. Use of water may be ineffective due to low solubility. If water is used, direct fine

spray or fog at fire to cool and extinguish flames.

5.4 Further Information:

Sensitivity to Impact: No Sensitivity to Static Discharge: No

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD INDEX:

HEALTH: 3
FLAMMABILITY: 1
REACTIVITY: 0

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use. At minimum, an eye lavage kit should be kept on hand.

6.2 Environmental precautions

Ensure that any release of this material is contained to prevent leakage into waterways and sanitary sewers.

6.3 Methods and materials for containment and cleanup

Remedial Measures: Wash spill area with strong detergent and water solution, rinse with minimal water, if possible.

Large Spills: For large spills, dike area and prevent leakage into waterways or sanitary sewers. Recover using spark proof equipment and store in approved vented containers for re-use or disposal.

Small Spills: Small spills may be absorbed on an inert medium such as vermiculite or clay, then sweep into vented disposal containers.

6.4 Reference to other sections

For disposal, see section 13

7. Handling and Storage

7.1 Precautions for safe handling

Handling Procedures: Wear proper protective equipment when handling this material. Only use non-sparking tools when handling this material.

7.2 Conditions for safe storage, including incompatibilities

Storage: Store indoors in a well ventilated area where the storage temperature can be maintained between 1°C and 38°C. Storage above 38°C will result in reduced product life. Store in tightly closed containers away from heat, sparks, open flame, strong oxidizers, radiation and other initiators. Prevent contamination with foreign materials, including moisture.

7.3 Specific end use(s)

No other uses except those mentioned in Section 1.2

8. Exposure Controls, Personal Protection

8.1 Control parameters

Components with workplace control parameters

None

Note: Silica and titanium dioxide have respiratory exposure controls, but since these components are bound into the product and are not capable of becoming airborne, exposure controls need not be listed.

8.2 Exposure controls

Engineering Controls: When using indoors, ensure adequate ventilation by using local exhaust. Mechanical ventilation is recommended for all indoor situations to control fugitive emissions. Electrical and mechanical equipment should be explosion proof.

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use.

Control of environmental exposure

Prevent further leakage or spillage, if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Viscous liquid, various colours
Odour: Characteristic acrylic odour

Odour Threshold: Not available pH: Not applicable

Melting Point/Freezing Point: 0°C 131 °C **Initial Boiling Point:** Flash Point: >96.7 °C Negligible **Evaporation Rate:** Flammability: Not flammable **Upper Explosion Limit:** No data **Lower Explosion Limit:** No data Vapour Pressure: < 0.01 @ 20°C Vapour Density: No data

Relative Density: 1.15 @ 25°C (water=1)
Solubility: Negligible in water
Partition Coefficient: Not available
Autoignition Temperature: No data

Autoignition Temperature: No data
Decomposition Temperature: No data
Viscosity: No data

Explosive Properties: Not explosive. Not expected to be sensitive to electrostatic

discharge.

Oxidizing Properties: No data

9.2 Other safety information: None

10. Stability and Reactivity

10.1 Reactivity

Product may become reactive if inhibitor is depleted.

10.2 Chemical Stability

Stable as supplied.

10.3 Possibility of hazardous reactions

High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may initiate spontaneous polymerization, generating heat and pressure. Closed containers may rupture during hazardous polymerization.

10.4 Conditions to avoid

Exposure to heat, light and moisture.

10.5 Incompatible materials

Keep away from strong oxidizers and moisture.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide and various oxides of nitrogen.

11. Toxicological Information

11.1 Information on toxicological effects

Note to reader: We do NOT test our products on animals. In compliance with current SDS preparation requirements, the values listed are published values for generic ingredients with known animal toxicity.

Acute toxicity

Component	LD ₅₀	LC ₅₀
Di-Hema Trimethylhexyl Dicarbamate, (CAS No. Proprietory) (EINECS No. None)	>5000 mg/kg (oral/rat)	N/av
2-Methoxyethyl Methacrylate, (CAS No. 868-77-9) (EINECS No. 212-782-2)	5564 mg/kg (oral/rat) >3000 mg/kg (dermal/rabbit)	N/av
Hydroxypropyl Methacrylate, (CAS No. 27813-02-1) (EINECS No. 248-666-3)	11,200 mg/kg (oral/rat)	N/av
Trimethylbenzoyl Diphenylphosphine Oxide, (CAS No. 75980-60-8) (EINECS No. 278-355-8)	>5000 mg/kg (oral/rat) >2000 mg/kg (dermal/rabbit)	N/av
4- Methoxyphenol (p- Hydroxyanisole), (CAS No. 150-76-5) (EINECS No. 205-769-8)	N/av	N/av
Iron Oxide, CAS No. 1309-37-1 EINECS No. 215-168-2	>10,000 mg/kg(oral/rat)	N/av
1-Methyl-2-pyrrolidone, (CAS No 872-50-4) (EINECS No. 212-828-1)	3914 mg/kg (oral/rat) 8000 mg/kg (dermal/rabbit)	LD _{LO} >5100 ppm (inh, rat/4h)
Titanium Dioxide, CAS No. 13463-67-7 EINECS No. 236-675-5	>25,000 mg/kg (oral/rat) >10,000 mg/mg (dermal/rabbit)	>6820 mg/m ³
Black (CI77266), Carbon, mesoporous, CAS No 1333-86-4 EINECS No 215-609-9	>15,400 mg/kg (oral/rat)	6750 mg/m ³
Silica, CAS No. 7631-86-9 EINECS No. 231-545-4	3160 mg/kg (oral/rat)	N/av
Iron Oxide, CAS No. 1309-37-1 EINECS No. 215-168-2	>10,000 mg/kg (oral/rat)	N/av
Tin Oxide, CAS No 18282-10-10 EINECS No 242-159-0	>20,000 mg/kg (oral/rat)	N/av

 $\textbf{ABBREVIATION KEY}: \ N/p: \ not \ published, \ N/d: \ not \ determined, \ N/ap: \ not \ applicable, \ N/av: \ not \ available$

Skin corrosion/irritation

Components of this mixture may cause skin irritation, H315, Category 2, Warning

Serious eye damage/eye irritation

Components of this mixture may cause eye irritation, H319, Category 2A, Warning

Respiratory or skin sensitization

Components of this mixture may cause skin sensitization, H317, Category 1, Warning

Germ Cell Mutagenicity

Components in this mixture suspected of causing genetic defects, H341, Category 2, Warning

Carcinogenicity

Not classifiable as a human carcinogen. Titanium dioxide is present in the formulation but is not in a respirable form and cannot become airborne.

Reproductive toxicity

Components in this mixture are suspected of damaging fertility or the unborn child, H361, Category 2, Warning

Specific Target Organ Toxicity - Single exposure

Components of this mixture may cause respiratory irritation, H335, Category 3, Warning

Specific Target Organ Toxicity - Repeated exposure

No information available

Aspiration Hazard

No information available

Additional information

None

12. **Ecological Information**

12.1 **Toxicity**

To fish:

Di-Hema Trimethylhexyl

No data available

Dicarbamate

2-Hydroxyethyl methacrylate

flow through test Fathead Minnow 227mg/l - 96 hour

Hydroxypropyl methacrylate

No data available

4-Methoxyphenol

LC₅₀: rainbow trout - 28.5 mg/l - 96 hour

Trimethylbenzoyl

10 - 100 mg/l diphenylphosphine oxide

To algae:

Di-Hema Trimethylhexyl

No data available

Dicarbamate

2-Hydroxyethyl methacrylate Hydroxypropyl methacrylate

> 97 mg/L/72hr (Green algae) 4-Methoxyphenol Trimethylbenzoyl

diphenylphosphine oxide

No data available 10 - 100 mg/l72 hr

345 mg/L/72hr (Green algae)

To daphnia:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate 380 mg/l Hydroxypropyl methacrylate >140 mg/l 4-Methoxyphenol No data available Trimethylbenzoyl 10 - 100 mg/l

diphenylphosphine oxide

12.2 Persistence and degradability

2-Hydroxyethyl methacrylate (HEMA) and Hydroxypropyl methacrylate (HPMA) are considered to be readily biodegradable.

Trimethylbenzoyl diphenylphosphine oxide is considered to be poorly biodegradable. Isobornyl acrylate. Isobornyl acrylate is not considered to be readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not conducted

12.6 Other adverse effects

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product:

Review federal, provincial or state, and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions. Disposal by controlled incineration or by secure land fill may be acceptable.

Contaminated packaging

Dispose as above.

14. Transport Information

All Luxio Gels

Transport of Dangerous Goods (TDG and CLR): Not regulated

United States Department of Transport (49CFR): Not regulated

International Air Transport Association (IATA): Not regulated

International Maritime Organization (IMO): Not regulated

15. Regulatory Information

REGULATIONS:

None

16. Other Information

Original Preparation Date: 9/24/2020

Prepared by: Thomas Hakenholt / CEO Gelorex GmbH

Disclaimer: This Safety Data Sheet (SDS) was prepared using information provided by CCINFO, ingredient supplier SDS and other relevant sources. This product has been classified using weight of evidence, expert judgment and previous testing as per Part 1.3 of the Fifth Edition of The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information in this SDS is offered for your consideration and guidance when exposed to this product. Haigh Industries Inc. expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of Gelorex GmbH

Revisions: None

SAFETY DATA SHEET

This Safety Data Sheet complies with the European Union Directives Nr. 1907/2006.

1. Product and Supplier Identification

1.1 Product: G5167 ColorGel WarmWineRed

1.2 Product Use: UV Curing Product for Artificial Nails

1.3 Producer: MPK Nails GmbH

An der Brücke 1 95679 Waldershof

Deutschland

Tel.: 09231 - 9739630 E-Mail: info@mpknails.de

Supplier: As above

1.4 Emergencies (24-hour number): +49 09231 - 9739630

2. Hazards Identification

2.1 Classification of product or mixture

Note to reader: This product in an untested mixture and GHS classification is based on the classification of the ingredients and their concentrations. Proprietary ingredients do NOT exhibit any health effects not listed in this SDS.

GHS Classification: Skin Irritation: Category 2

Eye Irritation: Category 2A Skin Sensitization: Category 1

Specific Target Organ Toxicity, SE, Respiratory Category 3

2.2 GHS Label Elements, including precautionary statements

Pictogram:



Signal Word: Warning

GHS Hazard Statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

GHS Precautionary Statements:

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and

understood.

P261: Avoid breathing mist, vapours or spray P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of

the workplace.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

Response: P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P312: Call a POISON CENTER/doctor...if you feel unwell.

P321: Specific treatment (see Section 4).

P332+ P313: If skin irritation occurs: Get medical advice/attention.

P333+P313: If skin irritation or rash occurs, get medical

advice/attention

P337+P313: If skin irritation or rash occurs: Get medical

advice/attention.

P362 + P364: Take off contaminated clothing and wash it before

reuse.

Storage: P403+P233: Store in a well-ventilated place. Keep container tightly

closed.

P405: Store locked up.

Disposal: P501: Dispose of contents/container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS: None

2.4 Additional Information

Primary Routes of Entry:

Skin Contact: Yes
Skin Absorption: Yes
Eye Contact: Yes
Ingestion: No
Inhalation: Yes

Emergency Overview: This product contains ingredients which may cause mild eye and skin irritation in some people. For eye contact, symptoms may include a moderate burning sensation, tearing, redness, or swelling. Contact with skin may cause an allergic reaction due to prior sensitization. Local redness, rash, or itchy skin may occur in those persons with a pre-existing sensitivity or those predisposed to skin problems. In rare cases an allergic skin reaction may occur after long term contact with this product.

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is ccidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

3. Composition

3.1 Mixture composition

ColorGel WarnWineRed, Artnr. 5167			
Ingredients	CAS	EINECS	Percentage
Epoxy Methacrylate	N/A	N/A	25-50%
Aliphat. Urethanacrylate	N/A	N/A	10-25%
Di-Hema Trimethylhexyl Dicarbamate	72869-86-4	N/A	10-25%
Ethoxylated Trimethylolpropane Triacrylate	28961-43-5	500-066-5	5-10%
2-Hydroxy-2-Methylpropiophenone	7473-98-5	231-272-0	5-10%
1-Hydroxy-Cyclohexylphenyl-Ketone	947-19-3	213-426-9	5-10%
Silica Dimethyl Silylate	68611-44-9	271-893-4	1-5%
Ethyl Phenyl (2,4,6-trimethylbenzoyl) Phosphinat	84434-11-7	282-810-6	0,1-1%
p-Hydroxyanisole	150-76-5	205-769-8	<0,1%
BHT	128-37-0	204-881-4	<0,1%
CI45410	84473-86-9	282-941-9	1-5%
C177002	1332-76-6	215-573-4	0,1-1%
C177007	57455-37-5	309-928-3	0,1-1%
C177266	1333-86-4	215-609-9	0,1-1%
CI77891	13463-67-7	`236-675-5	0,1-1%

4. First Aid Measures

4.1 Description of First Aid Measures

General advice: Consult a physician. Show this safety data sheet to the physician in attendance.

Move away from dangerous area. Remove contaminated clothing. Completely decontaminate clothing, shoes and leather goods before re-use or discard.

In case of eye contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 to 30 minutes or until the chemical is removed, while holding the eyelid(s) open. Obtain medical attention immediately or transport to a medical facility and continue to flush the eyes en route.

In case of skin contact: Wash gently and thoroughly with water and non-abrasive soap for at least 20 minutes or until chemical is removed. If signs of sensitization or irritation occur, obtain medical advice.

If inhalation: Remove source of contamination or move victim to fresh air. If breathing is difficult , give artificial respiration. If breathing is difficult oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow the victim to move about unnecessarily. Consult a physician.

If ingestion: Ingestion unlikely. Never give anything by mouth if victim is rapidly losing consciousness. Have victim rinse mouth thoroughly with water. **Do not induce vomiting**. Dilute contents of stomach with 240 to 300 ml of water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Effects of Short-Term (Acute) Exposure:

Inhalation: Due to the low volatility of this product, no significant adverse health conditions are expected to occur during the proper use of this product. In rare cases some respiratory irritation may occur.

Skin Contact: It is expected that absorption through the skin will contribute to overall exposure. Contact with skin may cause an immediate allergic reaction in persons who may be sensitized by previous exposures. Symptoms may include an immediate rash, local redness, or itching of the skin.

Eye Contact: This product is an eye irritant. Exposure to the eye may cause symptoms which include a burning sensation, tearing, redness and swelling.

Ingestion: No adverse health effects are expected if a small amount of this product is accidentally ingested.

Effects of Long-Term (Chronic) Exposure: This product contains ingredients which have been known to cause skin sensitization in some people. Sensitization may occur after prolonged or repeated exposures to this product. Prolonged contact with skin may defat tissue causing dermititis or aggravate existing skin problems.

Medical Conditions Aggravated By Exposure: Persons susceptable to skin problems may find that the use of this product will cause increased symptoms of existing skin problems.

4.3 Indication of any immediate medical attention and special treatment needed
In the event of an allergic reaction, immediate medical help is required. Allergic reactions may result in various health effects including respiration.

5. Fire Fighting Measures

5.1 Extinguishing Media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray, foam, or water fog.

- **5.2 Special hazards arising from mixture:** Carbon dioxide, carbon monoxide, oxides of nitrogen, undetermined organic compounds in acrid smoke.
- 5.3 Advice for firefighters: Do not enter fire area without proper protection. Fight fire from a safe distance, upwind. Use of water may be ineffective due to low solubility. If water is used, direct fine

spray or fog at fire to cool and extinguish flames.

5.4 Further Information:

Sensitivity to Impact: No Sensitivity to Static Discharge: No

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD INDEX:

HEALTH: 3

FLAMMABILITY: 1 REACTIVITY: 0

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn.

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use. At minimum, an eye lavage kit should be kept on hand.

6.2 Environmental precautions

Ensure that any release of this material is contained to prevent leakage into waterways and sanitary sewers.

6.3 Methods and materials for containment and cleanup

Remedial Measures: Wash spill area with strong detergent and water solution, rinse with minimal water, if possible.

Large Spills: For large spills, dike area and prevent leakage into waterways or sanitary sewers. Recover using spark proof equipment and store in approved vented containers for re-use or disposal.

Small Spills: Small spills may be absorbed on an inert medium such as vermiculite or clay, then sweep into vented disposal containers.

6.4 Reference to other sections

For disposal, see section 13

7. Handling and Storage

7.1 Precautions for safe handling

Handling Procedures: Wear proper protective equipment when handling this material. Only use non-sparking tools when handling this material.

7.2 Conditions for safe storage, including incompatibilities

Storage: Store indoors in a well ventilated area where the storage temperature can be maintained between 1°C and 38°C. Storage above 38°C will result in reduced product life. Store in tightly closed containers away from heat, sparks, open flame, strong oxidizers, radiation and other initiators. Prevent contamination with foreign materials, including moisture.

7.3 Specific end use(s)

No other uses except those mentioned in Section 1.2

8. Exposure Controls, Personal Protection

8.1 Control parameters

Components with workplace control parameters

None

Note: Silica and titanium dioxide have respiratory exposure controls, but since these components are bound into the product and are not capable of becoming airborne, exposure controls need not be listed.

8.2 Exposure controls

Engineering Controls: When using indoors, ensure adequate ventilation by using local exhaust. Mechanical ventilation is recommended for all indoor situations to control fugitive emissions. Electrical and mechanical equipment should be explosion proof.

Respiratory Protection: Vapours will be generated particularly if product is atomized, or heated. If used or sprayed in an enclosed area, at a minimum use a NIOSH approved organic vapour respirator. When cartridge type respirators are used, ensure that the cartridges are changed frequently according to the manufacturer's recommendations. Respirator selection must be done by a qualified person and be based upon a risk assessment of the work activities and exposure levels. Respirators must be fit tested and users must be clean shaven where the respirator seals to face. Exposure must be kept at or below the applicable exposure limits and the maximum use concentration of the respirator must not be exceeded.

Skin protection: Depending upon the conditions of use, protective gloves and clothing to prevent skin contact.

Eye and Face Protection: Chemical splash goggles and/or face shield must be worn when a possibility exists for eye contact due to spashing or spraying liquid. Contact lenses should not be worn

Footwear: No specific recommendation.

Other: Emergency eyes wash fountains should be available in vicinity of use.

Control of environmental exposure

Prevent further leakage or spillage, if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Viscous liquid, various colours
Odour: Characteristic acrylic odour

Odour Threshold: Not available pH: Not applicable

Melting Point/Freezing Point: 0°C 131 °C Initial Boiling Point: >96.7 °C Flash Point: **Evaporation Rate:** Negligible Flammability: Not flammable **Upper Explosion Limit:** No data Lower Explosion Limit: No data Vapour Pressure: < 0.01 @ 20°C Vapour Density: No data

Relative Density: 1.15 @ 25°C (water=1)
Solubility: Negligible in water
Partition Coefficient: Not available

Partition Coefficient: Not avail
Autoignition Temperature: No data
Decomposition Temperature: No data
Viscosity: No data

Explosive Properties: Not explosive. Not expected to be sensitive to electrostatic

discharge.

Oxidizing Properties: No data

9.2 Other safety information: None

10. Stability and Reactivity

10.1 Reactivity

Product may become reactive if inhibitor is depleted.

10.2 Chemical Stability

Stable as supplied.

10.3 Possibility of hazardous reactions

High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may initiate spontaneous polymerization, generating heat and pressure. Closed containers may rupture during hazardous polymerization.

10.4 Conditions to avoid

Exposure to heat, light and moisture.

10.5 Incompatible materials

Keep away from strong oxidizers and moisture.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide and various oxides of nitrogen.

11. Toxicological Information

11.1 Information on toxicological effects

Note to reader: We do NOT test our products on animals. In compliance with current SDS preparation requirements, the values listed are published values for generic ingredients with known animal toxicity.

Acute toxicity

Component	LD ₅₀	LC ₅₀
Di-Hema Trimethylhexyl Dicarbamate, (CAS No. Proprietory)	>5000 mg/kg (oral/rat)	N/av
(EINECS No. None)		
2-Methoxyethyl Methacrylate, (CAS No. 868-77-9)	5564 mg/kg (oral/rat)	N/av
(EINECS No. 212-782-2)	>3000 mg/kg (dermal/rabbit)	
Hydroxypropyl Methacrylate, (CAS No. 27813-02-1)	11,200 mg/kg (oral/rat)	N/av
(EINECS No. 248-666-3)		
Trimethylbenzoyl Diphenylphosphine Oxide, (CAS No. 75980-60-8)	>5000 mg/kg	N/av
(EINECS No. 278-355-8)	(oral/rat)	
	>2000 mg/kg (dermal/rabbit)	
4- Methoxyphenol (p- Hydroxyanisole), (CAS No. 150-76-5)	N/av	N/av
(EINECS No. 205-769-8)		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg(oral/rat)	N/av
EINECS No. 215-168-2		
1-Methyl-2-pyrrolidone, (CAS No 872-50-4)	3914 mg/kg (oral/rat)	LD _{LO} >5100 ppm
(EINECS No. 212-828-1)	8000 mg/kg (dermal/rabbit)	(inh, rat/4h)
Titanium Dioxide, CAS No. 13463-67-7	>25,000 mg/kg (oral/rat)	>6820 mg/m ³
EINECS No. 236-675-5	>10,000 mg/mg (dermal/rabbit)	
Black (CI77266), Carbon, mesoporous, CAS No 1333-86-4	>15,400 mg/kg (oral/rat)	6750 mg/m ³
EINECS No 215-609-9		
Silica, CAS No. 7631-86-9	3160 mg/kg (oral/rat)	N/av
EINECS No. 231-545-4		
Iron Oxide, CAS No. 1309-37-1	>10,000 mg/kg (oral/rat)	N/av
EINECS No. 215-168-2		
Tin Oxide, CAS No 18282-10-10	>20,000 mg/kg (oral/rat)	N/av
EINECS No 242-159-0		

ABBREVIATION KEY: N/p: not published, N/d: not determined, N/ap: not applicable, N/av: not available

Skin corrosion/irritation

Components of this mixture may cause skin irritation, H315, Category 2, Warning

Serious eye damage/eye irritation

Components of this mixture may cause eye irritation, H319, Category 2A, Warning

Respiratory or skin sensitization

Components of this mixture may cause skin sensitization, H317, Category 1, Warning

Germ Cell Mutagenicity

Components in this mixture suspected of causing genetic defects, H341, Category 2, Warning

Carcinogenicity

Not classifiable as a human carcinogen. Titanium dioxide is present in the formulation but is not in a respirable form and cannot become airborne.

Reproductive toxicity

Components in this mixture are suspected of damaging fertility or the unborn child, H361, Category 2, Warning

Specific Target Organ Toxicity - Single exposure

Components of this mixture may cause respiratory irritation, H335, Category 3, Warning

Specific Target Organ Toxicity - Repeated exposure

No information available

Aspiration Hazard

No information available

Additional information

None

12. Ecological Information

12.1 Toxicity To fish:

io iisii.

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate flow through test Fathead Minnow 227mg/l – 96 hour

4-Methoxyphenol LC_{50} : rainbow trout -28.5 mg/l - 96 hour

Trimethylbenzoyl 10 – 100 mg/l

diphenylphosphine oxide

diphenylphosphine oxide

To algae:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate 345 mg/L/72hr (Green algae) Hydroxypropyl methacrylate > 97 mg/L/72hr (Green algae)

4-Methoxyphenol No data available Trimethylbenzoyl 10 – 100 mg/l72 hr

To daphnia:

Di-Hema Trimethylhexyl No data available

Dicarbamate

2-Hydroxyethyl methacrylate
Hydroxypropyl methacrylate
4-Methoxyphenol
Trimethylbenzoyl

380 mg/l
>140 mg/l
No data available
10 – 100 mg/l

diphenylphosphine oxide

12.2 Persistence and degradability

2-Hydroxyethyl methacrylate (HEMA) and Hydroxypropyl methacrylate (HPMA) are considered to be readily biodegradable.

Trimethylbenzoyl diphenylphosphine oxide is considered to be poorly biodegradable. Isobornyl acrylate. Isobornyl acrylate is not considered to be readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not conducted

12.6 Other adverse effects

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product:

Review federal, provincial or state, and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions. Disposal by controlled incineration or by secure land fill may be acceptable.

Contaminated packaging

Dispose as above.

14. Transport Information

All Luxio Gels

Transport of Dangerous Goods (TDG and CLR): Not regulated

United States Department of Transport (49CFR): Not regulated

International Air Transport Association (IATA): Not regulated

International Maritime Organization (IMO): Not regulated

15. Regulatory Information

REGULATIONS:

None

16. Other Information

Original Preparation Date: 9/24/2020

Prepared by: Melanie Kühnel / MPK Nails GmbH

Disclaimer: This Safety Data Sheet (SDS) was prepared using information provided by CCINFO, ingredient supplier SDS and other relevant sources. This product has been classified using weight of evidence, expert judgment and previous testing as per Part 1.3 of the Fifth Edition of The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information in this SDS is offered for your consideration and guidance when exposed to this product. Haigh Industries Inc. expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of MPK Nails GmbH

Revisions: None