

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Professional Farbgel**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Lacquer
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
MPK Nails GmbH
An der Brücke 1
95679 Waldershof
Deutschland
T. +49 9231 9739630 (Mo. - Do. 8-13 Uhr)
info@mpknails.de
www.mpknails.de
- **Further information obtainable from:**
Product safety department
MPK Nails GmbH
- **1.4 Emergency telephone number:**
Tox Info Switzerland
24 hours emergency telephone number: +41 44 251 51 51
Information +41 44 251 66 66
Tel. +41 44 251 51 51 (Toxicological Institute Switzerland)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Sens. 1 H317 May cause an allergic skin reaction.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07 GHS09

- **Signal word** Warning
- **Hazard-determining components of labelling:**
7,7,9(or7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.04.2022

Version number 3

Revision: 11.04.2022

Trade name: Professional Farbgel

(Contd. of page 1)

Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate
Bis (1,2,2,6,6-pentamethyl-4-piperidyl) Sebacate
methyl 1,2,2,6,6-pentamethyl-4-piperidylsebacate

Hazard statements

H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

Additional information:

Contains isocyanates. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 84434-11-7 Reg.nr.: 01-2119987994-10	Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate ⚠ Aquatic Chronic 2, H411; ⚠ Skin Sens. 1B, H317	≤ 2%
EC number: 915-687-0 Reg.nr.: 01-2119491304-40	Reaction mass of Bis-(1,2,2,6,6-pentamethyl-4-piperidyl)sebacat, Methyl-1,2,2,6,6-pentamethyl-4-piperidylsebacat ⚠ Aquatic Acute 1, H400; ⚠ Aquatic Chronic 1, H410; ⚠ Skin Sens. 1, H317	≤ 2%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation:

Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment and supportive therapy as indicated.

GB

(Contd. on page 3)

Trade name: Professional Farbgel

(Contd. of page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fire with alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Carbon monoxide (CO)
Under certain fire conditions, traces of other toxic gases cannot be excluded.
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation
- **6.2 Environmental precautions:**
Do not allow to penetrate the ground/soil.
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**
Store receptacle in a well ventilated area.
Store between the following temperatures: +5 to +35°C.
- **Storage class:** Storage class 10, Combustible liquids
- **7.3 Specific end use(s)** No further relevant information available.

GB

(Contd. on page 4)

Trade name: Professional Farbgel

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· **Additional information about design of technical facilities:** No further data; see item 7.

· **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

72869-86-4 7,7,9(or7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

Oral	DNEL	0.3 mg/kg bw/day /long term (workers)
Dermal	DNEL	0.7 mg/kg bw/day /long term (workers)
Inhalative	DNEL	0.6 mg/m3 (workers)

· PNECs

72869-86-4 7,7,9(or7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

PNEC mg/kg	4.56 mg/kg (sediment fresh water)
	0.46 mg/kg (sediment marine water)
	0.91 mg/kg (soil)
PNEC mg/L	0.01 mg/L (fresh water)
	0.001 mg/L (marine water)
	3.61 mg/L (sewage treatment plant)

· **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

· **Respiratory protection:**

Not necessary if room is well-ventilated.

Use suitable respiratory protective device when aerosol or mist is formed.

Filter A/P2 according to norm EN 14387

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Protection of hands:**

Check the permeability prior to each anewed use of the glove.

Preventive skin protection by use of skin-protecting agents is recommended.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Nitrile rubber, NBR

Butyl rubber, BR

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.04.2022

Version number 3

Revision: 11.04.2022

Trade name: Professional Farbgel

(Contd. of page 4)

Recommended thickness of the material: ≥ 0.4 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least ≥ 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses (EN 166)

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid

Colour: Light yellow

· Odour: Ester-like

· Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: Undetermined.

· Flash point: >100 °C

· Flammability (solid, gas): Not applicable.

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: $> 1\%$

Upper: Not determined.

· Vapour pressure: Not determined.

· Density at 20 °C: 1-1.5 g/cm³

· Relative density Not determined.

· Vapour density Not determined.

· Evaporation rate Not determined.

· Solubility in / Miscibility with water:

Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined.

(Contd. on page 6)

Trade name: Professional Farbgel

(Contd. of page 5)

Kinematic: Not determined.

· **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** Stable under normal conditions
- **10.2 Chemical stability** The product is stable under normal conditions of storage.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat. Hot surfaces. Sources of ignition. Flames.
- **10.5 Incompatible materials:**
strong acids, strong bases, strong oxidising agents
Humid air
- **10.6 Hazardous decomposition products:**
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:**
72869-86-4 7,7,9(or7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation**
May cause an allergic skin reaction.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

72869-86-4 7,7,9(or7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

EC50/72h	>0.68 mg/l (alga)
----------	-------------------

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.04.2022

Version number 3

Revision: 11.04.2022

Trade name: Professional Farbgel

(Contd. of page 6)

EC50/48h >1.2 mg/l (daphnia)

EC50/96h 10.1 mg/l (fish)

 · **12.2 Persistence and degradability** No further relevant information available.

 · **12.3 Bioaccumulative potential** No further relevant information available.

 · **12.4 Mobility in soil** No further relevant information available.

 · **Ecotoxicological effects:**

 · **Remark:** Toxic for fish

 · **Additional ecological information:**

 · **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

 · **12.5 Results of PBT and vPvB assessment**

 · **PBT:** Not applicable.

 · **vPvB:** Not applicable.

 · **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

 · **13.1 Waste treatment methods**

 · **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

 · **Waste disposal key:** 08 01 99

 · **Uncleaned packaging:**

 · **Recommendation:** Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

 · **14.1 UN-Number**

 · **ADR, IMDG, IATA**

UN3082

 · **14.2 UN proper shipping name**

 · **ADR**

 · **IMDG**

Void

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9(or7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate, Reaction mass of Bis-(1,2,2,6,6-pentamethyl-4-piperidyl)sebacat, Methyl-1,2,2,6,6-pentamethyl-4-piperidylsebacat), MARINE POLLUTANT

 · **IATA**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9(or7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate)

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.04.2022

Version number 3

Revision: 11.04.2022

Trade name: Professional Farbgel

(Contd. of page 7)

· 14.3 Transport hazard class(es)
· ADR, IMDG, IATA


· Class 9 Miscellaneous dangerous substances and articles.
· Label 9

· 14.4 Packing group
· ADR, IMDG, IATA III

· 14.5 Environmental hazards:

· Marine pollutant: Symbol (fish and tree)
· Special marking (ADR): Symbol (fish and tree)
· Special marking (IATA): Symbol (fish and tree)

· 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles.

· Hazard identification number (Kemler code): 90
· EMS Number: F-A,S-F
· Stowage Category A

· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

· Transport/Additional information:

· ADR
· Limited quantities (LQ) 5L
· Excepted quantities (EQ) Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml
· Transport category 3
· Tunnel restriction code -

· IMDG
· Limited quantities (LQ) 5L
· Excepted quantities (EQ) Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": Void

*** SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
· Labelling according to Regulation (EC) No 1272/2008
 The product is classified and labelled according to the CLP regulation.

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.04.2022

Version number 3

Revision: 11.04.2022

Trade name: Professional Farbgel

(Contd. of page 8)

· **Hazard pictograms**



GHS07 GHS09

· **Signal word** *Warning*

· **Hazard-determining components of labelling:**

7,7,9(or7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate
Bis (1,2,2,6,6-pentamethyl-4-piperidyl) Sebacate
methyl 1,2,2,6,6-pentamethyl-4-piperidylsebacate

· **Hazard statements**

H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H317 May cause an allergic skin reaction.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

· **Department issuing SDS:** MPK Nails GmbH

· **Contact:** info@mpknails.de

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.04.2022

Version number 3

Revision: 11.04.2022

Trade name: Professional Farbgel

(Contd. of page 9)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

*** Data compared to the previous version altered.**

Professional Colorgel Purple Lace(metallic)

1

Produktname: 063049 MPK 001

Kunde: MPK Nails GmbH

INCI Declaration	CAS	EINECS	CI	Amount(%)	Function
DI-HEMA TRIMETHYLHEXYL DICARBAMATE	72869-86-4	276-957-5		75 - ≤ 100%	FILM FORMING
SILICA DIMETHYL SILYLATE	68611-44-9	271-893-4		5 - ≤ 10%	ANTICAKING, ANTIFOAMING, EMOLLIENT, EMULSION STABI
SYNTHETIC FLUORPHLOGOPITE	12003-38-2	234-426-5		1 - ≤ 5%	BULKING, VISCOSITY CONTROLLING
ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE	84434-11-7	271-893-4		1 - ≤ 5%	UV ABSORBER
BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE	162881-26-7	423-340-5		0.1 - ≤ 1%	UV ABSORBER
KAOLIN	1332-58-7	310-194-1		0.1 - ≤ 1%	ABRASIVE, ABSORBENT, ANTICAKING, BULKING, OPACIFYI
METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT	82919-37-7	280-060-4		0.1 - ≤ 1%	
PENTAMETHYL PIPERIDINYL SESQUISEBACATE	41556-26-7	255-437-1		0.1 - ≤ 1%	
SILICA	7631-86-9 / 112945-52-5 / 60676-86-0	231-545-4 / 262-373- 8 /310-060-2		0.1 - ≤ 1%	ABRASIVE, ABSORBENT, ANTICAKING, BULKING, OPACIFYI
CI 45410	18472-87-2	242-355-6		0.1 - ≤ 1%	COSMETIC COLORANT
CI 77007	12769-96-9 / 1302-83-6 / 57455-37-5	235-811-0 / 215-111-1 / -		0.1 - ≤ 1%	COSMETIC COLORANT
CI 77891	13463-67-7	236-675-5		1 - ≤ 5%	COSMETIC COLORANT

DI-HEMA TRIMETHYLHEXYL DICARBAMATE, SILICA DIMETHYL SILYLATE, SYNTHETIC FLUORPHLOGOPITE, ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE, BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE, KAOLIN, METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT, PENTAMETHYL PIPERIDINYL SESQUISEBACATE, SILICA, CI 45410, CI 77007, CI 77891.

INCI
Professional Colorgel Vintage Pink

Produktname: 063050 MPK 002

Kunde: MPK Nails GmbH

INCI Declaration	CAS	EINECS	CI	Amount(%)	Function
DI-HEMA TRIMETHYLHEXYL DICARBAMATE	72869-86-4	276-957-5		75 - ≤ 100%	FILM FORMING
SILICA DIMETHYL SILYLATE	68611-44-9	271-893-4		1 - ≤ 5%	ANTICAKING, ANTIFOAMING, EMOLLIENT, EMULSION STABI
ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE	84434-11-7	271-893-4		1 - ≤ 5%	UV ABSORBER
BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE	162881-26-7	423-340-5		0.1 - ≤ 1%	UV ABSORBER
MALTODEXTRIN	9050-36-6	232-940-4		0 - ≤ 0.1%	ABSORBENT, BINDING, EMULSION STABILISING, FILM FOR
METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT	82919-37-7	280-060-4		0.1 - ≤ 1%	
PENTAMETHYL PIPERIDINYL SESQUISEBACATE	41556-26-7	255-437-1		0.1 - ≤ 1%	
SILICA	7631-86-9 / 112945-52-5 / 60676-86-0	231-545-4 / 262-373- 8 /310-060-2		0.1 - ≤ 1%	ABRASIVE, ABSORBENT, ANTICAKING, BULKING, OPACIFYI
CI 75470	1260-17-9 / 1328-60-5 / 1343-78-8 / 1390-65-4	215-023-3 / 215-527-3 / 215-680-6 / 215-724-4		0.1 - ≤ 1%	COSMETIC COLORANT
CI 77491	1309-37-1 / 1345-27-3	215-168-2 / 215-722-3		0.1 - ≤ 1%	COSMETIC COLORANT
CI 77499	12227-89-3 / 1317-61-9 / 1345-27-3	235-442-5 / 215-277-5 / 215-722-3		0 - ≤ 0.1%	COSMETIC COLORANT
CI 77891	13463-67-7	236-675-5		5 - ≤ 10%	COSMETIC COLORANT

DI-HEMA TRIMETHYLHEXYL DICARBAMATE, SILICA DIMETHYL SILYLATE, ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE, BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE, MALTODEXTRIN, METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT, PENTAMETHYL PIPERIDINYL SESQUISEBACATE, SILICA, CI 75470, CI 77491, CI 77499, CI 77891.

INCI

Professional Colorgel Chrome Rose

MPK Nails GmbH 1 /

1

Produktname: 063051 MPK 003

Kunde: MPK Nails GmbH

INCI Declaration	CAS	EINECS	CI	Amount(%)	Function
DI-HEMA TRIMETHYLHEXYL DICARBAMATE	72869-86-4	276-957-5		75 - ≤ 100%	FILM FORMING
GLYCERYL DIMETHACRYLATE	1830-78-0	217-388-4		10 - ≤ 25%	NAIL CONDITIONING
SILICA DIMETHYL SILYLATE	68611-44-9	271-893-4		1 - ≤ 5%	ANTICAKING, ANTIFOAMING, EMOLLIENT, EMULSION STABI
ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE	84434-11-7	271-893-4		1 - ≤ 5%	UV ABSORBER
BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE	162881-26-7	423-340-5		0 - ≤ 0.1%	UV ABSORBER
CALCIUM ALUMINUM BOROSILICATE	65997-17-3	266-046-0		0.1 - ≤ 1%	BULKING
METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT	82919-37-7	280-060-4		0 - ≤ 0.1%	
PENTAMETHYL PIPERIDINYL SESQUISEBACATE	41556-26-7	255-437-1		0.1 - ≤ 1%	
P-HYDROXYANISOLE	150-76-5	205-769-8		0 - ≤ 0.1%	ANTIOXIDANT, REDUCING
SILICA	7631-86-9 / 112945-52-5 / 60676-86-0	231-545-4 / 262-373- 8 /310-060-2		0.1 - ≤ 1%	ABRASIVE, ABSORBENT, ANTICAKING, BULKING, OPACIFYI
TIN OXIDE	18282-10-5	242-159-0		0 - ≤ 0.1%	ABRASIVE, BULKING, OPACIFYING, VISCOSITY CONTROLLI
CI 15850	5858-81-1	227-497-9		0 - ≤ 0.1%	COSMETIC COLORANT
CI 77820	7440-22-4	231-131-3		1 - ≤ 5%	COSMETIC COLORANT

DI-HEMA TRIMETHYLHEXYL DICARBAMATE, GLYCERYL DIMETHACRYLATE, SILICA DIMETHYL SILYLATE, ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE, BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE, CALCIUM ALUMINUM BOROSILICATE, METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT, PENTAMETHYL PIPERIDINYL SESQUISEBACATE, P-HYDROXYANISOLE, SILICA, TIN OXIDE, CI 15850, CI 77820.

INCI
Professional Colorgel Rosewood

Produktname: 063052 MPK 004

Kunde: MPK Nails GmbH

INCI Declaration	CAS	EINECS	CI	Amount(%)	Function
DI-HEMA TRIMETHYLHEXYL DICARBAMATE	72869-86-4	276-957-5		75 - ≤ 100%	FILM FORMING
SILICA DIMETHYL SILYLATE	68611-44-9	271-893-4		1 - ≤ 5%	ANTICAKING, ANTIFOAMING, EMOLLIENT, EMULSION STABI
ALUMINUM HYDROXIDE	21645-51-2	244-492-7		0 - ≤ 0.1%	EMOLLIENT, HUMECTANT, OPACIFYING, SKIN PROTECTING,
BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE	162881-26-7	423-340-5		0.1 - ≤ 1%	UV ABSORBER
ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE	84434-11-7	271-893-4		0.1 - ≤ 1%	UV ABSORBER
KAOLIN	1332-58-7	310-194-1		0.1 - ≤ 1%	ABRASIVE, ABSORBENT, ANTICAKING, BULKING, OPACIFYI
METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT	82919-37-7	280-060-4		0.1 - ≤ 1%	
PENTAMETHYL PIPERIDINYL SESQUISEBACATE	41556-26-7	255-437-1		0.1 - ≤ 1%	
SILICA	7631-86-9 / 112945-52-5 / 60676-86-0	231-545-4 / 262-373- 8 /310-060-2		0.1 - ≤ 1%	ABRASIVE, ABSORBENT, ANTICAKING, BULKING, OPACIFYI
CI 16035	25956-17-6	247-368-0		0 - ≤ 0.1%	COSMETIC COLORANT
CI 42090	3844-45-9	223-339-8		0 - ≤ 0.1%	COSMETIC COLORANT
CI 77007	12769-96-9 / 1302-83-6 / 57455-37-5	235-811-0 / 215-111-1 / -		5 - ≤ 10%	COSMETIC COLORANT
CI 77491	1309-37-1 / 1345-27-3	215-168-2 / 215-722-3		0.1 - ≤ 1%	COSMETIC COLORANT
CI 77499	12227-89-3 / 1317-61-9 / 1345-27-3	235-442-5 / 215-277-5 / 215-722-3		0 - ≤ 0.1%	COSMETIC COLORANT
CI 77742	10101-66-3	233-257-4		0.1 - ≤ 1%	COSMETIC COLORANT

INCI
Professional Colorgel Rosewood

MPK Nails GmbH 2 /

2

Produktname: 063052 MPK 004

Kunde: MPK Nails GmbH

INCI Declaration	CAS	EINECS	CI	Amount(%)	Function
CI 77891	13463-67-7	236-675-5		1 - ≤ 5%	COSMETIC COLORANT

DI-HEMA TRIMETHYLHEXYL DICARBAMATE, SILICA DIMETHYL SILYLATE, ALUMINUM HYDROXIDE, BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE, ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE, KAOLIN, METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT, PENTAMETHYL PIPERIDINYL SESQUISEBACATE, SILICA, CI 16035, CI 42090, CI 77007, CI 77491, CI 77499, CI 77742, CI 77891.

INCI
Professional Colorgel Pastel Aqua (metallic)

Produktname: 063053 MPK 005

Kunde: MPK Nails GmbH

INCI Declaration	CAS	EINECS	CI	Amount(%)	Function
DI-HEMA TRIMETHYLHEXYL DICARBAMATE	72869-86-4	276-957-5		75 - ≤ 100%	FILM FORMING
SILICA DIMETHYL SILYLATE	68611-44-9	271-893-4		1 - ≤ 5%	ANTICAKING, ANTIFOAMING, EMOLLIENT, EMULSION STABI
SYNTHETIC FLUORPHLOGOPITE	12003-38-2	234-426-5		1 - ≤ 5%	BULKING, VISCOSITY CONTROLLING
BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE	162881-26-7	423-340-5		1 - ≤ 5%	UV ABSORBER
ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE	84434-11-7	271-893-4		1 - ≤ 5%	UV ABSORBER
METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT	82919-37-7	280-060-4		0.1 - ≤ 1%	
PENTAMETHYL PIPERIDINYL SESQUISEBACATE	41556-26-7	255-437-1		0.1 - ≤ 1%	
SILICA	7631-86-9 / 112945-52-5 / 60676-86-0	231-545-4 / 262-373- 8 /310-060-2		0.1 - ≤ 1%	ABRASIVE, ABSORBENT, ANTICAKING, BULKING, OPACIFYI
CI 47005	8004-92-0 / 94891-32-4 / 95193-83-2	- / 305-632-3 / 305-897-5		0 - ≤ 0.1%	COSMETIC COLORANT
CI 74260	1328-53-6	215-524-7		0 - ≤ 0.1%	COSMETIC COLORANT
CI 77891	13463-67-7	236-675-5		5 - ≤ 10%	COSMETIC COLORANT

DI-HEMA TRIMETHYLHEXYL DICARBAMATE, SILICA DIMETHYL SILYLATE, SYNTHETIC FLUORPHLOGOPITE, BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE, ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE, METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT, PENTAMETHYL PIPERIDINYL SESQUISEBACATE, SILICA, CI 47005, CI 74260, CI 77891.

INCI

Professional Colorgel Powder Nude

MPK Nails GmbH 1 / 2

Produktname: 063054 MPK 006

Kunde: MPK Nails GmbH

INCI Declaration	CAS	EINECS	CI	Amount(%)	Function
DI-HEMA TRIMETHYLHEXYL DICARBAMATE	72869-86-4	276-957-5		75 - ≤ 100%	FILM FORMING
SILICA DIMETHYL SILYLATE	68611-44-9	271-893-4		1 - ≤ 5%	ANTICAKING, ANTIFOAMING, EMOLLIENT, EMULSION STABI
ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE	84434-11-7	271-893-4		1 - ≤ 5%	UV ABSORBER
ALUMINUM HYDROXIDE	21645-51-2	244-492-7		0 - ≤ 0.1%	EMOLLIENT, HUMECTANT, OPACIFYING, SKIN PROTECTING,
BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE	162881-26-7	423-340-5		0.1 - ≤ 1%	UV ABSORBER
DIETHYLHEXYL SODIUM SULFOSUCCINATE	577-11-7	209-406-4		0 - ≤ 0.1%	CLEANSING, EMULSIFYING, HYDROTROPE, SURFACTANT
METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT	82919-37-7	280-060-4		0.1 - ≤ 1%	
PENTAMETHYL PIPERIDINYL SESQUISEBACATE	41556-26-7	255-437-1		0.1 - ≤ 1%	
SILICA	7631-86-9 / 112945-52-5 / 60676-86-0	231-545-4 / 262-373- 8 /310-060-2		0.1 - ≤ 1%	ABRASIVE, ABSORBENT, ANTICAKING, BULKING, OPACIFYI
CI 12490	6410-41-9	229-107-2		0 - ≤ 0.1%	COSMETIC COLORANT
CI 16035	25956-17-6	247-368-0		0 - ≤ 0.1%	COSMETIC COLORANT
CI 42090	3844-45-9	223-339-8		0 - ≤ 0.1%	COSMETIC COLORANT
CI 77491	1309-37-1 / 1345-27-3	215-168-2 / 215-722-3		0.1 - ≤ 1%	COSMETIC COLORANT
CI 77499	12227-89-3 / 1317-61-9 / 1345-27-3	235-442-5 / 215-277-5 / 215-722-3		0 - ≤ 0.1%	COSMETIC COLORANT
CI 77891	13463-67-7	236-675-5		5 - ≤ 10%	COSMETIC COLORANT

DI-HEMA TRIMETHYLHEXYL DICARBAMATE, SILICA DIMETHYL SILYLATE, ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE, ALUMINUM HYDROXIDE, BIS-TRIMETHYLBENZOYL

INCI
Professional Colorgel Powder Nude

MPK Nails GmbH 2 /

2

Produktname: 063054 MPK 006

Kunde: MPK Nails GmbH

INCI Declaration

CAS

EINECS

CI

Amount(%)

Function

PHENYLPHOSPHINE OXIDE, DIETHYLHEXYL SODIUM SULFOSUCCINATE, METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT, PENTAMETHYL PIPERIDINYL SESQUISEBACATE, SILICA, CI 12490, CI 16035, CI 42090, CI 77491, CI 77499, CI 77891.

INCI

Professional Colorgel Pink Diamond

MPK Nails GmbH 1 /

1

Produktname: 063055 MPK 007

Kunde: MPK Nails GmbH

INCI Declaration	CAS	EINECS	CI	Amount(%)	Function
DI-HEMA TRIMETHYLHEXYL DICARBAMATE	72869-86-4	276-957-5		75 - ≤ 100%	FILM FORMING
CALCIUM ALUMINUM BOROSILICATE	65997-17-3	266-046-0		1 - ≤ 5%	BULKING
SILICA DIMETHYL SILYLATE	68611-44-9	271-893-4		1 - ≤ 5%	ANTICAKING, ANTIFOAMING, EMOLLIENT, EMULSION STABI
SILICA	7631-86-9 / 112945-52-5 / 60676-86-0	231-545-4 / 262-373- 8 /310-060-2		1 - ≤ 5%	ABRASIVE, ABSORBENT, ANTICAKING, BULKING, OPACIFYI
ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE	84434-11-7	271-893-4		1 - ≤ 5%	UV ABSORBER
BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE	162881-26-7	423-340-5		0.1 - ≤ 1%	UV ABSORBER
METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT	82919-37-7	280-060-4		0.1 - ≤ 1%	
PENTAMETHYL PIPERIDINYL SESQUISEBACATE	41556-26-7	255-437-1		0.1 - ≤ 1%	
TIN OXIDE	18282-10-5	242-159-0		0 - ≤ 0.1%	ABRASIVE, BULKING, OPACIFYING, VISCOSITY CONTROLLI
CI 45410	18472-87-2	242-355-6		0.1 - ≤ 1%	COSMETIC COLORANT
CI 77891	13463-67-7	236-675-5		1 - ≤ 5%	COSMETIC COLORANT

DI-HEMA TRIMETHYLHEXYL DICARBAMATE, CALCIUM ALUMINUM BOROSILICATE, SILICA DIMETHYL SILYLATE, SILICA, ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE, BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE, METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT, PENTAMETHYL PIPERIDINYL SESQUISEBACATE, TIN OXIDE, CI 45410, CI 77891.

INCI
Professional Colorgel Cotton Candy

Produktname: 063056 MPK 008

Kunde: MPK Nails GmbH

INCI Declaration	CAS	EINECS	CI	Amount(%)	Function
DI-HEMA TRIMETHYLHEXYL DICARBAMATE	72869-86-4	276-957-5		75 - ≤ 100%	FILM FORMING
SILICA DIMETHYL SILYLATE	68611-44-9	271-893-4		1 - ≤ 5%	ANTICAKING, ANTIFOAMING, EMOLLIENT, EMULSION STABI
BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE	162881-26-7	423-340-5		1 - ≤ 5%	UV ABSORBER
ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE	84434-11-7	271-893-4		0.1 - ≤ 1%	UV ABSORBER
METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT	82919-37-7	280-060-4		0 - ≤ 0.1%	
PENTAMETHYL PIPERIDINYL SESQUISEBACATE	41556-26-7	255-437-1		0.1 - ≤ 1%	
SILICA	7631-86-9 / 112945-52-5 / 60676-86-0	231-545-4 / 262-373- 8 /310-060-2		0.1 - ≤ 1%	ABRASIVE, ABSORBENT, ANTICAKING, BULKING, OPACIFYI
CI 77491	1309-37-1 / 1345-27-3	215-168-2 / 215-722-3		0.1 - ≤ 1%	COSMETIC COLORANT
CI 77499	12227-89-3 / 1317-61-9 / 1345-27-3	235-442-5 / 215-277-5 / 215-722-3		0 - ≤ 0.1%	COSMETIC COLORANT
CI 77891	13463-67-7	236-675-5		10 - ≤ 25%	COSMETIC COLORANT

DI-HEMA TRIMETHYLHEXYL DICARBAMATE, SILICA DIMETHYL SILYLATE, BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE, ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE, METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT, PENTAMETHYL PIPERIDINYL SESQUISEBACATE, SILICA, CI 77491, CI 77499, CI 77891.

INCI

Professional Colorgel Dazzling Pink

Produktname: 063057 MPK 009

Kunde: MPK Nails GmbH

INCI Declaration	CAS	EINECS	CI	Amount(%)	Function
DI-HEMA TRIMETHYLHEXYL DICARBAMATE	72869-86-4	276-957-5		50 - ≤ 75%	FILM FORMING
GLYCERYL DIMETHACRYLATE	1830-78-0	217-388-4		10 - ≤ 25%	NAIL CONDITIONING
CALCIUM ALUMINUM BOROSILICATE	65997-17-3	266-046-0		5 - ≤ 10%	BULKING
POLYETHYLENE TEREPHTHALATE	25038-59-9	n/a		1 - ≤ 5%	FILM FORMING
SILICA	7631-86-9 / 112945-52-5 / 60676-86-0	231-545-4 / 262-373- 8 /310-060-2		1 - ≤ 5%	ABRASIVE, ABSORBENT, ANTICAKING, BULKING, OPACIFYI
SILICA DIMETHYL SILYLATE	68611-44-9	271-893-4		1 - ≤ 5%	ANTICAKING, ANTIFOAMING, EMOLLIENT, EMULSION STABI
ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE	84434-11-7	271-893-4		1 - ≤ 5%	UV ABSORBER
BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE	162881-26-7	423-340-5		0 - ≤ 0.1%	UV ABSORBER
METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT	82919-37-7	280-060-4		0 - ≤ 0.1%	
PENTAMETHYL PIPERIDINYL SESQUISEBACATE	41556-26-7	255-437-1		0.1 - ≤ 1%	
P-HYDROXYANISOLE	150-76-5	205-769-8		0 - ≤ 0.1%	ANTIOXIDANT, REDUCING
POLYURETHANE-33	-	-		0.1 - ≤ 1%	BINDING
TIN OXIDE	18282-10-5	242-159-0		0.1 - ≤ 1%	ABRASIVE, BULKING, OPACIFYING, VISCOSITY CONTROLLI
CI 15850	5858-81-1	227-497-9		0.1 - ≤ 1%	COSMETIC COLORANT
CI 15880	6417-83-0	229-142-3		0.1 - ≤ 1%	COSMETIC COLORANT
CI 77000	7429-90-5	231-072-3		0 - ≤ 0.1%	COSMETIC COLORANT
CI 77891	13463-67-7	236-675-5		0.1 - ≤ 1%	COSMETIC COLORANT

INCI Professional Colorgel Dazzling Pink

MPK Nails GmbH 2 /

2

Produktname: 063057 MPK 009

Kunde: MPK Nails GmbH

INCI Declaration	CAS	EINECS	CI	Amount(%)	Function
------------------	-----	--------	----	-----------	----------

DI-HEMA TRIMETHYLHEXYL DICARBAMATE, GLYCERYL DIMETHACRYLATE, CALCIUM ALUMINUM BOROSILICATE, POLYETHYLENE TEREPHTHALATE, SILICA, SILICA DIMETHYL SILYLATE, ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE, BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE, METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT, PENTAMETHYL PIPERIDINYL SESQUISEBACATE, P-HYDROXYANISOLE, POLYURETHANE-33, TIN OXIDE, CI 15850, CI 15880, CI 77000, CI 77891.

INCI

Professional Colorgel Love Letter

Produktname: 063058 MPK 010

Kunde: MPK Nails GmbH

INCI Declaration	CAS	EINECS	CI	Amount(%)	Function
DI-HEMA TRIMETHYLHEXYL DICARBAMATE	72869-86-4	276-957-5		75 - ≤ 100%	FILM FORMING
SILICA DIMETHYL SILYLATE	68611-44-9	271-893-4		5 - ≤ 10%	ANTICAKING, ANTIFOAMING, EMOLLIENT, EMULSION STABI
BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE	162881-26-7	423-340-5		0.1 - ≤ 1%	UV ABSORBER
ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE	84434-11-7	271-893-4		0.1 - ≤ 1%	UV ABSORBER
METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT	82919-37-7	280-060-4		0.1 - ≤ 1%	
PENTAMETHYL PIPERIDINYL SESQUISEBACATE	41556-26-7	255-437-1		0.1 - ≤ 1%	
SILICA	7631-86-9 / 112945-52-5 / 60676-86-0	231-545-4 / 262-373- 8 /310-060-2		0.1 - ≤ 1%	ABRASIVE, ABSORBENT, ANTICAKING, BULKING, OPACIFYI
CI 15850	5858-81-1	227-497-9		1 - ≤ 5%	COSMETIC COLORANT
CI 77891	13463-67-7	236-675-5		0.1 - ≤ 1%	COSMETIC COLORANT

DI-HEMA TRIMETHYLHEXYL DICARBAMATE, SILICA DIMETHYL SILYLATE, BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE, ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE, METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT, PENTAMETHYL PIPERIDINYL SESQUISEBACATE, SILICA, CI 15850, CI 77891.

INCI
Professional Colorgel Bordeaux

Produktname: 063059 MPK 011

Kunde: MPK Nails GmbH

INCI Declaration	CAS	EINECS	CI	Amount(%)	Function
DI-HEMA TRIMETHYLHEXYL DICARBAMATE	72869-86-4	276-957-5		75 - ≤ 100%	FILM FORMING
SILICA DIMETHYL SILYLATE	68611-44-9	271-893-4		5 - ≤ 10%	ANTICAKING, ANTIFOAMING, EMOLLIENT, EMULSION STABI
ALUMINUM HYDROXIDE	21645-51-2	244-492-7		0.1 - ≤ 1%	EMOLLIENT, HUMECTANT, OPACIFYING, SKIN PROTECTING,
BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE	162881-26-7	423-340-5		0.1 - ≤ 1%	UV ABSORBER
ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE	84434-11-7	271-893-4		0.1 - ≤ 1%	UV ABSORBER
MALTODEXTRIN	9050-36-6	232-940-4		0 - ≤ 0.1%	ABSORBENT, BINDING, EMULSION STABILISING, FILM FOR
METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT	82919-37-7	280-060-4		0.1 - ≤ 1%	
PENTAMETHYL PIPERIDINYL SESQUISEBACATE	41556-26-7	255-437-1		0.1 - ≤ 1%	
SILICA	7631-86-9 / 112945-52-5 / 60676-86-0	231-545-4 / 262-373- 8 /310-060-2		0.1 - ≤ 1%	ABRASIVE, ABSORBENT, ANTICAKING, BULKING, OPACIFYI
CI 15850	5858-81-1	227-497-9		1 - ≤ 5%	COSMETIC COLORANT
CI 16035	25956-17-6	247-368-0		0 - ≤ 0.1%	COSMETIC COLORANT
CI 17200	3567-66-6	222-656-9		0.1 - ≤ 1%	COSMETIC COLORANT
CI 42090	3844-45-9	223-339-8		0 - ≤ 0.1%	COSMETIC COLORANT
CI 75470	1260-17-9 / 1328-60-5 / 1343-78-8 / 1390-65-4	215-023-3 / 215-527-3 / 215-680-6 / 215-724-4		0.1 - ≤ 1%	COSMETIC COLORANT

DI-HEMA TRIMETHYLHEXYL DICARBAMATE, SILICA DIMETHYL SILYLATE, ALUMINUM HYDROXIDE, BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE, ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE, MALTODEXTRIN, METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT, PENTAMETHYL PIPERIDINYL SESQUISEBACATE, SILICA,

INCI
Professional Colorgel Bordeaux

MPK Nails GmbH 2 /

2

Produktname: 063059 MPK 011

Kunde: MPK Nails GmbH

INCI Declaration

CAS

EINECS

CI

Amount(%)

Function

CI 15850, CI 16035, CI 17200, CI 42090, CI 75470.

INCI

Professional Colorgel Dreamy Pink

MPK Nails GmbH 1 /

1

Produktname: 063060 MPK 012

Kunde: MPK Nails GmbH

INCI Declaration	CAS	EINECS	CI	Amount(%)	Function
DI-HEMA TRIMETHYLHEXYL DICARBAMATE	72869-86-4	276-957-5		75 - ≤ 100%	FILM FORMING
SILICA DIMETHYL SILYLATE	68611-44-9	271-893-4		1 - ≤ 5%	ANTICAKING, ANTIFOAMING, EMOLLIENT, EMULSION STABI
BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE	162881-26-7	423-340-5		0.1 - ≤ 1%	UV ABSORBER
ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE	84434-11-7	271-893-4		0.1 - ≤ 1%	UV ABSORBER
KAOLIN	1332-58-7	310-194-1		0.1 - ≤ 1%	ABRASIVE, ABSORBENT, ANTICAKING, BULKING, OPACIFYI
METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT	82919-37-7	280-060-4		0.1 - ≤ 1%	
PENTAMETHYL PIPERIDINYL SESQUISEBACATE	41556-26-7	255-437-1		0.1 - ≤ 1%	
SILICA	7631-86-9 / 112945-52-5 / 60676-86-0	231-545-4 / 262-373- 8 /310-060-2		0.1 - ≤ 1%	ABRASIVE, ABSORBENT, ANTICAKING, BULKING, OPACIFYI
CI 77007	12769-96-9 / 1302-83-6 / 57455-37-5	235-811-0 / 215-111-1 / -		1 - ≤ 5%	COSMETIC COLORANT
CI 77891	13463-67-7	236-675-5		5 - ≤ 10%	COSMETIC COLORANT

DI-HEMA TRIMETHYLHEXYL DICARBAMATE, SILICA DIMETHYL SILYLATE, BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE, ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE, KAOLIN, METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT, PENTAMETHYL PIPERIDINYL SESQUISEBACATE, SILICA, CI 77007, CI 77891.

INCI

Professional Colorgel South Seas (metallic)

MPK Nails GmbH 1 /

1

Produktname: 063061 MPK 013

Kunde: MPK Nails GmbH

INCI Declaration	CAS	EINECS	CI	Amount(%)	Function
DI-HEMA TRIMETHYLHEXYL DICARBAMATE	72869-86-4	276-957-5		75 - ≤ 100%	FILM FORMING
SILICA DIMETHYL SILYLATE	68611-44-9	271-893-4		1 - ≤ 5%	ANTICAKING, ANTIFOAMING, EMOLLIENT, EMULSION STABI
SILICA	7631-86-9 / 112945-52-5 / 60676-86-0	231-545-4 / 262-373- 8 /310-060-2		1 - ≤ 5%	ABRASIVE, ABSORBENT, ANTICAKING, BULKING, OPACIFYI
MICA	12001-26-2	310-127-6		1 - ≤ 5%	OPACIFYING
BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE	162881-26-7	423-340-5		1 - ≤ 5%	UV ABSORBER
ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE	84434-11-7	271-893-4		1 - ≤ 5%	UV ABSORBER
METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT	82919-37-7	280-060-4		0.1 - ≤ 1%	
PENTAMETHYL PIPERIDINYL SESQUISEBACATE	41556-26-7	255-437-1		0.1 - ≤ 1%	
TIN OXIDE	18282-10-5	242-159-0		0 - ≤ 0.1%	ABRASIVE, BULKING, OPACIFYING, VISCOSITY CONTROLLI
CI 42090	3844-45-9	223-339-8		1 - ≤ 5%	COSMETIC COLORANT
CI 74260	1328-53-6	215-524-7		0.1 - ≤ 1%	COSMETIC COLORANT
CI 77891	13463-67-7	236-675-5		1 - ≤ 5%	COSMETIC COLORANT

DI-HEMA TRIMETHYLHEXYL DICARBAMATE, SILICA DIMETHYL SILYLATE, SILICA, MICA, BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE, ETHYL TRIMETHYLBENZOYL PHENYLPHOSPHINATE, METHYL-1,2,2,6,6-PENTAMETHYL-4-PIPERIDYLSEBACAT, PENTAMETHYL PIPERIDINYL SESQUISEBACATE, TIN OXIDE, CI 42090, CI 74260, CI 77891.